

GENERAL**Operational Hours****ATS Hours / AD Hours:** 1100-2300**Airport Information****RFF:** CAT 5**PCN:** RWY 10/28: 96/F/B/X/T**Customs:** Not AVBL**Operation****Taxi/Parking**

Assistance of marshallers is necessary when towing an ACFT.

Warnings

Birds in vicinity of AD.

ARRIVAL**Speed**

MAX IAS 250KT below FL100 within airspace classes D and G.

DEPARTURE**Take-off Minima**

RWY		10/28	
3+4 ENG	ft - m/km	0 - 800V	-
2 ENG		0 - 1.6V	

Speed

MAX IAS 250KT below FL100 within airspace classes D and G.

Departure Procedure**Intersection TKOF**

Intersection TKOF not allowed:

- if VIS at or below 3000m
- between 0400-1059, when it involves overflying urban areas

Noise Abatement Procedure

Turbine ACFT will be towed to RWY, where they will start-up the ENGs.

RCH-SKRH


AFC

AFC

AFC


AFC

Almirante Padilla **Riohacha** Colombia



METEO	132.100	1100-2300
Barranquilla Info	127.500	
Almirante Padilla TWR	118.400	1100-2300

Landing RWY system:



Effective 16-AUG-2018

09-AUG-2018

RCH-SKRH

Colombia **Riohacha** Almirante Padilla

AGC

AGC


AGC

Almirante Padilla **Riohacha** Colombia

AGC

3-20

METEO	132.100	1100-2300
Barranquilla Info	127.500	
Almirante Padilla TWR	118.400	1100-2300



Changes: FREQ

Effective 16-AUG-2018

09-AUG-2018

RCH-SKRH

Colombia Riohacha Almirante Padilla

SIDs RWY 10

ANDIL 1C RNAV


SID

SID

Almirante Padilla Riohacha Colombia

SIDs RWY 10

ANDIL 1C RNAV



Effective 16-AUG-2018

09-AUG-2018

RCH-SKRH

Colombia **Riohacha** Almirante Padilla

4-20


SIDs RWY 10

SID

SID

Almirante Padilla **Riohacha** Colombia

SIDs RWY 10



Changes: PROC, Editorial

© Lido 2018

RCH-SKRH

5-10

ANDIL 1C RNAV

ANDIL 1C RNAV RWY 28 (277°)		
DESIGNATOR	ROUTING	ALTITUDES
	Runway 28	
ANDIL 1C RNAV 118.400	DCT <u>RH901</u> - DCT RH902 - RH903 - ANDIL	RH901 MNM 500 RH902 MNM 3000 RH903 MNM 6000 ANDIL MNM 9000

RCH-SKRH

5-20

SIDs RWY 10**ATEDI 1B / CERREJON 3B / IRONU 1E / TIPGA 3A / URIBI 1A / XUXOR 1B**

RWY 10 (097°)

	GS	120	150	180	210	240	270
5.0%	ft/MIN	700	800	1000	1100	1300	1400

DESIGNATOR	ROUTING	ALTITUDES
	Runway 10	
ATEDI 1B 5% to MEA 118.400	No procedure text published	
CERREJON 3B CJN 3B 5% to MEA 118.400	No procedure text published	
IRONU 1E 5% to MEA 118.400	No procedure text published	IRONU MNM 9000
TIPGA 3A 5% to MEA 118.400	No procedure text published	
URIBI 1A 5% to MEA 118.400	No procedure text published	R118/D16 RHC MNM 5000
XUXOR 1B 5.0% to MEA 118.400	No procedure text published	

09-AUG-2018


6-10

RNAV STARS RWY 10

STAR

ANDIL 1B

RNAV STARS RWY 10



Effective 16-AUG-2018

09-AUG-2018

RCH-SKRRH

Colombia Riohacha Almirante Padilla

6-20


ANDIL 1B

STAR

STAR

ANDIL 1B

Almirante Padilla Riohacha Colombia




Changes: FREQ


RCH-SKRH

7-10

RNAV (GNSS) 10



3.00°	8	6	5	4	3	2	(10)	83.0°	60 L
RW10	2700	2060	1730	1410	1080	750		1900 x 30	
								THR 38 (1hPa) / TDZ	0.0%



10	RNAV GNSS					Circling
	LNAV GA 4.0%					
C	ft - m/km ft	490 - 2.6V 520				740 - 3.6V 780
D	ft - m/km ft	Not published				Not published

VOR 10

