

GENERAL**Operational Hours****ATS Hours**

MON-FRI: 0400-1900‡

SAT: 0400-1800‡

SUN: 0500-1800‡

Other times PPR, except in case of EMERG.

AD ADMIN Hours

Summer: MON-FRI 0400-1900

SAT 0400-1800

SUN 0500-1800

Winter: MON-FRI 0500-1900

SAT 0500-1800

SUN 0600-1800

Other times PPR, except in case of EMERG.

Airport Information**RFF:** CAT 4**Fuel:** AVTUR

MON-FRI 0600-1100‡ and 1200-1600‡

SAT, SUN 0600-1000‡ and O/R

PCN: RWY 01/19: 6/F/D/Y/T**Customs:** As AD ADMIN Hours**Operation****Preferential RWY during Night OPS**

TKOF: RWY 01.

LDG: RWY 19.

TWY Restriction

TWYs width 12m / 39ft.

Warnings

Paragliding activities at Gross Herzog TWR at 6.3NM from AD, SAT and HOL.

Birds in vicinity of AD.

ARRIVAL**Speed**

Within Eros CTR: MAX IAS 150KT for piston powered ACFT.

MAX IAS 185KT for turbine powered ACFT.

Within Windhoek TMA: MAX IAS 250KT at and below FL150.

Communication**COM Failure**

Phone TWR +264 61 702090.

Enter CTR via TONI 8000ft. Proceed to overhead AD. Observe other traffic and make blind transmit.

Flash LDG lights and watch TWR for optical signals.

DEPARTURE**Take-off Minima**

RWY		01	
All ACFT	ft - m/km	0 - 400V	HJ only
		0 - 800V	HN
RWY		19	
All ACFT	ft - m/km	0 - 400V	HJ only

Speed

Within Windhoek TMA: MAX IAS 250KT at and below FL150.


Departure Procedure**Start-up**

Due to non-simultaneous operations on the manoeuvring area at FYWH X all traffic intending to DEP from FYWE to FYWH are required to request for a start up clearance from FYWE TWR.

Noise Abatement Procedure

RWY 01: Maintain RWY heading until passing 6500ft before initial turn or until passing the State Hospital.


Changes: FREQ




ERS-FYWE

7-10

RNP 01





REDL 1830. LDA at night = 1975m

60 HI


60 x 1975

PAPI PSN unknown3

+1.0% TDZ 5510 (---%) / **THR 5510** (183hPa)

5	6	7	8	9	9.2
7160	7470	7790	8110	8430	8500

TRL ATC
TA 10000



19		RNP VNAV ¹⁾	RNP LNAV				Circling
C	ft - m/km ft	1130 - 5.0V 6640 ²⁾	1390 - 5.0V 6900				Not published
D	ft - m/km ft	Not published	Not published				Not published

1) Uncompensated BARO VNAV NA below -10°C (14°F) or above 50°C (122°F)


2) With EVS VIS 3.3km

Changes: new

ERS-FYWE

7-30

Visual 01/19



ERS-FYWE


MRC

MRC

MRC

MRC

8-10



Changes: VAR, OBST

TRL ATC
TA 10000

© Lido 2016