

GENERAL**Operational Hours**

ATS Hours: AFIS - Radom INFO
 SAT 0700-1900‡
 SUN 0700-1159‡, 1501-1659‡
 TWR: SUN 1200-1500‡, 1700-1900‡, 2000-2100‡

AD ADMIN Hours: 0700-1900‡

Airport Information

RFF: CAT 2, CAT 5 O/R 48HR in advance
PCN: RWY 07/25: 67/R/C/W/T
Customs: MON-FRI 0630-1430‡

Operation**TWY Restriction**

TWY E width 18m / 59ft.

TWY A, C, C1, E1, F4 width 14m / 46ft.

TWY B, D, D1, F1, F2, F3, G1, G2, H, S width 12m / 39ft.

TWY I1, I2, I3, I4, I5 width 10m / 33ft.

Taxi/Parking

Code C ACFT operate on APN 1 only in accordance with marshaller instructions.

DEPARTURE**Take-off Minima**

RWY		07/25	
All ACFT	ft - m/km	0 - 400R/400V	HJ only
		0 - 800R/800V	HN

De-Icing

| SAT-SUN 0700-1900‡, other times O/R 72HR in advance.

Effective 16-AUG-2018

09-AUG-2018

RDO-EPRA

Poland Radow Sadkow

AGC

AFC

AFC


AFC

Sadow Radow Poland

AGC

AFC

2-10



Changes: FREQ, SUAs

Info

122.050 Sat: 0700-1900+
Sun: 0500-1159+, 1501-1659+

Military APP

128.675 Mon-Fri: 0700-1900+

PAR

129.000 o/R

TWR

122.050 Sun:
1200-1500+
1700-1900+
2000-2100+

Military TWR

119.150 Mon-Fri: 0700-1900+



Military GND

121.750 Mon-Fri: 0700-1900+

RDO

126.025

Landing RWY system:



RDO-EPRA


AGC

AGC

AGC

AGC

3-20



Changes: FREQ

Effective 20-JUL-2017

13-JUL-2017

RDO-EPRA

Poland **Radom** Sadkow

RNAV SIDs RWY 25

RNAV SIDs RWY 07

SID


SID

Sadow **Radom** Poland

RNAV SIDs RWY 25

RNAV SIDs RWY 07

4-10



Changes: MSA, SUAs

RDO-EPRA


RNAV SIDs RWY 25

SID

SID

RNAV SIDs RWY 25

4-20



Changes: MSA, SUAs

© Lido 2017

RDO-EPRA

5-10

RNAV SIDs RWY 07**SIDPT****KURAV 1L / OMAVA 1L**

RWY 07 (069°)

DESIGNATOR	ROUTING	ALTITUDES
	Runway 07	
KURAV 1L 128.675 122.050	RA701 [K220-] - RA702 [K220-] - RA703 [K250-] - KURAV	RA701 MNM 2800 RA702 MNM 5000 RA703 MNM 6500 KURAV MNM FL100
OMAVA 1L 128.675 122.050	RA701 [K220-] - RA702 [K220-] - OMAVA	RA701 MNM 2800 RA702 MNM 5000 OMAVA MNM FL100

RDO-EPRA

5-20

RNAV SIDs RWY 25**SIDPT****KURAV 1M / OMAVA 1M**

RWY 25 (249°)

DESIGNATOR	ROUTING	ALTITUDES
	Runway 25	
KURAV 1M 128.675 122.050	RA601 [K210-] - RA602 [K230-] - RA603 [K250-] - KURAV	RA601 MNM 2700 RA602 MNM 4500 RA603 MNM 6300 KURAV MNM FL100
OMAVA 1M 128.675 122.050	RA601 [K210-] - RA602 [K230-] - OMAVA	RA601 MNM 2700 RA602 MNM 4500 OMAVA MNM FL100

RDO-EPRA


RNAV STARs

STAR

STAR

NIL

RNAV STARs




Changes: MSA, SUAs

© Lido 2017


RDO-EPRA

7-10

RNAV (GNSS) 07



3.00° RW07	7.3	6	5	4	3	2	07	83.0°	50 HL
	3000	2580	2260	1940	1620	1300	HL-S	205 1795 x 45	510
	THR 618 (22hPa) / TDZ 611 (---%) -0.2%								




07	RNAV GNSS	LNNAV					Circling
							S of AD only
C	ft - m/km	450 - 1.7					850 - 2.4V
	ft	1060					1470
D	ft - m/km	450 - 1.7					850 - 3.6V
	ft	1060					1470

RDO-EPRA

7-20




RNAV (GNSS) 25



RDO-EPRA

7-30

VOR 07



07	VOR DME	VOR DME wo D3.5 RAD				Circling S of AD only
C	ft - m/km ft	450 - 1.7 1060	680 - 2.4 1290			850 - 2.4V 1470
D	ft - m/km ft	450 - 1.7 1060	680 - 2.4 1290			850 - 3.6V 1470

RDO-EPRA

7-40

VOR 25

