

GENERAL			
Operational Hours			
ATS Hours: TWR by NOTAM AD OPS Hours: Not published			
Airport Information			
RFF:	Not published		
Fuel:	Not published		
PCN:	RWY 12/30: 46/F/B/1750 (254 PSI)/T		
Customs:	Not published		
Operation			
Traffic Note All ACFT require 24HR PN Transponder Operation For details on Transponder Mode S Operation see CRAR Australia.			
Warnings			
CTAF not AVBL when when Scherger CTR and restricted areas active. Two way communication between ACFT on the ground Weipa and Scherger on CTAF may be prevented by terrain shielding. Animal hazard exists.			
ARRIVAL			
Communication			
COM Failure: See CRAR Australia.			
Arrival Procedure			
Noise Abatement Procedure: See CRAR Australia.			
DEPARTURE			
Take-off Minima			
RWY		12/30	
Multi ENG	ft - m/km	0 - 550V	REDL+RCLM, HJ only
		0 - 800V	-
other		c300 - 2.0V	-
Communication			
COM Failure: See CRAR Australia.			
Departure Procedure			
Noise Abatement Procedure: See CRAR Australia.			

04-AUG-2016

N/A-YBSG

2-10

Australia Scherger

AGC

AFC


AFC

AFC

Scherger Australia


AGC

AFC



Brisbane Center 122.100 Circuit Area
CTAF 126.700
ARCAL 120.600 ARCAL PAL

Landing RWY system:



Changes: APL, Track, FREQ, MEA, Editorial

04-AUG-2016
N/A-YBSG

Australia Scherger

AGC


AGC

AGC

Scherger Australia

AGC

3-20



Changes: FREQ, QFU, Declared distances