GENERAL

ATS Hours

HJ and O/R

Airport Information

RFF: CAT 6
PCN: RWY 03/21: PCN 75

Operation

Taxi/Parking
Follow-me AVBL.

ARRIVAL

Speed

MAX IAS 250KT below 13000ft MSL.
MAX IAS 200KT within AD circuit.

DEPARTURE

Take-off Minima

RWY		03/21	
All ACFT	ft - m/km	0 - 400V	-

Speed

MAX IAS 250KT below 13000ft MSL.
MAX IAS 200KT within AD circuit.

© Lido 2014

Yemen **Hodeidah** Hodeidah Intl

NIL
AFC

AFC AFC

Hodeidah Intl **Hodeidah** Yemen

NIL
AFC



Changes: New

© Lido 2011


E042°58.5'
E042°59'
N14°46'
N14°45.5'
N14°45'
N14°44.5'
TWR 118.300 HJ
GND 121.600 HJ
21
204°
41
60
MILITARY APRON B
HODEIDAH
368 HD
151
C
TERMINAL
APRON A
1
2
3
157
1
3000 x 45
MILITARY PARALLEL TWY
COORDINATES
1-3 N14 45.3 E042 58.3
ARP
N 14 45.1
E 042 58.6
RWY TORA ASDA
03 3000 3060
21 3000 3060
60
03
024°
29
VAR 2° E
MAG UP
AD ELEV 41
m 0 500 1000
ft 0 1000 2000 3000

© Lido 2011

04-AUG-2011

HOD-OYHD

Yemen **Hodeidah** Hodeidah Intl

NIL

6-10 **RNAV (GNSS) STARs RWY 21**

STAR STAR

Hodeidah Intl **Hodeidah** Yemen

NIL

RNAV (GNSS) STARs RWY 21



Changes: New

© Lido 2011

14-AUG-2014

HOD-OYHD

7-10

RNAV (GNSS) 21





2	3	5	7	9	10.7	3.00° RW21
730	*1050*	*1690*	*2320*	*2960*	3500	



GS	120	140	160
10.7 RW21	*640*	*740*	*850*
-MAPt	*5:21*	*4:35*	*4:01*

21		RNAV GNSS LNAV					Circling
C	ft - m/km ft	510 - 2.0V **550**					600 - 2.4V **650**
D	ft - m/km ft	510 - 2.4V **550**					700 - 3.6V **750**

Changes: MIN

© Lido 2014

14-AUG-2014

HOD-OYHD

7-30

VOR 03



3.00° D HDH 025° RWY 024°	8.2	8	7	6	5	4
	2000	1950	1630	1310	1000	680

03 — HL-S — 3.0° — 60 HL — 3000 x 45 — 420 — 29 / 1hPa — TDZ ---% — +0.1%



GS	120	140	160
D8.2 HDH	640	740	850
-MAPt	4:06	3:31	3:04

03		VOR 1)					Circling
C	ft - m/km ft	440 - 2.0V **460**					600 - 2.4V **650**
D	ft - m/km ft	440 - 2.4V **460**					700 - 3.6V **750**

1) Use with Hodeidah (OYHD) QNH only

Changes: MIN

© Lido 2014

14-AUG-2014

HOD-OYHD

7-40

VOR 21







21		VOR 1)					Circling
C	ft - m/km ft	600 - 2.4V **640**					600 - 2.4V **650**
D	ft - m/km ft	600 - 2.8V **640**					700 - 3.6V **750**

1) Use with Hodeidah (OYHD) QNH only

Changes: MIN

© Lido 2014