

**GENERAL****Operational Hours****ATS Hours:** Uncontrolled AD, CTAF**AD OPS Hours:** Not published**Airport Information****RFF:** Not published**Fuel:** H24**PCN:** RWY 04/22: 12/F/C/580 (84PSI)/U**Customs:** Not published**Operation****Transponder Operation**

For details on Transponder Mode S Operation see CRAR Australia.

**Warnings**

Birds and animal in vicinity of AD.

**ARRIVAL****Speed**

MAX IAS 250KT below 10000ft.

**Communication****COM Failure:** See CRAR Australia.**Arrival Procedure****Noise Abatement Procedure:** See CRAR Australia.**VFR Traffic Pattern:** Right-hand circuit RWY 16, 22.**Warnings****PAPI RWY 04:** Must not be used beyond circling area.**DEPARTURE****Take-off Minima**


RWY		04/22	
Multi ENG	ft - m/km	0 - 550V	REDL+RCLM, HJ only
		0 - 800V	-
other		c300 - 2.0V	-

**Speed**

MAX IAS 250KT below 10000ft.


**Communication****COM Failure:** See CRAR Australia.**Departure Procedure****Noise Abatement Procedure:** See CRAR Australia.






Changes: Nil

## RNAV (GNSS) Z 04




© Lido 2016



© Lido 2016

## NDB 22



© Lido 2016

Changes: APL