

GENERAL**Operational Hours****ATS Hours:** H24**AD ADMIN Hours:** 0730-1530**Airport Information****RFF:** CAT 8**PCN:** RWY 04/22: 54/F/B/W/T**Customs:** 0700-1530**Operation****RWY Restriction**

180° turns for ACFT with weight 40t / 88185lbs or more, use turning pads end of RWY only.

TWY Restriction

TWY A width 22m / 72ft.

TWY M (MIL) width 15m / 49ft.

Warnings

Avoid flying over city of Ouagadougou, 1.1NM north-northwest of AD.

ARRIVAL**Speed**

MAX IAS 250KT below FL100 not applied, except HLDG speed MAX IAS 230KT.

Arrival Procedure**VFR Traffic Pattern:** RWY 04 right-hand circuit.**DEPARTURE****Take-off Minima**

RWY		04	
All ACFT	ft - m/km	0 - 400R/400V	-
RWY		22	
All ACFT	ft - m/km	0 - 400V	-

Speed

MAX IAS 250KT below FL100 not applied, except HLDG speed MAX IAS 230KT.

Departure Procedure**Departure Notes**

Flying prohibited in zone DFP3.


After TKOF RWY 22, do not turn left until 5NM.

OUA-DFFD

AGC
AFC

AFC

AGC
AFC



Quaga CTL	120.300
Quaga TWR	118.100

HL-P1F	THR 1034 (37hPa) / TDZ 1038 (---%)	-0.5%
--------	------------------------------------	-------

HL-P1F	THR 1034 (37hPa) / TDZ 1038 (---%)	-0.5%
--------	------------------------------------	-------

60 HL 45 x 3000


3,0°

22

TDZ 1038 (---%) / THR 982 (5hPa)

22

Changes: RWY, SWY, Declared distances



OUA-DFFD

STARS

RNAV STARs


STAR

STAR

STARs

RNAV STARs

6-10



Changes: RWY Designator, AWY

© Lido 2016

19-MAY-2016

OUA-DFFD

Burkina Faso Ouagadougou

STARs


STAR

STAR

Ouagadougou Burkina Faso

STARs

6-20



Changes: RWY Designator

OUA-DFFD

STARs RWY 22 (DME operational)

6-30


STARs RWY 04 (DME operational)

STAR

STAR

STARs RWY 22 (DME operational)

STARs RWY 04 (DME operational)



Changes: RWY Designator

© Lido 2016


OUA-DFFD

6-40

STAR


STAR

STARs RWY 22 (DME operational)




Changes: RWY Designator

© Lido 2016



LOC 3.00°			5	4	3	2	
D OG ILS			2600	2310	2000	1680	



04		Cat 1 DME 1) 2)	LOC DME	LOC DME APL U/S		Circling HJ only
C	ft - m/km ft	250 - 600 1290	350 - 1.0 1380	350 - 1.8 1380		660 - 2.4V 1690
D	ft - m/km ft	260 - 650 1300	350 - 1.4 1380	350 - 2.0 1380		710 - 3.6V 1740

1) FD, AP or HGS required, else RVR 750m
2) With FVS 550m

Changes: APL, RWY Designator

19-MAY-2016


Burkina Faso Ouagadougou

OUA-DFFD

7-20


ILS Y or LOC Y 04

IAC



LOC 3.00°			5	4	3	2	
D OG ILS			2600	2310	2000	1680	

HL-P1F THR 1034 (37hPa) / TDZ 1038 (---%) -0.5%



04	Cat 1 DME 1) 2)	LOC DME	LOC DME APL U/S	Circling HJ only
C	ft - m/km ft	250 - 600 1290	350 - 1.0 1380	660 - 2.4V 1690
D	ft - m/km ft	260 - 650 1300	350 - 1.4 1380	710 - 3.6V 1740

1) FD, AP or HGS required, else RVR 750m

2) With EVS 550m

Changes: APL, RWY Designator, MIN

19-MAY-2016


OUA-DFFD

Burkina Faso Ouagadougou

IAC


7-30

ILS X or LOC X 04



LOC 3.00° RW04	4.8	4	3	2	1	
	2600	2360	2040	1720	1410	


HL-P1F THR 1034 (37hPa) / **TDZ 1038** (---%) -0.5%




04		Cat 1 1) 2)	LOC	LOC APL U/S		Circling HJ only
C	ft - m/km ft	250 - 600 1290	350 - 1.0 1380	350 - 1.8 1380		660 - 2.4V 1690
D	ft - m/km ft	260 - 650 1300	350 - 1.4 1380	350 - 2.0 1380		710 - 3.6V 1740

1) FD, AP or HGS required, else RVR 750m
2) With EVS 550m

Changes: RWY Designator, APL



3.00° RW04		4.8	4	3	2	1	
		2600	2360	2040	1720	1410	



04		RNAV GNSS VNAV 1)	RNAV GNSS VNAV APL U/S ¹⁾	RNAV GNSS LNAV	RNAV GNSS LNAV APL U/S	Circling HJ only
C	ft - m/km ft	320 - 1.0 1350 ²⁾	320 - 1.8 1350 ³⁾	370 - 1.0 1400	370 - 1.8 1400	660 - 2.4V 1690
D	ft - m/km ft	320 - 1.4 1350 ⁴⁾	320 - 2.0 1350 ⁵⁾	370 - 1.4 1400	370 - 2.0 1400	710 - 3.6V 1740

1) Uncompensated BARO VNAV NA below 10°C (50°F) 2) With EVS 650m 3) With EVS 1.2km 4) With EVS 900m 5) With EVS 1.3km

Changes: APL, RWY Designator, MIN, SUAs

19-MAY-2016



Burkina Faso Ouagadougou

IAC

OUA-DFFD

7-60

RNAV (GNSS) 22




Changes: APL, RWY Designator, SUAs

19-MAY-2016



OUA-DFFD

7-70

VOR 04



Changes: APL, RWY Designator, SUAs



19-MAY-2016


Burkina Faso Ouagadougou

IAC

OUA-DFFD

7-90

VOR Y 22




60 HL 45 x 3000 3.0°

+0.5% TDZ 1038 (---%) / THR 982 (35hPa)




22

3	4	5	6	6.1	3.00°
1620	1930	2250	2570	2600	D OG
					212°
					RWY 216°



22	VOR					Circling HJ only
C	ft - m/km ft	460 - 2.1 1440				660 - 2.4V 1690
D	ft - m/km ft	460 - 2.1 1440				700 - 3.6V 1740

Changes: RWY Designator, SUAs



04		NDB	NDB APL U/S				Circling HJ only
C	ft - m/km ft	400 - 1.1 1430					660 - 2.4V 1690
D	ft - m/km ft	400 - 1.4 1430	400 - 2.0 1430				710 - 3.6V 1740

19-MAY-2016


Burkina Faso Ouagadougou

IAC

OUA-DFFD

7-110

NDB 22



60 HL <div><div></div><div>45 x 3000</div><div>3.0°</div></div>				22		3	4	5	6.1			3.00°
+0.5% TDZ 1038 (---%) / THR 982 (35hPa)						1620	1940	2260	2600			D OG 217° RWY 216°
QDR 217 OUA at 2000 LT direct OUA climb 2600				D1 OUA OG		D6.1 OG						
				M		D						
						2600						
						MDA						
						217°						
						DIST to THR						
						0						
						5						