

19-JUL-2018

ITH-KITH

1-10

AOI

AOI

**GENERAL****Operational Hours****ATS Hours:** TWR 1130-0300‡**AD OPS Hours:** Attended 1000-0500‡**Airport Information**

**RFF:** FAA INDEX C / CAT 7, PPR 24HRS for unscheduled air carrier OPS.  
AVBL 0930-0500‡ and/or 15min prior to or 15min after scheduled air carrier OPS.

**PCN:** RWY 14/32: 58/F/C/W/T

**Operation****Traffic Notes**

RWY and APCH lights are turned off when TWR CLSD, thereafter activation by CTAF.

**RWY Restriction:** RWY 15/33 CLSD during night, winter months and after heavy rain.

**Warnings**

**ITH VOR** unusable:

R360-059 beyond 10NM below 3800ft.

R081-150 beyond 10NM below 3800ft.

**ITH DME** unusable:

R360-160 beyond 20NM below 6500ft.

**IT NDB** unusable beyond 10NM.

**| CFB VOR** unusable R023-R033 beyond 15NM below 6000ft.

Deer and birds in vicinity of AD.

**ARRIVAL****Speed**

MAX IAS 250KT below 10000ft.

**Communication**

**COM Failure:** See CRAR.

**Warnings**

**ILS GS RWY 32** unusable beyond 9NM.

**DEPARTURE****Take-off Minima**

RWY		32	
1+2 ENG	ft - ft/SM	0 - 5000R/1.0V	-
3+4 ENG		0 - 2400R/0.5V	-
RWY		14	
1+2 ENG	ft - ft/SM	0 - 1.0V	MNM climb gradient 5.8% up to 2400
3+4 ENG		0 - 0.5V	
All ACFT		1500 - 3.0V	

19-JUL-2018

ITH-KITH

1-20

AOI

AOI

## DEPARTURE

## Speed

MAX IAS 250KT below 10000ft.

## Communication

**COM Failure:** See CRAR.

Effective 19-JUL-2018

12-JUL-2018

United States Ithaca Tompkins Rgnl

AFC

AFC

Ithaca Tompkins Rgnl Ithaca United States

AFC

AFC

ATIS  
New York Center  
Elmira APP/DEP  
TWR  
CTAF  
GND  
RCO (Buffalo RDO)125.175 AMOS  
133.350 0500-1100<sup>t</sup>  
124.300 1100-0500<sup>t</sup>  
119.600 1150-0300<sup>t</sup>  
119.600 ARCAL  
122.950  
121.800  
122.100 Transmit  
111.800 Receive

## ITH-KITH

2-10

2610  
2000

N42°00' W077°00'

-19°C/-2°F

40IT

W077°00'

30IT

W076°30'

25IT

W076°00'

29

W076°30'

14

W076°00'

37

W076°00'

30

W076°00'

28

W076°00'

37

W076°00'

33

W076°00'

36

W076°00'

Landing RWY system:

14

THR 1077 (39hPa) TDZ 1083 (---%)

2012 G 46

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL

3.2°

60 HL

3.3°

45 G 2012

60 HL


3.2°

60 HL

3.3°

45 G 2012

ATIS	125.175 AWOS
TWR	119.600 1130-0300‡
CTAF	119.600 ARCAL
RCO (Buffalo RDO)	122.100 Transmit
GND	121.800
Unicom	122.950



25-SEP-2014

ITH-KITH

5-10

Obstacle Departure

SIDPT


**Obstacle Departure**

RWY	Routing
14	Climb RWY HDG - at <b>2400 LT</b> . For VMC cross Ithaca Tompkins Regional airport (KITH) MNM <b>2400</b> before proceeding on course.
32	Climb RWY HDG - at <b>1600</b> proceed on course.

ITH-KITH

7-10

ILS or LOC 32




10-NOV-2016

ITH-KITH

7-30

RNAV (GPS) Z 14

IAC




10-NOV-2016

ITH-KITH

7-40

RNAV (GPS) Y 14

IAC



Effective 19-JUL-2018

12-JUL-2018


United States Ithaca Tompkins Rgnl

ITH-KITH

7-50

RNAV (GPS) 32

IAC



ITH-KITH

7-70

WxMinima Overflow

32 TE <sub>RPs</sub>		RNAV GPS LNAV ELM QNH 1)					
C	ft - ft/SM ft	1310 - 3.0V <b>2400</b>					
D	ft - ft/SM ft	1310 - 3.0V <b>2400</b>					

1) Use with Elmira (KELM) QNH