

GENERAL**Operational Hours**

ATS Hours: 0300-1900, other times O/R before 1300 and only for ACFT with DEP/DEST to FMMT.

Airport Information

RFF: CAT 5

Fuel: HS and O/R

PCN: RWY 01/19: 21.1/F/B/X/T

Customs: H24 and O/R

Operation**RWY Restriction**

MTOW for RWY 01/19 limited to 40t / 88185lbs.

TWY Restriction

TWYs width 15m / 49ft.

Parking

180°-turn on PSN 3 in front of terminal building for ACFT above 6t / 13228lbs prohibited.

Warnings

RWY 19: High obstacles with day marking and night obstruction light. Marine beacon on Prune Island 700m before THR.

High risk of FOD due to RWY surface condition.

ARRIVAL**Speed**

MAX IAS 250KT below FL100 not applied, except HLDG speed MAX IAS 230KT.

DEPARTURE**Take-off Minima**

RWY		01/19	
A, B, C	ft - m/km	0 - 400v	-
D		not applicable	-

Speed

MAX IAS 250KT below FL100 not applied.

31-MAR-2016

TMM-FMNT

Madagascar Toamasina

AGC
AFC


AFC

AFC

Toamasina Madagascar

AGC
AFC

2-10



Landing RWY system:

01

8 3.0°

2200 x 40

TDZ --- %

0.0%

19 / 11Pa

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S

19

40 x 2200

TDZ --- %

0.0%

420

H-S


19



TMM-FMMT

IAC

ILS Z or LOC Z 19



© Lido 2016

Changes: OBST, Editorial

31-MAR-2016



Madagascar Toamasina

IAC


TMM-FMMT

7-20

ILS Y or LOC Y 19



1	2	4	5	6	6.7	LOC 3.00° RW19
390	710	1350	1670	1990	2200	



19	Cat 1	Cat 1 APL U/S	LOC	LOC APL U/S	Circling ¹⁾
C	ft - m/km ft 210 - 750 240 ²⁾		300 - 1.4 320	300 - 1.8 320	780 - 2.4V 800
D	ft - m/km ft Not published	Not published	Not published	Not published	Not published

1) HJ only

2) With EVS 550m, wo EVS use STD

Changes: OBST

31-MAR-2016


Madagascar Toamasina

IAC

TMM-FMMT

7-30

RNAV (GNSS) 01



1) Uncompensated BARO VNAV NA below 15°C (59°F)

3) With EVS 1.1km, wo EVS use STD

2) HJ only

Changes: OBST, Editorial

31-MAR-2016



Madagascar Toamasina

IAC

TMM-FMMT

7-40

RNAV (GNSS) 19



Changes: OBST, Editorial

31-MAR-2016


Madagascar Toamasina

IAC


TMM-FMMT

7-50

VOR or NDB 01



3.00°			4.8	4	3	2		01	3.0°	60 H
RW01			1600	1350	1030	710			2200 x 40	
									19 / 1hPa	TDZ ---% 0.0%



01	VOR	NDB MV				Circling ¹⁾
C	ft - m/km ft	440 - 2.0 450	440 - 2.0 450			670 - 2.4V 690
D	ft - m/km ft	Not published	Not published			Not published

1) HJ only

Changes: OBST

31-MAR-2016



Madagascar Toamasina

IAC

TMM-FMMT

7-60

VOR or NDB 19



Changes: OBST, Editorial