

GENERAL**Operational Hours****ATS Hours:** 0330-1230±, other times PPR**AD ADMIN Hours:** 0330-1200±, except THU**Airport Information****RFF:** CAT 3, CAT 6 AVBL for scheduled flights and for flights with PN 48HRs before EOBT, CAT 7 for Hadj flights**Fuel:** HJ**PCN:** RWY 10/28: 56/F/B/X/T, RWY 08/26: 27/F/B/Y/T**Customs:** O/R**Operation****Traffic Note**

PPR for non-SKED air carrier OPS at least 48HRs before EOBT.

Taxi

RWY 10/28: Heavy ACFT make 180° turns on turn pads at RWY end only.

Warnings

Strolling dogs on movement area.

ARRIVAL**Arrival Procedure****VFR Traffic Pattern**

- For heavy ACFT 6500ft.
- For other ACFT 6000ft.

DEPARTURE**Take-off Minima**

RWY		10/28	
All ACFT	ft - m/km	0 - 400V	HJ only
		0 - 800V	HN
RWY		08/26	
All ACFT	ft - m/km	0 - 500V	HJ only

Departure Procedure**Start-up:** Clearance should be REQ 5-10min prior to start-up.

Effective 01-FEB-2018

25-JAN-2018

XBJ-OIMB

2-10

Iran Birjand

AGC

AFC


AFC

AFC

Birjand Iran


AGC

AFC



INFO 127.350 0330-1230 ±
121.700 0330-1230 ±

Landing RWY system:



Changes: FREQ

Effective 01-FEB-2018

25-JAN-2018

XB-J-OIMB

Iran Birjand

AGC

AGC

AGC


Birjand Iran

AGC


3-20

INFO 127.350 0330-1230 ‡
121.700 0330-1230 ‡

Caution:
Strolling dogs observed on the movement
area.



RWY	TORA	ASDA	TODA
10	3797	3918	3918
26	2003	2239	2239
28	3797	3931	3931



Changes: FREQ

Effective 01-FEB-2018

25-JAN-2018

XBJ-OIMB

4-10

Iran Birjand

SIDs RWY 28

SIDs RWY 10


SID

SID

Birjand Iran

SIDs RWY 28

SIDs RWY 10



Changes: FREQ

TRL 130
TA 11000

© Lido 2018

Effective 01-FEB-2018

25-JAN-2018

XBJ-OIMB

4-20

Iran Birjand


SIDs RWY 28

SID

SID

Birjand Iran

SIDs RWY 28



Changes: FREQ

BOPEB 1B / ODBES 1B / ROSOS 1B / TULKU 1B

RWY 10 (096°)

	GS	120	150	180	210	240	270
5.0%	ft/MIN	700	800	1000	1100	1300	1400

DESIGNATOR	ROUTING	ALTITUDES
	Runway 10	
BOPEB 1B 5.0% to BRN 127.350	R097 BRN - at MNM 8000 LT to BRN - R353 BRN to BOPEB	BRN MNM 11000
ODBES 1B 5.0% to BRN 127.350	R097 BRN - at MNM 8000 LT to BRN - R158 BRN to ODBES	BRN MNM 11000
ROSOS 1B 5.0% to BRN 127.350	R097 BRN - at MNM 8000 LT to BRN - R277 BRN to ROSOS	BRN MNM 11000
TULKU 1B 5.0% to BRN 127.350	R097 BRN - at MNM 8000 LT to BRN - R285 BRN to TULKU	BRN MNM 11000

BOPEB 1C / ODBES 1C / ROSOS 1C / TULKU 1C / TULKU 2A

RWY 28 (276°)

	GS	120	150	180	210	240	270
3.8%	ft/MIN	500	600	700	900	1000	1100
4.2%	ft/MIN	600	700	800	900	1100	1200
5.0%	ft/MIN	700	800	1000	1100	1300	1400

DESIGNATOR	ROUTING	ALTITUDES
	Runway 28	
BOPEB 1C 3.8% 127.350	R270 BRN - at MNM 8000 RT to BRN - LT intercept R353 BRN to BOPEB	BRN MNM 11000
ODBES 1C 3.8% 127.350	R270 BRN - at MNM 8000 RT to BRN - R158 BRN to ODBES	BRN MNM 11000
ROSOS 1C 4.2% 127.350	R270 BRN - at MNM 8000 RT to BRN - RT intercept R277 BRN to ROSES	BRN MNM 11000
TULKU 1C 3.8% 127.350	R270 BRN - at MNM 8000 RT to BRN - RT intercept R285 TRN to TULKU	BRN MNM 11000
TULKU 2A 5.0% 127.350	QDR 286 BRN to TULKU	

Effective 29-MAR-2018

22-MAR-2018

XB-J-OIMB

Iran Birjand

STARs RWYs 10/28 (via NDB)

6-10

STARs RWYs 10/28 (via VOR)


STAR

STAR

Birjand Iran

STARs RWYs 10/28 (via NDB)

STARs RWYs 10/28 (via VOR)



Changes: PROC renumbered

Effective 29-MAR-2018

22-MAR-2018

XBJ-OIMB

Iran Birjand

STAR


STAR

Birjand Iran

STARs RWYs 10/28 (via NDB)

6-20

STARs RWYs 10/28 (via NDB)




Changes: Nil

TRL 130
TA 11000


© Lido 2018

VOR DME 10



7-20

VOR DME 28



60 HL

45 x 3797

3.4°

-0.5% TDZ --- (---%) / THR 4979 (167hPa)

ML-S

28

4

5

6

7

8

10.7

3.34°
D BRN
280°
RWY 276°

280°

at BRN LT

intercept R270 BRN

at MNM 7000 RT to BRN

rejoin HLDG

climb 10000

GS	120	140	160
D6.5 BRN	710	830	950
-MAPt	2:15	1:56	1:41

BRN

D2

D6.5

D10.7

D11.5 BRN

10000

R123

M

6800

F

280°

D

E

8300

MDA

6800

0.5

5

DIST to THR

28

VOR DME

Circling

C

ft - m/km

750 - 2.4V

D

ft - m/km

750 - 2.4V

