

**GENERAL****ATS Hours**

H24

**Airport Information****RFF:** O/R**PCN:** RWY 07/25: 64/F/B/X/T**Operation****Traffic Note**

RWY and APCH lights are turned off when TWR CLSD, thereafter activation by CTAF.

**ARRIVAL****Speed**

MAX IAS 250KT below 10000ft.

**Communication****COM Failure:** See CRAR United States.**DEPARTURE****Take-off Minima**

RWY		07/25	
1+2 ENG	ft - ft/SM	0 - 1.0V	-
3+4 ENG		0 - 0.5V	-

**Speed**

MAX IAS 250KT below 10000ft.

**Communication****COM Failure:** See CRAR United States.

**MAJ-PKMJ**Marshall Islands **Majuro Atoll** Marshall Islands Intl

**AFC**

# AFC


# AFC

Marshall Islands Intl **Majuro Atoll** Marshall Islands

AGC


**AFC**

2-10



<b>RDO</b>	123.600
	126.600 LAA (Emergency only)
<b>CTAF</b>	123.600 ARCAL

**Landing RWY system:**



Changes: APCH boxes

Effective 17-AUG-2017

10-AUG-2017

MAJ-PKMJ

Marshall Islands **Majuro Atoll** Marshall Islands Intl

AGC


AGC

AGC

Marshall Islands Intl **Majuro Atoll** Marshall Islands

AGC

3-20




Changes: Nil

<b>Obstacle Departure</b>	
<b>RWY</b>	<b>Notes</b>
<b>07</b>	Antenna on BLDG 215ft from DER, 446ft left of centerline, 48ft AGL/54ft MSL. Obstruction Light on AMOM 44ft from DER, 269ft left of centerline, 33ft AGL/39ft MSL. Obstruction Light on WSK 10ft from DER, 245ft right of centerline, 23ft AGL/29ft MSL. Tree 934ft from DER, 243ft left of centerline, 39ft AGL/45ft MSL. Bush 555ft from DER, 187ft right of centerline, 17ft AGL/23ft MSL.
<b>25</b>	Obstruction Light on WSK 11ft from DER, 246ft left of centerline, 23ft AGL/29ft MSL. Post 51ft from DER, 252ft right of centerline, 8ft AGL/14ft MSL. Tree 996ft from DER, 39ft left of centerline, 31ft AGL/37ft MSL. Tree 563ft from DER, 5ft right of centerline, 20ft AGL/26ft MSL. Bushes beginning 207ft from DER, from 124ft left to 207ft right of centerline, up to 14ft AGL/20ft MSL. Vehicle on roadway 130ft from DER, 241ft right of centerline, 15ft AGL/20ft MSL.


**MAJ-PKMJ**

**7-10**

## RNAV (GPS) 07



3.09°			5	4	3	2	07	3.0°	60 ML	
RW07			1700	1370	1040	720		2412 G 46		
								THR 7 (hPa) / TDZ 7 (---%)	0.0%	



<b>07</b>		<b>RNAV GPS</b> LNAV <sup>1)</sup>					<b>Circling <sup>1)</sup></b> <b>N<sub>GW</sub> TERPS</b>
C	ft - ft/SM ft	460 - 1.38V <b>460</b>					600 - 1.5V <b>610</b>
D	ft - ft/SM ft	460 - 1.38V <b>460</b>					700 - 2.25V <b>710</b>

1) Use with Majuro Atoll (PKMJ) QNH only

Changes: DIST ALT table, chart layout, MIN, Profile




Orig D

© Lido 2017

**MAJ-PKMJ**

7-20

## RNAV (GPS) 25



<b>25</b>		<b>RNAV GPS</b> LNAV <sup>1)</sup>				<b>Circling <sup>1)</sup></b> <b>New TERPS</b>
C	ft - ft/SM ft	460 - 1.38V <b>460</b>				600 - 1.5V <b>610</b>
D	ft - ft/SM ft	460 - 1.38V <b>460</b>				700 - 2.25V <b>710</b>

1) Use with Majuro Atoll (PKMJ) QNH only

Changes: chart layout, MIN, SUAs, Profile, Editorial


Orig D

© Lido 2017


# MAJ-PKMJ

7-30

NDB 07



2.91°				4.5	4	3		83.0°	60 ML
D MAJ							07	2412 G 46	
062°				1300	1150	850		THR 7 (0hPa) / TDZ 7 (---%)	0.0%
RWY 066°									






07	NDB DME	NDB			Circling 1)	Circling 1) 2)
	1)	wo ZADES 1)			TERPS	TERPS
C	ft - ft/SM ft	520 - 1.5V 520	600 - 1.75V 600		600 - 1.5V 610	600 - 1.75V 610
D	ft - ft/SM ft	520 - 1.5V 520	600 - 1.75V 600		700 - 2.25V 710	700 - 2.25V 710

1) Use with Majuro Atoll (PKMJ) QNH only  
2) wo ZADES

**MAJ-PKMJ**

**7-40**

## NDB 25



25		NDB DME 1)	NDB wo TIVIE 1)		Circling 1) New TERPS	Circling 2) New TERPS
C	ft - ft/SM ft	520 - 1.5V 520	600 - 1.75V 600		600 - 1.5V 610	600 - 1.75V 610
D	ft - ft/SM ft	520 - 1.5V 520	600 - 1.75V 600		700 - 2.25V 710	700 - 2.25V 710

1) Use with Majuro Atoll (PKMJ) QNH only

2) wo TIVIE