

GENERAL**Operational Hours****ATS Hours:** 1100-2300**Airport Information**

RFF: CAT 4
Fuel: O/R 5 days in advance
PCN: RWY 02/20: 40/R/C/W/T

Operation**Engine Run-up**

Engine tests not allowed BTN 0100-1100.

ARRIVAL**Speed**

MAX IAS 250KT below FL100 within airspace classes B, C, D and G.


Communication**COM Failure:** See CRAR.**DEPARTURE****Take-off Minima**

RWY		02/20		
Multi ENG	ft - m/km	0 - 550V	HJ only	For conditions check CRAR
		0 - 800V	HN	

Speed

MAX IAS 250KT below FL100 within airspace classes B, C, D and G.

Communication**COM Failure:** See CRAR.**Departure Procedure****Noise Abatement Procedure:** Use TKOF PROC B.




12-JUL-2018
N/A-SAOS

Argentina **San Luis** Valle Del Conlara/Santa Rosa D
3-20
AGC

AGC
AGC

Valle Del Conlara/Santa Rosa D **San Luis** Argentina
AGC




Changes: Nil

12-JUL-2018

N/A-SAOS

7-10

VOR DME One 02



3.00° D SRC 017° RWY 019°	9.4	7	6	5	4	3	02	83.0° 2550 x 45 PAPI PSN unknown THR 2017 (71hPa) / TDZ --- (---%) 0.0%
D11.5 SRC D10	D9.4		D6.6	D4.6	D2.6	SRC		
4600	3600	3000	MDA					
DIST to THR	5	3.3	1.2	0				
02	VOR DME							Circling
C	ft - m/km ft	390 - 2.0V 2400						840 - 3.7V 2860
D	ft - m/km ft	390 - 2.4V 2400						840 - 4.6V 2860


Changes: MIN, APL

12-JUL-2018

N/A-SAOS

7-20

VOR Two 02



3.00° RW02 017° RWY 019°	8	6	5	4	3	2	02	83.0° 2550 x 45 PAPI PSN unknown	60 L
	4600	3980	3660	3340	3030	2710		THR 2017 (71hPa) / TDZ --- (---%)	0.0%
<div><div>8 RW02</div><div>RW02</div><div>10NM from SRC</div><div>4600</div><div>4600</div><div>D-017°</div><div>MDA</div><div>SRC</div><div>TRL</div><div>M</div><div>HDG 017° climb 4000</div><div>DIST to THR</div><div>10</div><div>8</div><div>5</div><div>0</div><div>GS</div><div>8 RW02</div><div>-MAPt</div><div>120</div><div>140</div><div>160</div><div>640</div><div>740</div><div>850</div><div>4:41</div><div>4:00</div><div>3:30</div></div>									
02	VOR								Circling
C	ft - m/km ft	390 - 2.0V 2400							840 - 3.7V 2860
D	ft - m/km ft	390 - 2.4V 2400							840 - 4.6V 2860

Changes: MIN, APL