

GENERAL**Operational Hours****ATS Hours:** See NOTAM. Outside ATS HRs service 24HR PN.**AD ADMIN Hours:** MON-FRI 0400-1200, SAT/SUN/HOL CLSD.**Airport Information****RFF:** CAT 6**PCN:** RWY 08/26: 42/R/C/X/U**Customs:** Not AVBL**Operation****TWY Restriction**

TWY C width 15m / 49ft.

Taxi/Parking

Taxiing guidance provided on R/T.

All stands are power in/out.

ARRIVAL**Speed**

MAX IAS 250KT below 10000ft.

MAX IAS 220KT below 10000ft within D15 **BBZ VOR/DME**.**DEPARTURE****Take-off Minima**

RWY		08/26		
A, B, C	ft - m/km	0 - 400V	HJ only	For conditions check CRAR India
		0 - 800V	HN	
D		Not applicable	-	

Speed

MAX IAS 250KT below 10000ft.

VGA-VOBZ


AFC

AFC

AFC

AFC

2-10



TRL ATC
TA 4000

Info	128.400	HR by NOTAM
APP	118.550	HR by NOTAM
TWR	118.550	HR by NOTAM

Landing RWY system:

08 HL-N

420

178 2108 x 45

THR 77 (3hPa) / TDZ 78 (---%) -0.1%

PAPI angle not AVBL

PAPI PSN unknown

60 HL

60 HL **45 x 2286** **2**
PAPI PSN unknown 3.0° 300
+0.1% TDZ 71 (---%) / **THR 70** (3hPa) HL-N

© Lido 2017

Effective 04-JAN-2018

28-DEC-2017

VGA-VOBZ

India Vijaywada

AGC

AGC

AGC

Vijaywada India

AGC

3-20

E080°47.5'

E080°48'

E080°48.5'

Info	128.400	HR by NOTAM
TWR	118.550	HR by NOTAM

Caution:
No official airport graphic available.
Chart contents are based on the best available information.
NOTAMs may not be available.
Use at your own discretion.

ARP
N 16 32.0
E 080 48.2

26
259°
71

2286 x 45

08
079°
78


N16°31.5'

VIJAYAWADA
393 BZ


VAR 1° W
MAG UP
AD ELEV 82

m 0 500 1000
ft 0 1000 2000 3000

Changes: Nil



60 HL	45 x 2286	26	2	3	5	6	6.4	LOC 3.00° D IVJA
PAPI PSN unknown 3.0° +0.1% TDZ 71 (---%) / THR 70 (3hPa)	300	HL-N	700	1020	1660	1980	2100	



26		Cat 1 DME	LOC DME				Circling
C	ft - m/km ft	230 - 1.0 300 ¹⁾	360 - 1.4 430				810 - 2.4V 890
D	ft - m/km ft	Not published	Not published				Not published


1) With EVS 650m

Changes: MIN


VGA-VOBZ

7-20

VOR 08



3.00° D BBZ 094° RWY 079°	9	7	5	4	3	2	08	PAPI angle not AVBL 178 2108 x 45 60 HL
	3000	2360	1720	1400	1080	760	HL-N	PAPI PSN unknown THR 77 (3hPa) / TDZ 78 (---%) -0.1%




08	VOR DME					Circling
C	ft - m/km ft	680 - 2.7 750				810 - 2.7V 890
D	ft - m/km ft	Not published				Not published


VGA-VOBZ

7-30

VOR 26



60 HL	45 x 2286	300	3	4	5	5.9	3.00°
PAPI PSN unknown 3.0°			700	1010	1330	1600	D BBZ 249°
+0.1% TDZ 71 (---%) / THR 70 (3hPa)		HL-N					RWY 259°




26	VOR DME					Circling ¹⁾
C	ft - m/km ft	420 - 1.7 490				810 - 2.4V 890
D	ft - m/km ft	Not published				Not published

1) Circling is for authorized operator


VGA-VOBZ

7-40

NDB 26



60 HL	45 x 2286	26	2	3	4	4.3			3.00°
PAPI PSN unknown	3.0°	300	760	1080	1400	1500			RW26 250°
+0.1%	TDZ 71	---							RWY 259°
		THR 70 (3hPa)							



26		NDB					Circling
C	ft - m/km ft	610 - 2.6 680					760 - 2.6V 840
D	ft - m/km ft	Not published					Not published