

GENERAL**Operational Hours****ATS Hours:** Uncontrolled AD, CTAF**AD OPS Hours:** Not published**Airport Information****RFF:** CAT 6, SUN-THU 2300-0815, FRI/SAT 2300-0715**Fuel:** 0030-0830, other times 1HR PN**PCN:** RWY 13/31: 31/F/A/1400 (203PSI)/T**Customs:** Not published**Operations****Traffic Note**

All ACFT directly from overseas AD MNM 7 days PN required, all other 24HRs.

ACFT with ACN higher than PCN, use of AD with 5 working days PN.

Transponder Operation

For details on Transponder Mode S Operation see CRAR Australia.

RWY Restriction

180° turns at RWY ends only for ACFT with 22.7t / 50044lbs and above.

TWY Restriction

TWY B, C, D for ACFT with MTOW 5.7t / 12566lbs.

Taxi/Parking

Use MNM power on all engines when DEP from parking bays 1-5.

Warnings

Balloon flights may be operating from 01MAR-31 OCT, 5-13NM south of AD.

Bird and animals in vicinity of AD.

ARRIVAL**Speed**

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR Australia**Arrival Procedure****Noise Abatement Procedure:** See CRAR Australia.**VFR Traffic Pattern:** Right-hand circuit RWY 31.

DEPARTURE**Take-off Minima**

RWY		13/31	
Multi ENG		0 - 800V	-
other	ft - m/km	c300 - 2.0V	-

Speed

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR Australia.**Departure Procedure****Noise Abatement Procedure:** See CRAR Australia.

AYQ-YAYE


AFC

AFC

AFC


AGC

AFC



AWIS	126.550	
Melbourne Center	121.850	On ground
CTAF	126.900	
ARCAL	120.600	ARCAL PAL
RDO	126.900	HR by AWIS

Landing RWY system:



Changes: Track, APCH boxes

02-MAR-2017
AYQ-YAYE

Australia Ayers Rock Ayers Rock/ Connellan


AGC

AGC

AGC

Ayers Rock/ Connellan Ayers Rock Australia

AGC



AWIS	126.550
Melbourne Center	121.850 On ground
CTAF	126.900
ARCAL	120.600 ARCAL PAL
RDO	126.900 HR by AWIS


Changes: Nil

02-MAR-2017


AYQ-YAYE

7-10

RNAV (GNSS) Z 13



3.00°	9.5	8	7	6	4	3	13	3.0°
RW13	4700	4210	3900	3580	2940	2620		2599 x 30
RWY 125°								THR 1612 (57hPa) / TDZ --- (---%) +0.2%




13	RNAV GNSS VNAV 1) 2)	RNAV GNSS LNAV 3)	Circling 3)
C	ft - m/km ft 390 - 2.2V 2000	580 - 3.3V 2190	910 - 4.0V 2530
D	ft - m/km ft 390 - 2.2V 2000	580 - 3.3V 2190	910 - 5.0V 2530

1) Uncompensated BARO VNAV NA below -5°C (23°F) or above 57°C (134°F) 2) Use with Ayers Rock (YAYE) QNH only 3) Minima may be reduced by 100ft with actual QNH


Changes: MIN, MAPT, DIST ALT table, DIST, ROD, TCH

RNAV (GNSS) Z 31



© Lido 2017

23-JUN-2016




AYQ-YAYE**7-30****NDB Z 31**

Changes: new

AYQ-YAYE

7-40

NDB Y 31



31		NDB 1)				Circling 1)
C	ft - m/km ft	680 - 3.8V 2300				910 - 4.0V 2530
D	ft - m/km ft	680 - 3.8V 2300				910 - 5.0V 2530

1) Minima may be reduced by 100ft with actual QNH