


GENERAL**ATS Hours**

H24

Airport Information**RFF:** CAT 7**PCN:** RWY 15/33: 70/F/B/W/U.**Customs:** O/R**Operation****Traffic Note**Fuel dumping area: 10NM from VOR/DME **SML** R270 not below 6000ft.**DEPARTURE****Take-off Minima**


RWY		15/33
All ACFT	ft - m/km	0 - 400v

2-10




TWR 118.100

Landing RWY system:




Changes: VAR, QFU



ABS-HEBL

7-10


ILS 33




ABS-HEBL

7-30

RNAV (RNP) 15



2.90°	8.2	7	5	4	3	2	15	83.0°	60 HL
RW15	3200	2820	2210	1900	1590	1290	HL-S	3000 x 45	420
								THR 616 (22hPa) / TDZ 616 (---%)	0.0%




15	RNP LNAV	Circling
C	ft - m/km ft 500 - 1.8 1110	Not published
D	ft - m/km ft 500 - 1.8 1110	Not published

ABS-HEBL

7-40



RNAV (RNP) 33



ABS-HEBL

7-50

VOR DME 15


[illegible]

15		VOR DME					Circling
C	ft - m/km ft	500 - 1.8 1110					Not published
D	ft - m/km ft	500 - 1.8 1110					Not published

ABS-HEBL

7-60

VOR DME Z 33






Changes: Completely revised

ABS-HEBL

7-70

VOR DME Y 33



33		VOR DME				Circling
C	ft - m/km ft	440 - 1.3 1050				Not published
D	ft - m/km ft	440 - 1.3 1050				Not published