

GENERAL

Operational Hours

ATS Hours

AFIS MON-FRI 0800-1100Z, 1300-1600Z. Other times and HOL PPR, submit REQ the day before or the last working day during ATS hours.

AD ADMIN Hours: Not published.

Airport Information

RFF: CAT 2, CAT 1 outside ATS hours

PCN: RWY 04/22: 14/F/D/W/T

Customs: O/R 24HR

Operation

Low Visibility Procedure

LVP for DEP in force when RVR is between 400m-550m.

No LVP for ARR.

Only one ACFT at a time allowed on the manoeuvring area.

Only TWY A shall be used.

TWY Restrictions

TWY A width 18m / 59ft.

TWY C, G width 15m / 49ft.

TWY B width 10m / 33ft.

Warnings

Wildlife strike hazard.

ARRIVAL

Speed

MAX IAS 250KT below FL100.

Warnings

RWY 04/22: PAPI mandatory for landing at night.

DEPARTURE

Take-off Minima


RWY		04/22	
A, B, C	ft - m/km	0 - 400V	-
		0 - 550V	wo ATS
D		Not applicable	-

Speed

MAX IAS 250KT below FL100.


De-Icing

Not published.



INFO
Landi APP 118.500 HO
Iroise APP 122.400
135.825

Landing RWY system:





DEPARTURES

	GS	120	150	180	210	240	270
6.0%	ft/MIN	800	1000	1100	1300	1500	1700
8.0%	ft/MIN	1000	1300	1500	1800	2000	2200

RWY**Routing****04**

8.0% to 800
042° to **800** - then direct route up to enroute safety ALT

22

6.0% to 800
222° to **800** - then direct route up to enroute safety ALT

RWY**Notes****04**

Trees located between 150m and 300m from DER.


22

Road located 90m from DER on extended RWY centerline. Trees located between 130m and 260m from DER.

MXN-LFRU

7-10

RNAV (GNSS) 04



MXN-LFRU

7-20

RNAV (GNSS) 22

