

GENERAL**ATS Hours**

HS, 24HRs PN for NON-SKED flights, extendable for scheduled flights.

Airport Information

RFF: CAT 8

PCN: RWY 03/21: 40/F/C/X/T

Customs: HS for INTL scheduled flights, 24 HRs PN for NON-SKED flights.

Operation**Traffic Note**

Due limited parking space change of SKED time more than 15min needs prior approval from ATC.

TWY Restriction

TWY A width 15m / 49ft.

TWY A for stand 1.

TWY B for stand 2.

Warnings

Birds in vicinity of AD, specially JUL-SEP.


DEPARTURE**Take-off Minima**

RWY		03/21	
All ACFT	ft - m/km	0 - 400V	-

09-AUG-2018
LVP-OPFA


Pakistan Faisalabad Faisalabad Intl
2-10
AFC

Faisalabad Intl Faisalabad Pakistan
AFC



TWR		118.625	HRS by NOTAM	121.800	APN HRS by NOTAM
Landing RWY system:					
03	HL-S	THR 587 (21hPa) / TDZ --- (---%)	0.0%	60 HL	83.0°
21	HL-N	THR 591 (21hPa)	0.0%	60 HL	83.0°

Changes: Parking Stands , COORD



14-SEP-2017

LYP-OPFA

Pakistan Faisalabad Faisalabad Intl

NIL

RNAV STARs


STAR

STAR

Faisalabad Intl Faisalabad Pakistan

NIL

RNAV STARs



Changes: FREQ, SUAs

14-SEP-2017


LYP-OPFA

Pakistan Faisalabad Faisalabad Intl


IAC

7-10

ILS or LOC Z 03



LOC 3.03°	D IFA	6	5	3	2	03	HL-S	THR 587 (21hPa) / TDZ --- (---%)	0.0%
		2500	2200	1560	1230			2826 x 46	



03	Cat 1 DME ¹⁾	LOC DME			Circling
C	ft - m/km ft	240 - 800 820	440 - 1.6 1020		710 - 2.4V 1300
D	ft - m/km ft	240 - 800 820	440 - 1.6 1020		710 - 3.6V 1300

1) With EVS 550m

Changes: ALT, FREQ, APL

14-SEP-2017


LYP-OPFA

Pakistan Faisalabad Faisalabad Intl


IAC

7-20

ILS or LOC 03



LOC 3.03°	6	5	4	3	2	03	83.0°	60 HL
D IFA							2826 x 46	
	2500	2200	1880	1560	1230	HL-S	THR 587 (21hPa) / TDZ --- (---%)	0.0%



03	Cat 1 DME ¹⁾	LOC DME			Circling
C	ft - m/km ft	240 - 800 820	440 - 1.6 1020		710 - 2.4V 1300
D	ft - m/km ft	240 - 800 820	440 - 1.6 1020		710 - 3.6V 1300

1) With EVS 550m


Changes: ALT, FREQ, APL

LYP-OPFA


Pakistan **Faisalabad** Faisalabad Intl

7-30

RNAV (GNSS) 03



3.00° RW03		5.9	5	4	3	2	
		2500	2230	1910	1600	1280	



DIST TO THR		10	5	0			
03		RNP VNAV 1) 2)	RNP LNAV				Circling
C	ft - m/km ft	330 - 1.1 910	440 - 1.6 1020				Not published
D	ft - m/km ft	330 - 1.1 910	440 - 1.6 1020				Not published

1) Uncompensated BARO VNAV NA below 0°C (32°F)
2) With EVS 750m

Changes: ALT, FREQ, APL, Note

14-SEP-2017


LYP-OPFA

Pakistan Faisalabad Faisalabad Intl


IAC

7-40

RNAV (GNSS) 21



60 HL	46 x 2826	375	21	2	3	4	5	5.8	3.00°
0.0%	TDZ --- (---%) / THR 591 (21hPa)	HL-N		1280	1600	1920	2240	2500	RW21





21		RNP VNAV 1) 2)	RNP LNAV	Circling	
C	ft - m/km ft	320 - 1.2 910	430 - 1.8 1020		Not published
D	ft - m/km ft	320 - 1.2 910	430 - 1.8 1020		Not published

1) Uncompensated BARO VNAV NA below 0°C (32°F)

2) With EVS 800m

Changes: ALT, FREQ, APL, Note



14-SEP-2017


LYP-OPFA

Pakistan Faisalabad Faisalabad Intl

IAC

7-60

NDB Y 03



03		NDB					Circling
C	ft - m/km ft	490 - 1.8 1070					710 - 2.4V 1300
D	ft - m/km ft	490 - 1.8 1070					710 - 3.6V 1300

Changes: ALT, FREQ, APL

14-SEP-2017


LYP-OPFA

Pakistan Faisalabad Faisalabad Intl

IAC

7-70

NDB Z 21



Changes: ALT, FREQ, APL

14-SEP-2017


LYP-OPFA

Pakistan Faisalabad Faisalabad Intl

IAC

7-80

NDB Y 21



Changes: FREQ, ALT, APL