

**GENERAL****Operational Hours**

**ATS Hours / AD ADMIN Hours:** 0400-2200, other times O/R before 1400.

**Airport Information**

**RFF:** CAT 8

**PCN:** RWY 10/28: 59

**Customs:** 0400-2200 and O/R

**Operation****TWY Restriction**

TWY H CLSD.

TWY G CLSD for ACFT with 20t / 44092lbs and above.

**Taxi/Parking**

Nose-in guidance at stands.

Marshaller assistance AVBL.

Tight turning angle onto exit Gate B from stands 4 and 6 to TWY routes Blue and Red for B747.

**Warnings**

MIL AD 8NM southwest of FLKK.

Birds in vicinity of AD.

**ARRIVAL****Arrival Procedure****VFR Traffic Pattern**

RWY 15 right-hand circuit.

**DEPARTURE****Take-off Minima**

RWY		10/28	
All ACFT	ft - m/km	c550 - 1.5V	-

**Departure Procedure****Departure Note**

All TFC into lower ZAMBEZI Area departing on RWY 10 must be established on R119 VLS VOR/DME or greater until reaching D15 before resuming own navigation.

**APDEL 1A/1B, APNOK 1A/1B:** Do not turn before DER.

**ATC Slot, Clearance**

Contact TWR earliest 10min prior to ENG start-up for ATC CLR.

09-FEB-2017  
LUN-FLKK

Zambia Lusaka Kenneth Kaunda Intl

AGC  
AFC


AFC

AFC

Kenneth Kaunda Intl Lusaka Zambia

AGC  
AFC

2-10



APP 121.300 120.100  
TWR 118.100

Landing RWY system:

10 3.0° 30 HL  
910  
HL-P1 THR 3779 (129hPa) / TDZ --- (---%) -0.2%

30 H 46 x 3962 3.0° 612  
15 H 3749 / 128hPa H-S

Changes: Nil

09-FEB-2017  
LUN-FLKK

Zambia Lusaka Kenneth Kaunda Intl

AGC


AGC

AGC

Kenneth Kaunda Intl Lusaka Zambia

AGC

3-20



## LUN-FLKK

## RNAV SIDs RWY 28

**4-10**


## RNAV SIDs RWY 10

SID

SID

RNAV SIDs RWY 28

## RNAV SIDs RWY 10



Changes: Note

© Lido 2016

## LUN-FLKK


## RNAV SIDs RWY 28

SID

SID

## RNAV SIDs RWY 28

4-20



Changes: Note

© Lido 2016

**APDEL 1A / APNOK 1A / EGNIS 1A / EKBIS 1A**

RWY 10 (101°)

DESIGNATOR	ROUTING	ALTITUDES
	<b>Runway 10</b>	
<b>APDEL 1A</b> <b>121.300</b> ①	at <b>4800 LT</b> direct APDEL	APDEL MNM <b>6100</b>
	<b>TRANSITION</b>	
	<b>IBNOP</b> APDEL - IBNOP	
	<b>OKDAR</b> APDEL - OKDAR	
<b>APNOK 1A</b> <b>121.300</b> ①	at <b>4800 LT</b> direct APNOK	APNOK MNM <b>6100</b>
<b>EGNIS 1A</b> <b>121.300</b>	at <b>4800 RT</b> direct EGNIS	EGNIS MNM <b>6100</b>
	<b>TRANSITION</b>	
	<b>AVAMO</b> EGNIS - AVAMO	
	<b>ESRES</b> EGNIS - ESRES	
<b>EKBIS 1A</b> <b>121.300</b>	at <b>4800 RT</b> direct EKBIS	EKBIS MNM <b>6100</b>
	<b>TRANSITION</b>	
	<b>GADBA</b> EKBIS - GADBA	
	<b>TIMAX</b> EKBIS - TIMAX	

① Do not turn before DER

**APDEL 1B / APNOK 1B / EGNIS 1B / EKBIS 1B**

RWY 28 (281°)

DESIGNATOR	ROUTING	ALTITUDES
	<b>Runway 28</b>	
<b>APDEL 1B</b> <b>121.300</b> ①	at <b>4800 RT</b> direct APDEL	APDEL MNM <b>6100</b>
	<b>TRANSITION</b>	
	<b>IBNOP</b> APDEL - IBNOP	
	<b>OKDAR</b> APDEL - OKDAR	
<b>APNOK 1B</b> <b>121.300</b> ①	at <b>4800 RT</b> direct APNOK	APNOK MNM <b>6100</b>
<b>EGNIS 1B</b> <b>121.300</b>	at <b>4800 LT</b> direct EGNIS	EGNIS MNM <b>6100</b>
	<b>TRANSITION</b>	
	<b>AVAMO</b> EGNIS - AVAMO	
	<b>ESRES</b> EGNIS - ESRES	
<b>EKBIS 1B</b> <b>121.300</b>	at <b>4800 LT</b> direct EKBIS	EKBIS MNM <b>6100</b>
	<b>TRANSITION</b>	
	<b>GADBA</b> EKBIS - GADBA	
	<b>TIMAX</b> EKBIS - TIMAX	

① Do not turn before DER

LUN-FLKK

5-30

DEPARTURES

SIDPT

## Obstacle Departure

RWY	Routing
10	LIVINGSTONE 1 RT - cross R180 VLS at MNM FL070
28	LIVINGSTONE 1 climb on RWY track until passing FL070




# LUN-FLKK

6-10

## STAR / RNAV STARs RWY 10

# STAR



Changes: PROC, NAVAID, Track

© Lido 2018

06-SEP-2018


LUN-FLKK

Zambia Lusaka Kenneth Kaunda Intl

6-20

RNAV STARs RWY 28

STAR



Changes: PROC, Track, NAVAID

23-JUN-2016




LUN-FLKK

Zambia Lusaka Kenneth Kaunda Intl

IAC

7-10

ILS 10



10		Cat 1 <sup>1)</sup>	Cat 1 <sup>2)</sup>	LOC	Circling	
C	ft - m/km ft	200 - 400 <b>3980</b>	200 - 1.2V <b>3980</b>	250 - 1.3V <b>4030</b>	820 - 3.7V <b>4600</b>	
D	ft - m/km ft	230 - 500 <b>4000</b>	230 - 1.2V <b>4000</b>	280 - 1.3V <b>4050</b>	820 - 4.6V <b>4600</b>	

1) With EVS 350m  
2) With EVS VIS 800m




Changes: APL

# LUN-FLKK

Zambia **Lusaka** Kenneth Kaunda Intl

**7-30**

## RNAV (GNSS) 10



10		RNAV GNSS VNAV <sup>(1) 2)</sup>	RNAV GNSS LNAV				Circling
C	ft - m/km ft	430 - 1.3 4200	490 - 1.5 4260				Not published
D	ft - m/km ft	430 - 1.3 4200	490 - 1.5 4260				Not published

1) With EVS 900m	
2) NA below 5°C (41°F)	

Changes: APL

23-JUN-2016




Zambia Lusaka Kenneth Kaunda Intl

IAC

LUN-FLKK

7-40


RNAV (GNSS) 28




28	RNAV GNSS VNAV <sup>1) 2)</sup>	RNAV GNSS LNAV	Circling
C	ft - m/km ft 350 - 1.2 4090	490 - 1.8 4230	Not published
D	ft - m/km ft 350 - 1.2 4090	490 - 1.8 4230	Not published

1) With EVS 800m  
2) NA below 5°C (41°F)

Changes: Editorial



## NDB 10



16-JAN-2014



LUN-FLKK

Zambia Lusaka Kenneth Kaunda Intl

IAC

7-70

NDB 28



Changes: APL, Profile, Editorial