

GENERAL**Operational Hours****ATS Hours:** H24**AD ADMIN Hours:** H8**Airport Information****RFF:** CAT 8**PCN:** RWY 04/22: 50/F/B/W/Tu**Operation****TWY Restriction**

TWY C width 18m / 60ft.


TWY C CLSD.


ARRIVAL**Arrival Procedure**

Complete procedure turn within 10NM of ROB.

DEPARTURE**Take-off Minima**

RWY		04/22	
All ACFT	ft - m/km	0 - 400V	HJ only
		0 - 800V	HN





16-JUN-2011

Liberia **Monrovia** Roberts Intl

ROB-GLRB

5-10

DEPARTURES

SIDPT

DEPARTURES	
RWY	Routing
22	Westbound DEPs turning right should complete turn within D6.8 ROB to avoid D42

Changes: New

ROB-GLRB

RNAV PONKA / RITAM


6-10

RNAV DEMAR / MATRU / TEKTO

STAR

STAR

RNAV PONKA / RITAM

RNAV DEMAR / MATRU / TEKTO

© Lido 2013

Changes: new

24-OCT-2013
ROB-GLRB

Liberia **Monrovia** Roberts Intl

6-20


RNAV PONKA / RITAM

STAR

STAR

Roberts Intl **Monrovia** Liberia

RNAV PONKA / RITAM




Changes: new

ILS 04

04		Cat 1 1)	LOC				Circling
C	ft - m/km ft	200 - 1.2 230	250 - 1.3 280				Not published
D	ft - m/km ft	200 - 1.2 230	250 - 1.3 280				Not published

1) With EVS 800m

RNAV (GPS) 04


☐ TDZ

Not published

© Lido 2018

Changes: Page Number

RNAV (GPS) 22



VOR 04

