

GENERAL**ATS Hours**

H24

Airport Information

RFF: CAT 9
Fuel: 0430-1430, other times O/R
PCN: RWY 18/36: 61/F/A/W/T

Operation**TWY Restriction**

TWY L width 18m / 59ft.

Link to Tropical Hangar width 10.5m / 34ft.

TWY C, B, E, F up to code letter E ACFT only.

TWY A up to code letter C ACFT only.

TWY L, link to Tropical Hangar strictly for light ACFT only, up to code letter C ACFT.

Warnings

Birds in vicinity of AD, especially between 0400-1500.


DEPARTURE**Take-off Minima**

RWY		18/36	
All ACFT	ft - m/km	0 - 400V	-

Abeid Amani Karume Intl **Zanzibar** Tanzania

AFC

2-10



Landing RWY system:

APP	121.200
TWR	121.200

18

⌋

830°

3

§

7

TDZ


0.1%

60L **45 x 3022**


 3.0° 8
 +0.1% TDZ ---% **44 / 2hPa**

36 S


Changes: PROC, HLDG, APCH boxes, Note






3-21




RNAV (GNSS) 18



ZNZ-HTZA**7-30****VOR DME 36**

36		VOR DME		Circling	
C	ft - m/km ft	400 - 1.6 450		830 - 2.4V 880	
D	ft - m/km ft	400 - 1.6 450		830 - 3.6V 880	

ZNZ-HTZA**7-40****VOR 36**

60 L 45 x 3022
 3.0°
 +0.1% TDZ ---% 44 / 2hPa


36

S

1	2	3	4					3.00° D ZV
540	860	1180	1500					

R356 ZV
at 900 LT direct ZV
climb 1700

GS	120	140	160
D4 ZV	640	740	850
-MAPt	NA	NA	NA



36	VOR					Circling
C	ft - m/km ft	440 - 1.8 490				830 - 2.4V 880
D	ft - m/km ft	440 - 1.8 490				830 - 3.6V 880