

GENERAL**Operational Hours****ATS Hours / AD Hours**

MON-FRI 0600-2000‡

SAT 0800-1700‡

SUN 0800-1900‡

Other times 1HR PPR.

Airport Information**RFF:** CAT 5; CAT 7 AVBL, 1HR PPR for non-SKED TFC. Other times PPR.**PCN:** RWY 08/26: 60/F/A/W/T**Operation****TWY Restrictions**

TWY B, D, F width 15m / 49ft.

TWY C, I width 7.5m / 25ft.

TWY E width 6m / 20ft.

Warnings

Glider activity within CTR.

ARRIVAL**Communication****COM Failure**

The NAV-aid designated for COM-Failure during IMC for ARR is:

- L HP when RWY 08 is expected RWY in use.
- L EJ when RWY 26 is expected RWY in use.

Warnings**ILS DME 26** (ACFT CAT C/D): procedure may not be AVBL when glider activity is performed.**DEPARTURE****Take-off Minima**

RWY		08/26	
All ACFT	ft - m/km	0 - 400V	-

Departure Procedure**Omnidirectional DEP:** RWY 08/26: Climb straight ahead to MNM turning ALT 700ft.**De-icing**

AVBL from 01 OCT-30 APR.

Anti-icing fluid AVBL on 24HR REQ.


EBJ-EKEB

AFC

AFC

AFC

AFC



Landing RWY system:

08 83.0° 60 H
2599 x 45 30 H
H-P1 **THR 78 (3hPa) / TDZ --- (---%)** +0.2%

Changes: APL, SUAs

Effective 19-JUL-2018

12-JUL-2018

EBJ-EKEB

Denmark Esbjerg

AGC


AGC

AGC

Esbjerg Denmark

AGC

3-20




Changes: Parkingstand, APN, WDI



EBJ-EKEB

7-30



RNAV (GNSS) 08



EBJ-EKEB

7-40

RNAV (GNSS) 26




26		RNAV GNSS LPV	RNAV GNSS VNAV 1) 2)	RNAV GNSS LNAV 3)			Circling N of RWY only
C	ft - m/km ft	200 - 550 300	400 - 1.1 490	400 - 1.1 490			610 - 2.4V 700
D	ft - m/km ft	200 - 550 300	400 - 1.1 490	400 - 1.1 490			810 - 3.6V 900

1) Uncompensated BARO VNAV NA below -25°C (-13°F)

3) Pass 2NM before RWY26 not below 660ft

2) With EVS 750m

Changes: MIN, APL, SUAs, Editorial



EBJ-EKEB

7-60

NDB 26

