



### **Aviatrix Cloud Firewall**

**SECURE EGRESS** 

**ACE Team** 

### **Problem Statement**



#### Private workloads need internet access

SaaS integration



Patching




Updates




#### **NAT Gateway**

- Layer-4 only
- NACLs management




#### **Squid Proxy**

- Hard to manage
- Scale and HA issues



#### **Layer-7 Firewall**


- Overkill
- Expensive





## **Aviatrix Secure Egress Filtering Feature**









## **Aviatrix Secure Egress Filtering**






## **Aviatrix Secure Egress Filtering**





### **Aviatrix Secure Egress Filtering**








# Tools for Troubleshooting Secure Egress


### Verify the Local Egress


AVIATRIX
ACE

AVIATRIX CERTIFIED
ENGINEER

- Adding Egress Control on VPC/VNet changes the default route on VPC/VNet to point to the Spoke Gateway and enables SNAT.
- In addition to the Local route, the three RFC1918 routes, also a default route will be injected.
- CAVEAT: Egress Control also <u>requires additional</u> <u>resources</u> on the Spoke Gateway (i.e. scale up the VM size). Before enabling Egress Control on Spoke Gateways, ensure that you have created the additional CPU resources on the Spoke Gateway required to support Egress Control.







#### The Greenfield-Rule

- If you want to apply policies on your Egress traffic, you must enable the Distributed Cloud Firewall.
- The Egress control requires the activation of the Distributed Cloud Firewall.
- The Greenfield-Rule is automatically added to allow all kind of traffic.
- An Explicit Deny Rule, named
   DefaultDenyAll, is also added below the Greenfield-Rule.
- Best Practice: do not edit this rule, although it can be recreated if it is accidentally deleted.

Actions ~

Name

Rules

Greenfield-Rule


DefaultDenyAll

Monitor

Anywhere (0.0.0.0...

Anywhere (0.0.0.0...

Ш



Any



+ Rule

Priority

Distributed Cloud Firewall


214748...


Deny


### WebGroup Creation

AVIATRIX
ACE
AVIATRIX CERTIFIED
ENGINEER

- WebGroups are groupings of domains and URLs, inserted into <u>Distributed Cloud Firewall</u> rules, that filter (and provide security to) Internet-bound traffic.
- In addition to the predefined WebGroup *All-Web*, you can also create two kind of custom WebGroups:
  - 1. **URLs WebGroup:** for HTTP/HTTPS and for other protocols, but you need to define the full Path.
    - CAVEAT: TLS Decryption must be turned on when URLs-based WebGroups are used.
  - Domains WebGroup: for HTTP and HTTPS traffic (wild cards are supported – i.e. partial names).










#### Monitor

#### **CAVEAT**: Logging must be enabled



CoPilot > Security > Egress > FQDN Monitor (Legacy)







Next:

Lab 7 Aviatrix Cloud Firewall

