


Role-Based Access Control (RBAC)


Solutions Engineering

RBAC: Role-Based Access Control







User Access- CoPilot



Permission Sets – CoPilot/Controller





Authentication Phase

- Users can be authenticated:
 - Locally on the Aviatrix Controller
 - Onboard Users (Admin, Operators, Developers, Read-Only)
 - Allowed to reset their password
 - Using SAML IDP
 - Onboard Users (Admin, Operators, Developers, Read-Only)
 - Other functionality depends on IDP





















SAML Integration Example – Identity Provider



RBAC User : saad@aviatrix.com Super-Users

Account-Admin

RBAC User : saad_A-B@aviatrix.com

Account Admins (A&B)

Account Admins (C&D)

RBAC User : saad-security@aviatrix.com

Security-Users

RBAC-User	Permissions
saad-developer	Read Only
saad	Super User (Admin)
saad_A-B	Account Admin for Accounts A&B Only
saad-security	Security User







aviatrix_saml_controller



SIGN IN WITH SAML



okta

Sign In

Username

Remember me






Developers/Read Only Saad-Developer



Integration with OKTA – Step-by-Step Guide

https://community.aviatrix.com/t/h7hyrmm/rbac-for-aws-azure-gcp-oci-step-by-step-integration-with-okta







Next: Lab 4 - RBAC