

Beginner-Intermediate HTML Assessment Test (40 Marks)

A comprehensive multiple-choice test covering foundational to intermediate HTML5 concepts, best practices, and application scenarios.

* Indicates required question

1. Name *

2. College / University Name *

3. University Roll Number *

4. Course / Technology *

5. Email ID *

6. Batch / Semester *

7. Mobile Number *

8. What is the correct declaration for HTML5 documents?

1 point

Mark only one oval.

- ☐ <!DOCTYPE html>
- ☐ <!DOCTYPE HTML PUBLIC '...'...>
- ☐ <?html>
- ☐ <!DOCTYPE html5>

9. Which HTML element is used to define internal CSS stylesheets?

1 point

Mark only one oval.

- ☐ <style>
- ☐ <css>
- ☐ <script>
- ☐ <link>

10. Which attribute specifies a unique identifier for an HTML element?

1 point

Mark only one oval.

- ☐ class
- ☐ name
- ☐ id
- ☐ data

11. Which HTML tag is used to create a numbered list?

1 point

Mark only one oval.

☐

☐

☐ <dl>

☐

12. In HTML forms, what is the default HTTP method when no 'method' attribute is specified?

1 point

Mark only one oval.

☐ POST

☐ GET

☐ PUT

☐ HEAD

13. Which HTML element is designed to display tabular data?

1 point

Mark only one oval.

☐ <div>

☐ <table>

☐ <grid>

☐ <list>

14. Which elements are block-level elements in HTML?

1 point

Check all that apply.

- ☐ `<span>`
- ☐ `<h1>`
- ☐ `<p>`
- ☐ `<b>`

15. What is the purpose of the `<thead>` element in an HTML table?

1 point

Mark only one oval.

- ☐ To group the footer content in a table
- ☐ To group the body content in a table
- ☐ To group the header content in a table
- ☐ To define the table caption

16. Which semantic HTML5 element is used for standalone content that is self-contained and could be distributed independently?

1 point

Mark only one oval.

- ☐ `<section>`
- ☐ `<article>`
- ☐ `<aside>`
- ☐ `<nav>`

17. To open a link in a new browser tab or window, which attribute must be added to the <a> tag? 1 point

Mark only one oval.

- ☐ target='_self'
- ☐ target='_new'
- ☐ target='_blank'
- ☐ rel='external'

18. What is the correct way to include an image named 'logo.png' stored in an 'images' folder relative to the current HTML file? 1 point

Mark only one oval.

- ☐
- ☐ <image source='/images/logo.png' alt='Logo'>
- ☐
- ☐

19. Which HTML input type is used for a field that should accept an email address? 1 point

Mark only one oval.

- ☐ type='text'
- ☐ type='url'
- ☐ type='email'
- ☐ type='address'

20. Which element is used to provide an alternative text description for an image? 1 point

Mark only one oval.

- ☐ The 'title' attribute
- ☐ The 'alt' attribute
- ☐ The 'description' tag
- ☐ The 'longdesc' attribute

21. The <title> element is required inside which part of the HTML document structure? 1 point

Mark only one oval.

- ☐ <body>
- ☐ <html>
- ☐ <head>
- ☐ <header>

22. Which of the following is a non-semantic element? 1 point

Mark only one oval.

- ☐ <article>
- ☐
- ☐ <header>
- ☐ <footer>

23. SCENARIO: A user needs to group several related form controls (like shipping address details) visually and semantically. Which element should be used? 1 point

Mark only one oval.

- ☐ <div>
- ☐ <section>
- ☐ <fieldset>
- ☐ <group>

24. SCENARIO: You are building a company website and need a navigation bar that appears consistently across all pages. Which semantic HTML5 element is most appropriate for containing the main links? 1 point

Mark only one oval.

- ☐
- ☐ <header>
- ☐ <nav>
- ☐ <section>

25. SCENARIO: A web designer wants to define a range constraint for a numeric input field in a form, ensuring the user can only enter values between 1 and 10. Which attribute is required? 1 point

Mark only one oval.

- ☐ range
- ☐ maxlength
- ☐ limit
- ☐ min

26. SCENARIO: An author is writing an article and wants to include a short quote from another source. Which HTML element should be used to wrap the quoted text? 1 point

Mark only one oval.

- ☐ <cite>
- ☐ <i>
- ☐ <q>
- ☐ <blockquote>

27. SCENARIO: You are creating an input field that requires the user to select one option from a large, predefined list (e.g., countries). Which combined element structure provides a drop-down list with an autocomplete/type-ahead feature? 1 point

Mark only one oval.

- ☐ <select> and <option>
- ☐ <input type='text'> and <list>
- ☐ <input> and <datalist>
- ☐ <input type='search'>

28. SCENARIO: A website includes a large photograph of the ocean. For improved performance, you want to load a smaller, cropped version for mobile devices and the full-resolution image for desktops. Which HTML element allows for responsive image loading based on screen size/resolution? 1 point

Mark only one oval.

- ☐ with srcset attribute
- ☐ <link rel='picture'>
- ☐ <source>
- ☐ <picture>

29. SCENARIO: You need to temporarily hide a content section from view without removing it from the DOM, perhaps for future display via JavaScript. Which HTML attribute is designed for this purpose? 1 point

Mark only one oval.

- ☐ disabled
- ☐ visible='false'
- ☐ hidden
- ☐ inactive

30. SCENARIO: You have an anchor link <a>, and you want to ensure that when a user clicks it, their browser initiates a download of the linked file instead of navigating to it. Which attribute should be added? 1 point

Mark only one oval.

- ☐ target='_download'
- ☐ rel='download'
- ☐ download
- ☐ type='application/octet-stream'

31. SCENARIO: A student accidentally uses <h2> tags for a brief description paragraph instead of an actual heading. Why is this considered poor semantic practice? 1 point

Mark only one oval.

- ☐ It will make the text impossible to style with CSS.
- ☐ It incorrectly assigns structural importance, confusing screen readers and search engines.
- ☐ The text will not display correctly in older browsers.
- ☐ It automatically adds unnecessary line breaks.

32. SCENARIO: A form must prevent submission if a required text field is left empty. Which HTML attribute is used to enforce this basic validation? 1 point

Mark only one oval.

- ☐ validate
- ☐ required
- ☐ must_fill
- ☐ check

33. PRACTICAL: Examine the following code snippet. What is the expected rendered output in the browser? 1 point

Mark only one oval.

- ☐ 1. Apples 2. Bananas 3. Oranges
- ☐ Apples Bananas Oranges (bullet points)
- ☐ Apples Bananas Oranges (separated by line breaks)
- ☐ Apples, Bananas, Oranges (no list formatting)

34. PRACTICAL: Consider the following HTML for a basic button. Which attribute is missing if the button is intended to submit a form? 1 point

Mark only one oval.

- ☐ value
- ☐ name
- ☐ formaction
- ☐ type

35. PRACTICAL: If the following code is run, how many rows will the 'Notes' cell span? 1 point

Mark only one oval.

- ☐ 1
- ☐ 2
- ☐ 3
- ☐ 4

36. PRACTICAL: You want to implement an error state on a form field using only HTML5 attributes, indicating that the input is in an invalid state. Which attribute would you use? 1 point

Mark only one oval.

- ☐ aria-invalid
- ☐ invalid
- ☐ pattern
- ☐ error

37. PRACTICAL: Which of the following code snippets correctly embeds an audio file that autoplays and includes playback controls? 1 point
- audio file that autoplays and includes playback controls?

Mark only one oval.

- ☐ <audio src='music.mp3' controls autoplay></audio>
- ☐ <media type='audio' source='music.mp3' controls autoplay>
- ☐ <embed src='music.mp3' controls autoplay>
- ☐ <audio src='music.mp3' controls playing>

38. PRACTICAL: Identify the error in the following HTML code intended to link an external stylesheet: 1 point
- an external stylesheet:

Mark only one oval.

- ☐ The 'href' attribute is misspelled.
- ☐ The 'rel' attribute value should be 'stylesheet/css'.
- ☐ The 'type' attribute is missing.
- ☐ The 'rel' attribute value is incorrect; it should be 'css'.

39. PRACTICAL: What HTML element is used to provide the user with a visual hint or placeholder text within a text input field? 1 point
- hint or placeholder text within a text input field?

Mark only one oval.

- ☐ hint attribute
- ☐ title attribute
- ☐ label element
- ☐ placeholder attribute

40. PRACTICAL: In a complex application, you wish to logically separate the main content of a page from the less important, supportive content. Which semantic elements should be used for this primary split? 1 point

Mark only one oval.

- ☐ <header> and <footer>
- ☐ <main> and <aside>
- ☐ <div> and
- ☐ <section> and <h1>

41. PRACTICAL: Which attribute on the <form> element is used to specify the URL where the form data should be sent upon submission? 1 point

Mark only one oval.

- ☐ target
- ☐ id
- ☐ action
- ☐ method

42. PRACTICAL: Which of the following code snippets correctly uses the <label> element to associate it with an input field? 1 point

Mark only one oval.

- ☐ <label id='user'>Username:</label><input type='text' name='user'>
- ☐ <label for='username'>Username:</label><input type='text' id='username'>
- ☐ <input type='text' name='username'><label ref='username'>Username:</label>
- ☐ <label name='username'>Username:</label><input type='text' for='username'>

43. ADVANCED: Which ARIA attribute is specifically recommended for communicating the current state of a component (e.g., expanded/collapsed, pressed, or hidden) to assistive technologies? 1 point

Mark only one oval.

- ☐ aria-label
- ☐ aria-role
- ☐ aria-labelledby
- ☐ aria-expanded

44. ADVANCED: Why is providing the 'alt' attribute for decorative images still considered a best practice for accessibility, even if the value is empty (alt="")? 1 point

Mark only one oval.

- ☐ An empty 'alt' ensures the image is still indexed by search engines.
- ☐ It is required for validation by W3C standards.
- ☐ An empty 'alt' explicitly tells screen readers to ignore the image, preventing unnecessary distraction.
- ☐ It helps browsers determine the image dimensions faster.

45. ADVANCED: Which HTML attribute is crucial for SEO, as it provides search engines with a concise summary of the page's content, often displayed in search results? 1 point

Mark only one oval.

- ☐ <meta name='keywords'>
- ☐ <meta name='description'>
- ☐ <link rel='canonical'>
- ☐ The <h1> tag content

46. ADVANCED: In the context of performance optimization, what is the primary benefit of using the 'defer' attribute on an external <script> tag? 1 point

Mark only one oval.

- ☐ The script is downloaded and executed immediately, blocking parsing.
- ☐ The script is downloaded asynchronously but executed only after the HTML document is fully parsed.
- ☐ The script is executed before the page starts loading.
- ☐ The script is only downloaded if explicitly requested by JavaScript.

47. ADVANCED: Which HTML element is used to mark text that should be treated as code, preserving white space and line breaks (often used for displaying programming examples)? 1 point

Mark only one oval.

- ☐ <code>
- ☐ <samp>
- ☐ <pre>
- ☐ <kbd>

This content is neither created nor endorsed by Google.

Google Forms