



UNIVERSITY OF SCIENCE - VNUHCM

FACULTY OF INFORMATION TECHNOLOGY

SOFTWARE TESTING

HW3 - SCENARIO TESTING

Software Testing Project Report

Authors:

Trần Thị Cát Tường
(22127444)

ttctuong22@clc.fitus.edu.vn

Supervisors:

Teacher Trần Duy Hoàng

Teacher Hồ Tuấn Thanh

Teacher Trương Phước Lộc

June 22, 2025

Table of Contents

1	Group Information	1
2	Scenario Testing	2
3	Self-Evaluation (Scenario Testing)	4

1 Group Information

Group ID: 07

Member Name	Student ID	Assigned Features	Status
Cao Uyển Nhi	22127310	- SignUp	Done
		- Checkout	Done
Lưu Thanh Thuý	22127410	- SignIn	Done
		- User Management	Done
Nguyễn Phước Minh Trí	22127424	- Catalog	Done
		- Categories	Done
Võ Lê Việt Tú	22127435	- MyProfile	Done
		- Order Management	Done
Trần Thị Cát Tường	22127444	- Contact	Done
		- Category Management	Done

2 Scenario Testing

Tools Used: ChatGPT

Purpose:

An AI tool was employed to generate a list of test cases based on manually constructed **Equivalence Partitioning (EP)** and **Boundary Value Analysis (BVA)** tables for the *Category Management* feature.

This approach helped:

- Accelerate the test case creation process.
- Ensure full coverage of valid/invalid partitions and boundary values.

Prompt Used to Generate Test Cases:

I have manually created EP and BVA tables for a feature called [feature name]. Below is the detailed input constraints, followed by the EP and BVA tables.

Please generate at least 40 high-quality test cases using both EP and BVA logic. Cover both positive and negative cases, including field-level and logic-level scenarios (e.g., invalid parent ID, duplicate slugs, invalid deletions).

For each test case, provide:

- Test Case ID
- Title
- Preconditions (if any)
- Input values
- Test steps
- Expected result
- Type (EP or BVA)

[Inputs and Constraints]

[EP and BVA tables]

The full EP and BVA tables (as shown in Part 2 of the report) were directly pasted into the prompt. This provided ChatGPT with a complete understanding of input constraints, value ranges, and test boundaries, resulting in a high-quality, logic-driven test case list.

Review and Refinement Process:

- Each test case was reviewed to verify coverage of all identified EP classes and BVA points.
- Titles, test steps, and expected outcomes were adjusted where necessary to improve clarity and consistency.
- Redundant or low-value cases were removed to keep the final set concise and executable.

Test Case Categorization:

- **AI-generated:** The initial test case set was produced directly from the provided prompt and tables.
- **Manually refined:** Selected cases were edited for logic accuracy, completeness, and formatting quality.

Reusability:

The prompt is designed to be reusable for any web-based feature or form. By supplying well-structured EP and BVA tables along with clear input constraints, this method can consistently generate 30–40 high-quality test cases in a single session while maintaining test logic and coverage control.

3 Self-Evaluation (Scenario Testing)

Criteria	Self-Evaluation	Notes
2 Scenario Selection	1.0 / 1.0	Selected two relevant and realistic user scenarios from The Toolshop system.
Scenario Testing	2.0 / 2.0	Clearly described scenarios and applied scenario-based thinking.
Use of AI Tools	1.0 / 1.0	Stated tool (ChatGPT), prompts used, validation process, and usage scope.
Test Execution	0.5 / 0.5	Executed all designed test cases locally and documented results.
Bug Reporting	0.5 / 0.5	Reported bugs with full reproduction steps and severity analysis.
Scenario Testing Report	1.0 / 1.0	Report is clear, professional, and traceable; includes test results.