

## List Built-in Functions:

### 1. Constructor

Name	Details	Time Complexity
<code>list&lt;type&gt;myList;</code>	Construct a list with 0 elements.	O(1)
<code>list&lt;type&gt;myList(N);</code>	Construct a list with N elements and the value will be garbage.	O(N)
<code>list&lt;type&gt;myList(N,V);</code>	Construct a list with N elements and the value will be V.	O(N)
<code>list&lt;type&gt;myList(list2);</code>	Construct a list by copying another list list2.	O(N)
<code>list&lt;type&gt;myList(A,A+N);</code>	Construct a list by copying all elements from an array A of size N.	O(N)

### 2. Capacity

Name	Details	Time Complexity
<code>myList.size()</code>	Returns the size of the list.	O(1)
<code>myList.max_size()</code>	Returns the maximum size that the vector can hold.	O(1)
<code>myList.clear()</code>	Clears the list elements. Do not delete the memory, only clear the list.	O(N)
<code>myList.empty()</code>	Return true/false if the list is empty or not.	O(1)
<code>myList.resize()</code>	Change the size of the list.	O(K); where K is the difference between new size and current size.

### 3. Modifiers

Name	Details	Time Complexity
<b>myList= or myList.assign(list 2.begin(),list2.end( ))</b>	Assign another list.	O(N)
<b>myList.push_back ( )</b>	Add an element to the tail.	O(1)
<b>myList.push_front ( )</b>	Add an element to the head.	O(1)
<b>myList.pop_back()</b>	Delete the tail.	O(1)
<b>myList.pop_front()</b>	Delete the head.	O(1)
<b>myList.insert()</b>	Insert elements at a specific position.	O(N+K); where K is the number of elements to be inserted.
<b>myList.erase()</b>	Delete elements from a specific position.	O(N+K); where K is the number of elements to be deleted.
<b>replace(myList.be gin(),myList.end(), value,replace_val ue)</b>	Replace all the value with replace_value. Not under a list STL.	O(N)
<b>find(myList.begin( ,myList.end(),V)</b>	Find the value V. Not under a list STL.	O(N)

#### 4. Operations

Name	Details	Time Complexity
<b>myList.remove(V)</b>	Remove the value V from the list.	O(N)
<b>myList.sort()</b>	Sort the list in ascending order.	O(NlogN)
<b>myList.sort(greater&lt;type&gt;())</b>	Sort the list in descending order	O(NlogN)
<b>myList.unique()</b>	Deletes the duplicate values from the list. You must sort the list first.	O(N), with sort O(NlogN)
<b>myList.reverse()</b>	Reverse the list.	O(N)

#### 5. Element access

Name	Details	Time Complexity
<b>myList.back()</b>	Access the tail element.	O(1)
<b>myList.front()</b>	Access the head element.	O(1)
<b>next(myList.begin(), i)</b>	Access the ith element	O(N)

#### 6. Iterators

Name	Details	Time Complexity
<b>myList.begin()</b>	Pointer to the first element.	O(1)
<b>myList.end()</b>	Pointer to the last element.	O(1)