

DBMS Lab Assignment-1 — Solutions

Q1: Display the data in existing default employees or emp or employee table.

```
SELECT * FROM employees;
-- OR: SELECT * FROM emp;
-- OR: SELECT * FROM employee;
```

Q2: Display the structure of the above table.

```
DESC employees;
-- OR: DESCRIBE employees;
```

Q3: Create a table "Student" with the following structure:

**Roll Number(5), Name Varchar2(30), Age Number(5), Course Varchar2(5),
Math Number(6,2), Physics Number(6,2), Computer Number(6,2), Birthday Date.**

```
CREATE TABLE Student (
    Roll      NUMBER(5),
    Name      VARCHAR2(30),
    Age       NUMBER(5),
    Course    VARCHAR2(5),
    Math      NUMBER(6, 2),
    Physics   NUMBER(6, 2),
    Computer  NUMBER(6, 2),
    Birthday  DATE
);
```

Q4: Create table MSc from the Student table with the same fields and same structure but without any data.

```
CREATE TABLE MSc AS SELECT * FROM Student WHERE 1 = 0;
```

Q5: Display the structure of MSc table.

```
DESC MSc;  
-- OR: DESCRIBE MSc;
```

Q6: Create table MCA from the Student table with the same fields and same structure but without any data. Rename Course → Department and Name → First_Name.

```
CREATE TABLE MCA AS  
SELECT Roll, Name AS First_Name, Age,  
       Course AS Department, Math, Physics, Computer, Birthday  
FROM Student WHERE 1 = 0;
```

Q7: Display the structure of MCA table.

```
DESC MCA;  
-- OR: DESCRIBE MCA;
```

Q8: Insert the following records into the Student table:

```
INSERT INTO Student VALUES (1, 'Rahul', 19, 'BCA', 79.5, 67, 89,  
'15-jun-93');  
INSERT INTO Student VALUES (2, 'Kunal', 21, 'BCA', 68, 76, 59.5,  
'16-aug-91');  
INSERT INTO Student VALUES (3, 'Aditi', 20, 'MSc', 90, 73, 56,  
'20-sep-92');  
INSERT INTO Student VALUES (4, 'Sumit', 20, 'MCA', 57.5, 78, 81,  
'07-dec-91');  
INSERT INTO Student VALUES (5, 'Anirban', 22, 'MCA', 80, 68, 63,  
'15-sep-94');  
INSERT INTO Student VALUES (6, 'Kumkum', 21, 'BCA', 72, 54.5, 60,  
'08-feb-95');  
INSERT INTO Student VALUES (7, 'Suman', 21, 'BCA', 91.5, 32, 61,  
'10-mar-94');  
INSERT INTO Student VALUES (8, 'Rohit', 22, 'MSc', 85, 76, 92,  
'19-apr-92');
```

Q9: Display all the students details from Student table.

```
SELECT * FROM Student;
```

Q10: Find out the details of the student with Roll no 5 from Student table.

```
SELECT * FROM Student WHERE Roll = 5;
```

Q11: Show the Roll, Name, marks of all subjects for all students.

```
SELECT Roll, Name, Math, Physics, Computer FROM Student;
```

Q12: Display all the student details belonging to the BCA department.

```
SELECT * FROM Student WHERE Course = 'BCA';
```

Q13: Insert data in the MCA table from Student table where course is MCA.

(Note: MCA table has renamed columns — Name→First_Name, Course→Department)

```
INSERT INTO MCA (Roll, First_Name, Age, Department, Math, Physics,
Computer, Birthday)
SELECT Roll, Name, Age, Course, Math, Physics, Computer, Birthday
FROM Student WHERE Course = 'MCA';
```

Q14: Insert data in the MSc table from Student table where course is MSc.

```
INSERT INTO MSc SELECT * FROM Student WHERE Course = 'MSc';
```

Q15: Display the structure of Student table.

```
DESC Student;
-- OR: DESCRIBE Student;
```

Q16: Display all the details of each student in Student table with Course appearing first in the display column list.

```
SELECT Course, Roll, Name, Age, Math, Physics, Computer, Birthday FROM
Student;
```

Q17: Update the Math marks of the student with Roll no 7 from 91.5 to 95 in the Student table.

```
UPDATE Student SET Math = 95 WHERE Roll = 7;
```

Q18: Update the Name of the student with Roll no 4 from Sumit to Sumitava in the Student table.

```
UPDATE Student SET Name = 'Sumitava' WHERE Roll = 4;
```

Q19: Delete the details of the student with Roll no 2 from the Student table.

```
DELETE FROM Student WHERE Roll = 2;
```

Q20: Delete the details of all students from the Student table.

```
DELETE FROM Student;  
-- OR: TRUNCATE TABLE Student;
```