

# Contents

|          |                                                     |           |
|----------|-----------------------------------------------------|-----------|
| <b>1</b> | <b>gitread_next.js</b>                              | <b>2</b>  |
| 1.1      | Table of Contents . . . . .                         | 2         |
| 1.2      | Technology Stack . . . . .                          | 2         |
| 1.2.1    | Programming Languages . . . . .                     | 2         |
| 1.2.2    | Development Tools . . . . .                         | 3         |
| 1.2.3    | File Breakdown . . . . .                            | 3         |
| 1.2.4    | Architecture Overview . . . . .                     | 4         |
| 1.3      | Usage . . . . .                                     | 4         |
| 1.4      | Project Structure . . . . .                         | 4         |
| 1.4.1    | Directory Description . . . . .                     | 70        |
| 1.5      | License . . . . .                                   | 71        |
| 1.6      | Project Summary & Goals . . . . .                   | 71        |
| <b>2</b> | <b>gitread_next.js - Comprehensive Project Plan</b> | <b>71</b> |
| 2.1      | Table of Contents . . . . .                         | 71        |
| 2.1.1    | Overview . . . . .                                  | 71        |
| 2.1.2    | Primary Goals . . . . .                             | 71        |
| 2.1.3    | Target Audience . . . . .                           | 71        |
| 2.2      | Key Features & Use Cases . . . . .                  | 72        |
| 2.2.1    | Core Features . . . . .                             | 72        |
| 2.2.2    | Use Cases . . . . .                                 | 72        |
| 2.2.3    | Feature Highlights . . . . .                        | 72        |
| 2.3      | Setup Instructions . . . . .                        | 72        |
| 2.3.1    | Prerequisites . . . . .                             | 72        |
| 2.3.2    | System Requirements . . . . .                       | 72        |
| 2.3.3    | Step-by-Step Installation . . . . .                 | 73        |
| 2.4      | Configuration Required . . . . .                    | 73        |
| 2.4.1    | Environment Variables . . . . .                     | 73        |
| 2.4.2    | Build Configuration . . . . .                       | 74        |
| 2.4.3    | Security Configuration . . . . .                    | 74        |
| 2.5      | Major Components & Modules . . . . .                | 74        |
| 2.6      | Development . . . . .                               | 74        |
| 2.6.1    | Development Setup . . . . .                         | 74        |
| 2.7      | Execution Plan . . . . .                            | 74        |
| 2.8      | Development . . . . .                               | 74        |
| 2.8.1    | Development Setup . . . . .                         | 74        |
| 2.9      | Development Workflow . . . . .                      | 74        |
| 2.10     | Development . . . . .                               | 74        |
| 2.10.1   | Development Setup . . . . .                         | 74        |
| 2.11     | Testing Strategy . . . . .                          | 75        |
| 2.12     | Testing . . . . .                                   | 75        |
| 2.12.1   | Running Tests . . . . .                             | 75        |
| 2.12.2   | Test Structure . . . . .                            | 75        |
| 2.13     | Deployment Checklist . . . . .                      | 75        |
| 2.14     | Deployment . . . . .                                | 75        |
| 2.14.1   | Production Considerations . . . . .                 | 75        |

2.15 Troubleshooting & Tips . . . . . 75

2.16 Development . . . . . 75

    2.16.1 Development Setup . . . . . 75

2.17 Performance Optimization . . . . . 75

2.18 Development . . . . . 75

    2.18.1 Development Setup . . . . . 75

2.19 Contributing Guidelines . . . . . 75

2.20 Development . . . . . 75

    2.20.1 Development Setup . . . . . 75

2.21 Documentation Info . . . . . 76

1 gitread\_next.js

---

**Primary Language:** javascript **Project Type:** Web Frontend **Complexity:** Complex **Generated:** 2025-10-02T02:24:54.059910+00:00

---

1.1 Table of Contents

- [Technology Stack](#)
- [Usage](#)
- [Project Structure](#)
- [License](#)
- Project Summary & Goals
- Key Features & Use Cases
- [Setup Instructions](#)
- [Configuration Required](#)
- Major Components & Modules
- [Execution Plan](#)
- [Development Workflow](#)
- [Testing Strategy](#)
- [Deployment Checklist](#)
- Troubleshooting & Tips
- [Performance Optimization](#)
- [Contributing Guidelines](#)

---

1.2 Technology Stack

This project leverages modern technologies and frameworks to deliver a robust, scalable, and maintainable solution. The technology choices reflect current industry best practices and ensure optimal performance and developer experience.

1.2.1 Programming Languages

- **javascript** (Primary): 45.8% - 10074 files

- **typescript:** 37.3% - 8215 files
- **json:** 6.1% - 1351 files
- **rust:** 4.1% - 913 files
- **css:** 3.9% - 850 files
- **markdown:** 2.0% - 442 files
- **yaml:** 0.4% - 92 files
- **xml:** 0.1% - 29 files
- **shell:** 0.1% - 22 files
- **html:** 0.1% - 14 files
- **python:** 0.0% - 1 files

### 1.2.2 Development Tools

- **Modern Development Stack:** Industry-standard tools and practices
- **Code Quality Tools:** Linting, formatting, and testing utilities
- **Build Optimization:** Automated bundling and optimization processes

### 1.2.3 File Breakdown

| Language   | Files | Percentage | Purpose                                   |
|------------|-------|------------|-------------------------------------------|
| javascript | 10074 | 45.8%      | Application development and functionality |
| typescript | 8215  | 37.3%      | Application development and functionality |
| json       | 1351  | 6.1%       | Application development and functionality |
| rust       | 913   | 4.1%       | Application development and functionality |
| css        | 850   | 3.9%       | Application development and functionality |
| markdown   | 442   | 2.0%       | Application development and functionality |
| yaml       | 92    | 0.4%       | Application development and functionality |
| xml        | 29    | 0.1%       | Application development and functionality |
| shell      | 22    | 0.1%       | Application development and functionality |

| Language | Files | Percentage | Purpose                                   |
|----------|-------|------------|-------------------------------------------|
| html     | 14    | 0.1%       | Application development and functionality |
| python   | 1     | 0.0%       | Application development and functionality |

#### 1.2.4 Architecture Overview

- **Modular Design:** Clean separation of functionality and concerns
- **Scalable Structure:** Organized codebase for easy maintenance
- **Best Practices:** Following industry standards and conventions
- **Documentation:** Comprehensive code documentation and comments

### 1.3 Usage

[Usage examples to be documented]

### 1.4 Project Structure

```

gitread_next.js/
  apps/
    docs/
      ...
      ...
      ...
      ...
      ...
      ...
      ...
      ...
      ...
      ...
      ...
    bench/
      app-router-server/
        ...
        ...
        ...
        ...
      basic-app/
        ...
        ...
        ...
      fuzzponent/

```

```
...
...
...
heavy-npm-deps/
...
...
...
...
...
...
...
module-cost/
...
...
...
...
...
...
...
nested-deps/
...
...
...
...
nested-deps-app-router/
...
...
...
...
nested-deps-app-router-many-pages/
...
...
...
...
...
next-minimal-server/
...
...
recursive-copy/
...
recursive-delete/
...
...
...
rendering/
...
...
...
```

```
vercel/  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
contributing/  
  core/  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
docs/  
    ...  
repository/  
    ...  
    ...  
    ...  
    ...  
crates/  
  napi/  
    ...  
    ...  
    ...  
    ...  
next-api/  
    ...  
    ...  
    ...  
next-build/  
    ...  
    ...  
next-build-test/  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
next-core/  
    ...  
    ...
```

```
    ...
next-custom-transforms/
    ...
    ...
    ...
next-error-code-swc-plugin/
    ...
    ...
    ...
    ...
next-taskless/
    ...
    ...
    ...
wasm/
    ...
    ...
    ...
docs/
  01-app/
    ...
    ...
    ...
    ...
  02-pages/
    ...
    ...
    ...
    ...
    ...
  03-architecture/
    ...
    ...
    ...
    ...
    ...
  04-community/
    ...
    ...
    ...
app/
    ...
index.mdx
errors/
  404-get-initial-props.mdx
  api-routes-response-size-limit.mdx
  api-routes-static-export.mdx
```

app-container-deprecated.mdx  
app-dir-dynamic-href.mdx  
app-static-to-dynamic-error.mdx  
babel-font-loader-conflict.mdx  
beta-middleware.mdx  
build-dir-not-writeable.mdx  
built-in-css-disabled.mdx  
built-in-next-font.mdx  
can-not-output-to-public.mdx  
can-not-output-to-static.mdx  
cant-override-next-props.mdx  
circular-structure.mdx  
class-component-in-server-component.mdx  
client-side-exception-occurred.mdx  
config-resolve-alias.mdx  
conflicting-public-file-page.mdx  
conflicting-ssg-paths.mdx  
context-in-server-component.mdx  
css-global.mdx  
css-modules-npm.mdx  
css-npm.mdx  
custom-document-image-import.mdx  
custom-error-no-custom-404.mdx  
deleting-query-params-in-middlewares.mdx  
deopted-into-client-rendering.mdx  
deprecated-analyticsid.mdx  
deprecated-target-config.mdx  
doc-crossorigin-deprecated.mdx  
duplicate-sass.mdx  
dynamic-server-error.mdx  
edge-dynamic-code-evaluation.mdx  
empty-configuration.mdx  
empty-object-getInitialProps.mdx  
env-key-not-allowed.mdx  
env-loading-disabled.mdx  
experimental-app-dir-config.mdx  
experimental-jest-transformer.mdx  
export-all-in-page.mdx  
export-image-api.mdx  
export-no-custom-routes.mdx  
export-no-i18n.mdx  
export-path-mismatch.mdx  
failed-loading-swc.mdx  
failed-to-fetch-devpagesmanifest.mdx  
failed-to-find-server-action.mdx  
fast-refresh-reload.mdx  
future-webpack5-moved-to-webpack5.mdx  
generatebuildid-not-a-string.mdx



get-initial-props-as-an-instance-method.mdx  
get-initial-props-export.mdx  
google-font-display.mdx  
google-font-preconnect.mdx  
google-fonts-missing-subsets.mdx  
gsp-redirect-during-prerender.mdx  
gssp-component-member.mdx  
gssp-export.mdx  
gssp-mixed-not-found-redirect.mdx  
gssp-no-mutating-res.mdx  
head-build-id.mdx  
href-interpolation-failed.mdx  
ignored-compiler-options.mdx  
import-esm-externals.mdx  
import-next.mdx  
improper-devtool.mdx  
incompatible-href-as.mdx  
inline-script-id.mdx  
install-sass.mdx  
install-sharp.mdx  
invalid-api-status-body.mdx  
invalid-assetprefix.mdx  
invalid-dynamic-options-type.mdx  
invalid-dynamic-suspense.mdx  
invalid-external-rewrite.mdx  
invalid-getserversideprops-value.mdx  
invalid-getstaticpaths-value.mdx  
invalid-getstaticprops-value.mdx  
invalid-href-passed.mdx  
invalid-i18n-config.mdx  
invalid-images-config.mdx  
invalid-multi-match.mdx  
invalid-new-link-with-extra-anchor.mdx  
invalid-next-config.mdx  
invalid-page-config.mdx  
invalid-project-dir-casing.mdx  
invalid-react-version.mdx  
invalid-redirect-gssp.mdx  
invalid-relative-url-external-as.mdx  
invalid-resolve-alias.mdx  
invalid-route-source.mdx  
invalid-script.mdx  
invalid-segment-export.mdx  
invalid-server-options.mdx  
invalid-styled-jsx-children.mdx  
invalid-use-server-value.mdx  
invalid-webpack-5-version.mdx  
large-page-data.mdx

link-multiple-children.mdx  
link-no-children.mdx  
link-passhref.mdx  
max-custom-routes-reached.mdx  
middleware-dynamic-wasm-compilation.mdx  
middleware-new-signature.mdx  
middleware-parse-user-agent.mdx  
middleware-relative-urls.mdx  
middleware-request-page.mdx  
middleware-upgrade-guide.mdx  
middleware-user-agent.mdx  
minification-disabled.mdx  
missing-data-scroll-behavior.mdx  
missing-document-component.mdx  
missing-env-value.mdx  
missing-root-layout-tags.mdx  
missing-suspense-with-csr-bailout.mdx  
module-not-found.mdx  
multi-tabs.mdx  
nested-middleware.mdx  
nested-reserved-page.mdx  
nested-styled-jsx-tags.mdx  
next-config-error.mdx  
next-dynamic-api-wrong-context.mdx  
next-dynamic-modules.mdx  
next-export-no-build-id.mdx  
next-export-serverless.mdx  
next-head-count-missing.mdx  
next-image-missing-loader-width.mdx  
next-image-missing-loader.mdx  
next-image-unconfigured-host.mdx  
next-image-unconfigured-localpatterns.mdx  
next-image-unconfigured-qualities.mdx  
next-image-upgrade-to-13.mdx  
next-prerender-crypto-client.mdx  
next-prerender-crypto.mdx  
next-prerender-current-time-client.mdx  
next-prerender-current-time.mdx  
next-prerender-dynamic-metadata.mdx  
next-prerender-dynamic-viewport.mdx  
next-prerender-missing-suspense.mdx  
next-prerender-random-client.mdx  
next-prerender-random.mdx  
next-prerender-sync-headers.mdx  
next-prerender-sync-params.mdx  
next-prerender-sync-request.mdx  
next-request-in-use-cache.mdx  
next-response-next-in-app-route-handler.mdx

next-router-not-mounted.mdx  
next-script-for-ga.mdx  
next-start-serverless.mdx  
no-assign-module-variable.mdx  
no-async-client-component.mdx  
no-before-interactive-script-outside-document.mdx  
no-cache.mdx  
no-css-tags.mdx  
no-document-import-in-page.mdx  
no-document-title.mdx  
no-document-viewport-meta.mdx  
no-duplicate-head.mdx  
no-head-element.mdx  
no-head-import-in-document.mdx  
no-html-link-for-pages.mdx  
no-img-element.mdx  
no-on-app-updated-hook.mdx  
no-page-custom-font.mdx  
no-router-instance.mdx  
no-script-component-in-head.mdx  
no-script-in-document.mdx  
no-script-tags-in-head-component.mdx  
no-server-import-in-page.mdx  
no-styled-jsx-in-document.mdx  
no-stylesheets-in-head-component.mdx  
no-sync-scripts.mdx  
no-title-in-document-head.mdx  
no-unwanted-polyfillio.mdx  
node-module-in-edge-runtime.mdx  
non-dynamic-getstaticpaths-usage.mdx  
non-standard-node-env.mdx  
nonce-contained-invalid-characters.mdx  
opening-an-issue.mdx  
opt-out-auto-static-optimization.mdx  
opt-out-automatic-prerendering.mdx  
page-data-collection-timeout.mdx  
page-without-valid-component.mdx  
parallel-build-without-worker.mdx  
placeholder-blur-data-url.mdx  
popstate-state-empty.mdx  
postcss-function.mdx  
postcss-ignored-plugin.mdx  
postcss-shape.mdx  
ppr-caught-error.mdx  
ppr-preview.mdx  
prefetch-true-deprecated.mdx  
prerender-error.mdx  
production-start-no-build-id.mdx

- promise-in-next-config.mdx
- public-next-folder-conflict.mdx
- react-client-hook-in-server-component.mdx
- react-hydration-error.mdx
- react-version.mdx
- render-no-starting-slash.mdx
- reserved-page-prop.mdx
- reserved-port.mdx
- returning-response-body-in-middleware.mdx
- rewrite-auto-export-fallback.mdx
- routes-must-be-array.mdx
- sharp-missing-in-production.mdx
- sharp-version-avif.mdx
- ssg-fallback-true-export.mdx
- static-dir-deprecated.mdx
- static-page-generation-timeout.mdx
- swc-disabled.mdx
- swc-minify-enabled.mdx
- sync-dynamic-apis.mdx
- template.txt
- threw-undefined.mdx
- undefined-webpack-config.mdx
- url-deprecated.mdx
- version-staleness.mdx
- webpack-build-worker-opt-out.mdx
- webpack5.mdx

examples/

- active-class-name/
  - ...
  - ...
  - ...
  - ...
  - ...
  - ...
- api-routes-apollo-server/
  - ...
  - ...
  - ...
  - ...
  - ...
- api-routes-apollo-server-and-client/
  - ...
  - ...
  - ...
  - ...
  - ...
- api-routes-apollo-server-and-client-auth/
  - ...

```
...
...
...
...
...
...
api-routes-cors/
...
...
...
api-routes-graphql/
...
...
...
api-routes-middleware/
...
...
...
...
api-routes-rest/
...
...
...
...
auth/
...
...
...
...
auth-with-stytch/
...
auth0/
...
...
...
...
...
basic-css/
...
...
```

```
    ...
    ...
    ...
blog/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
blog-starter/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
blog-with-comment/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
cache-handler-redis/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
cloudflare-turnstile/
    ...
    ...
```

```
...
...
...
...
cms-agilitycms/
...
...
...
...
...
...
...
...
...
...
...
cms-builder-io/
...
...
...
...
...
...
...
...
...
...
...
cms-buttercms/
...
...
...
...
...
...
...
...
...
...
...
cms-contentful/
...
...
...
...
...
...
...
...
```

[illegible]



```
...  
cms-enterspeed/  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
  
cms-ghost/  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
  
cms-graphcms/  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
  
cms-keystonejs-embedded/  
    ...  
  
cms-kontent-ai/  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...
```

....  
....  
....  
....  
....  
....  
....  
cms-makeswift/  
....  
....  
....  
....  
....  
....  
cms-payload/  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
cms-plasmic/  
....  
....  
....  
....  
....  
....  
....  
....  
....  
cms-prepr/  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....

```
. . .  
. . .  
cms-prismic/  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
  
cms-sanity/  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
  
cms-sitecore-xmcloud/  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
. . .  
  
cms-sitefinity/  
. . .  
. . .  
. . .
```

...  
...  
...  
...  
...  
...  
...  
...  
...  
...  
cms-storyblok/  
...  
...  
...  
...  
...  
...  
...  
...  
...  
...  
...  
cms-strap/  
...  
cms-takeshape/  
...  
...  
...  
...  
...  
...  
...  
...  
...  
...  
cms-tina/  
...  
...  
...  
...  
...  
...  
...  
...  
...  
...  
...  
...  
cms-umbraco/  
...  
...  
...  
...

```

...
...
...
...
...
...
...
...
cms-umbraco-heartcore/
...
...
...
...
...
...
...
...
...
...
cms-webiny/
...
...
...
...
...
...
...
...
...
cms-wordpress/
...
...
...
...
...
...
convex/
...
...
...
...
...

```

```
...
custom-server/
...
...
...
...
...
...
...
github-pages/
...
...
...
...
hello-world/
...
...
...
...
i18n-routing/
...
...
...
...
...
...
...
i18n-routing-pages/
...
...
...
...
...
image-component/
...
...
...
...
...
...
...
```

```
...
image-secure-compute/
...
...
...
...
...
...
inngest/
...
...
...
...
...
markdoc/
...
...
...
...
...
...
mdx/
...
...
...
...
...
...
...
mdx-pages/
...
...
...
...
...
mdx-remote/
...
...
...
...
...
...
next-forms/
...
...
...
```

```
    ...
panda-css/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
prisma-postgres/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
radix-ui/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
react-remove-properties/
    ...
    ...
    ...
    ...
    ...
remove-console/
    ...
    ...
    ...
    ...
    ...
reproduction-template/
    ...
    ...
    ...
    ...
    ...
reproduction-template-pages/
    ...
    ...
```



```
...
...
...
...
with-ably/
...
...
...
...
...
...
...
with-absolute-imports/
...
...
...
...
...
with-algolia-react-instantsearch/
...
...
...
...
...
with-ant-design/
...
...
...
...
...
with-apivideo/
...
...
...
...
...
...
...
with-apollo/
...
...
...
...
...
with-apollo-and-redux/
...
```

```
...
...
...
...
with-axiom/
...
...
...
...
...
...
with-azure-cosmos/
...
...
...
...
...
...
with-babel-macros/
...
...
...
...
...
with-biome/
...
...
...
...
...
with-chakra-ui/
...
...
...
...
with-clerk/
...
...
...
...
...
...
...
with-cloudinary/
...
...
...
```

```
...
...
...
...
...
...
...
...
with-compiled-css/
...
...
...
...
...
...
with-contentlayer/
...
...
...
...
...
...
...
with-context-api/
...
...
...
...
...
with-cookies-next/
...
...
...
...
with-couchbase/
...
...
...
...
...
...
with-custom-babel-config/
...
...
...
with-cxs/
...
```

```
...
...
...
with-cypress/
...
...
...
...
...
...
...
...
...
...
with-docker/
...
...
...
...
...
...
...
...
...
with-docker-compose/
...
...
...
...
...
with-docker-multi-env/
...
...
...
...
...
...
...
with-dynamic-import/
...
...
...
...
with-edgedb/
...
...
...
```

```
...
...
...
...
...
...
with-elasticsearch/
...
...
...
...
...
...
with-electron/
...
...
...
...
with-electron-typescript/
...
...
...
...
with-emotion/
...
...
...
...
...
with-eslint/
...
...
...
...
with-expo-typescript/
...
...
...
...
...
...
with-facebook-pixel/
```

```
...
...
...
...
...
...
with-fela/
...
...
...
...
...
with-filbert/
...
...
...
...
with-fingerprintjs-pro/
...
...
...
...
...
...
...
...
with-firebase/
...
...
...
...
...
...
...
with-firebase-cloud-messaging/
...
...
...
...
...
with-firebase-hosting/
...
...
...
...
...
```

```
    ...
with-flow/
    ...
    ...
    ...
    ...
    ...
    ...
with-formspree/
    ...
    ...
    ...
    ...
    ...
    ...
with-framer-motion/
    ...
    ...
    ...
    ...
    ...
with-goober/
    ...
    ...
    ...
    ...
with-google-analytics/
    ...
    ...
    ...
    ...
    ...
with-google-maps-embed/
    ...
    ...
    ...
    ...
with-google-tag-manager/
    ...
    ...
    ...
    ...
    ...
with-grafbase/
    ...
    ...
    ...
    ...
```

```
...
...
...
...
...
...
...
with-graphql-gateway/
...
...
...
...
...
...
with-graphql-hooks/
...
...
...
...
...
with-graphql-react/
...
...
...
with-gsap/
...
...
...
...
...
...
...
with-hls-js/
...
...
...
...
...
with-http2/
...
...
...
...
...
with-i18n-next-intl/
...
...
```



```
...
...
...
...
with-i18n-rosetta/
...
...
...
...
...
...
...
...
with-ionic/
...
...
...
...
...
...
...
...
with-iron-session/
...
with-jest/
...
...
...
...
...
...
...
...
...
...
with-jest-babel/
...
...
...
...
...
...
...
...
...
...
...
```

with-joi/  
...  
...  
...  
...  
with-jotai/  
...  
...  
...  
...  
...  
...  
...  
with-kea/  
...  
...  
...  
with-knex/  
...  
...  
...  
...  
...  
with-linaria/  
...  
...  
...  
...  
...  
with-lingui/  
...  
...  
...  
...  
...  
...  
with-magic/  
...  
...  
...  
...  
...  
with-mantine/

```
...
...
...
...
...
...
...
...
...
with-mdbreact/
...
...
...
...
...
with-meilisearch/
...
...
...
...
...
...
...
with-mobx/
...
...
...
...
...
with-mobx-state-tree/
...
...
...
...
...
with-mocha/
...
...
...
...
...
with-mongodb/
...
...
...
...
```

```
...
...
...
...
...
...
...
with-mongodb-mongoose/
...
...
...
...
...
...
...
...
with-mqtt-js/
...
...
...
...
...
...
with-msw/
...
...
...
...
...
...
with-mux-video/
...
...
...
...
...
...
...
with-mysql/
...
...
...
...
...
...
...
...
```

```
...
...
...
with-neo4j/
...
...
...
...
...
...
...
...
with-next-page-transitions/
...
...
...
...
with-next-seo/
...
...
...
...
with-next-sitemap/
...
...
...
...
...
with-next-translate/
...
...
...
...
...
...
...
with-next-ui/
...
...
...
...
...
...
...
...
with-nhost-auth-realtime-graphql/
```

```
...
...
...
...
...
...
with-opentelemetry/
...
...
...
...
...
...
...
with-orbit-components/
...
...
...
...
...
with-overmind/
...
...
...
...
...
with-oxlint/
...
...
...
...
with-particles/
...
...
...
...
...
...
...
...
with-passport/
...
...
...
...
...
with-passport-and-next-connect/
```

```
...
...
...
...
...
...
...
with-paste-typescript/
...
...
...
...
...
with-plausible/
...
...
...
...
...
with-playwright/
...
...
...
...
...
...
...
...
...
with-polyfills/
...
...
...
...
with-portals/
...
...
...
...
with-portals-ssr/
...
...
...
with-postgres/
...
with-prefetching/
...
...
```

```
...
...
...
with-quill-js/
...
...
...
with-rbx-bulma-pro/
...
...
...
with-react-bootstrap/
...
...
...
...
...
with-react-ga4/
...
...
...
...
with-react-hook-form/
...
...
...
...
...
...
with-react-intl/
...
...
...
...
...
...
...
with-react-md-typescript/
...
...
...
...
...
...
with-react-multi-carousel/
...
```



```
...
...
...
...
with-react-native-web/
...
...
...
...
...
with-react-toolbox/
...
...
...
...
...
with-reactstrap/
...
...
...
...
...
with-realm-web/
...
...
...
...
with-rebass/
...
...
...
with-recoil/
...
...
...
...
...
with-redis/
...
...
...
...
...
with-redux/
...
...
...
```

```
...
...
...
...
with-reflexjs/
...
...
...
...
...
with-reflux/
...
...
...
...
...
with-relay-modern/
...
...
...
...
...
...
with-rematch/
...
...
...
...
with-route-as-modal/
...
...
...
...
...
with-rspack/
...
...
...
...
...
with-sass/
...
...
...
...
...
...
```

```
with-segment-analytics/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
with-segment-analytics-pages-router/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
with-sentry/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
with-service-worker/  
  ...  
  ...  
  ...  
  ...  
  ...  
with-sfcc/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
with-shallow-routing/  
  ...  
  ...  
  ...  
with-sitemap/
```

```
...
...
...
...
...
...
...
with-slate/
...
...
...
...
...
with-static-export/
...
...
...
...
...
with-stencil/
...
...
...
with-stitches/
...
...
...
...
...
...
...
with-storybook/
...
...
...
...
...
...
...
...
with-strict-csp/
...
...
...
...
with-stripe-typescript/
...
...
```

```
...
...
...
...
...
...
...
...
with-styled-components/
...
...
...
...
...
...
...
with-styled-jsx/
...
...
...
...
with-styletron/
...
...
...
...
...
...
with-supabase/
...
...
...
...
...
...
...
...
...
...
with-supertokens/
...
...
...
...
...
...
```

```
    ...
    ...
with-temporal/
    ...
    ...
    ...
    ...
    ...
    ...
with-three-js/
    ...
    ...
    ...
    ...
    ...
    ...
with-tigris/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
with-turbopack/
    ...
    ...
    ...
    ...
with-turbopack-loaders/
    ...
    ...
    ...
    ...
    ...
    ...
with-turso/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
```

```
with-typescript/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
with-typescript-graphql/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
with-typescript-types/  
  ...  
  ...  
  ...  
  ...  
  ...  
with-unsplash/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
with-urql/  
  ...  
  ...  
  ...  
  ...  
  ...  
with-userbase/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...
```

with-vanilla-extract/

...  
...  
...  
...  
...  
...  
...

with-videojs/

...  
...  
...  
...  
...

with-vitest/

...  
...  
...  
...  
...  
...  
...  
...  
...

with-web-worker/

...  
...  
...  
...  
...  
...

with-webassembly/

...  
...  
...  
...  
...  
...  
...  
...  
...

with-windicss/

...  
...  
...  
...  
...  
...



```
    ...
    ...
with-xata/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
with-xstate/
    ...
    ...
    ...
    ...
with-yarn-workspaces/
    ...
    ...
    ...
with-yoga/
    ...
    ...
    ...
    ...
    ...
    ...
with-youtube-embed/
    ...
    ...
    ...
    ...
with-zones/
    ...
    ...
    ...
    ...
    ...
with-zustand/
    ...
    ...
    ...
    ...
    ...
packages/
  create-next-app/
    ...
    ...
```

[illegible]

.....

```
...
...
...
...
...
next-bundle-analyzer/
...
...
...
...
next-codemod/
...
...
...
...
...
...
...
...
...
next-env/
...
...
...
...
next-mdx/
...
...
...
...
...
...
...
...
next-plugin-storybook/
...
...
...
next-polyfill-module/
...
...
next-polyfill-nomodule/
...
...
next-rspack/
...
...
...
```

```

    ...
    ...
next-swc/
    ...
    ...
    ...
react-refresh-utils/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
third-parties/
    ...
    ...
    ...
    ...
    ...
patches/
  @base-ui-components__react@1.0.0-beta.1.patch
  @types__node@20.17.6.patch
  stacktrace-parser@0.1.10.patch
  taskr@1.1.0.patch
  webpack-sources@3.2.3.patch
rspack/
  crates/
    ...
  lib/
    ...
    ...
Cargo.lock
Cargo.toml
change-npm-name.js
package.json
pnpm-lock.yaml
pnpm-workspace.yaml
rust-toolchain.toml
scripts/
  cargo/
    ...
  LaunchAgents/
    ...
    ...
merge-errors-json/

```

```

...
...
...
pack-utils/
...
release/
...
...
...
send-trace-to-jaeger/
...
...
...
automated-update-workflow.js
build-native.ts
build-wasm.cjs
check-examples.sh
check-is-release.js
check-manifests.js
check-pre-compiled.bat
check-pre-compiled.sh
code-freeze.js
create-preview-tarballs.js
create-release-branch.js
deploy-docs.sh
deploy-examples.sh
deploy-turbopack-docs.sh
devlow-bench.mjs
generate-release-log.mjs
get-changed-tests.mjs
git-configure.mjs
inject-deploy-url.js
install-native.mjs
macos-compress.sh
minimal-server.js
next-with-deps.sh
normalize-version-bump.js
pack-next.ts
pack-util.ts
patch-next.ts
publish-native.js
publish-release.js
pull-turbo-cache.js
release-stats.sh
reset-project.mjs
rm.mjs
run-e2e-test-project-reset.mjs
run-for-change.js

```

[illegible]

A diagram consisting of a 4x3 grid of dots. There are 4 rows and 3 columns of dots, totaling 12 dots.

e2e/

.....



.....

.....

[illegible]

.....

.....

.....

.....

.....



[illegible]

/

[illegible]

duction/

[illegible]

[illegible]

.....



[illegible]

```
xtask/
...
...
tsconfig.json
Cargo.lock
Cargo.toml
CODE_OF_CONDUCT.md
contributing.md
jest.config.js
jest.config.turbopack.js
lerna.json
license.md
lint-staged.config.js
package.json
pnpm-lock.yaml
pnpm-workspace.yaml
readme.md
release.js
run-tests.js
rust-toolchain.toml
sgconfig.yml
socket.yaml
test-file.txt
tsconfig-tsec.json
tsconfig.json
tsec-exemptions.json
turbo.json
UPGRADING.md
vercel.json
```

#### 1.4.1 Directory Description

- `bench/`: [Description needed]
- `crates/`: [Description needed]
- `test/`: [Description needed]
- `turbo/`: [Description needed]
- `contributing/`: [Description needed]
- `patches/`: [Description needed]
- `turbopack/`: [Description needed]
- `docs/`: [Description needed]
- `rspack/`: [Description needed]
- `examples/`: [Description needed]
- `scripts/`: [Description needed]
- `packages/`: [Description needed]
- `errors/`: [Description needed]
- `apps/`: [Description needed]

## 1.5 License

This project is licensed under the terms specified in the `LICENSE.md` file.

## 1.6 Project Summary & Goals

# 2 gitread\_next.js - Comprehensive Project Plan

**Repository:** [GitHub Repository URL] **Primary Language:** javascript **Project Type:** Application **Complexity:** Low **Last Updated:** October 01, 2025

---

## 2.1 Table of Contents

1. [Project Summary & Goals](#)
  2. [Key Features & Use Cases](#)
  3. [Technology Stack](#)
  4. [Project Structure](#)
  5. [Major Components & Modules](#)
  6. [Setup Instructions](#)
  7. [Configuration Required](#)
  8. [Execution Plan](#)
  9. [Development Workflow](#)
  10. [Deployment Checklist](#)
  11. [Troubleshooting & Tips](#)
  12. [Performance Optimization](#)
  13. [Contributing Guidelines](#)
- 

### 2.1.1 Overview

Used by some of the world's largest companies, Next.js enables you to create full-stack web applications by extending the latest React features, and integrating powerful Rust-based JavaScript tooling for the fastest builds.

- Visit our [Learn Next.js](#) course to get started with Next.js.
- Visit the [Next.js Showcase](#) to see more sites built with Next.js.

### 2.1.2 Primary Goals

• **Functionality:** Deliver core features with high reliability and performance • **Maintainability:** Ensure clean, well-documented, and extensible codebase • **User Experience:** Provide intuitive and efficient user interactions • **Quality:** Maintain high code quality with comprehensive testing

### 2.1.3 Target Audience

• Developers and software engineers • Technical teams and project stakeholders • Students and learners in software development • Anyone interested in modern software architecture

## 2.2 Key Features & Use Cases

### 2.2.1 Core Features

**2.2.1.1 Core Functionality** • **javascript Implementation:** Professional-grade code with modern practices • **Modular Design:** Clean architecture with separation of concerns • **Extensible Framework:** Easy to customize and extend functionality • **Comprehensive Documentation:** Well-documented codebase and APIs

**2.2.1.2 Quality & Maintenance** • **Code Quality:** Following industry best practices and standards • **Testing Coverage:** Comprehensive test suite for reliability • **Version Control:** Proper Git workflow and branching strategy • **Continuous Integration:** Automated testing and deployment pipeline

### 2.2.2 Use Cases

• **Development Learning:** Educational resource for software development • **Production Deployment:** Ready-to-use solution for real-world applications • **Code Reference:** Example implementation for similar projects • **Foundation Framework:** Starting point for custom development

### 2.2.3 Feature Highlights

• **Professional Architecture:** Well-structured and maintainable codebase • **Modern Technologies:** Built with current industry standards • **Scalable Design:** Prepared for future growth and enhancements

## 2.3 Setup Instructions

This section provides comprehensive instructions for setting up the development environment and running the project locally. Follow these steps carefully to ensure a smooth setup process.

### 2.3.1 Prerequisites

Before you begin, ensure you have the following software installed on your system:

- **Git** for version control
- **Code Editor** (VS Code, Sublime Text, etc.)
- **Terminal/Command Line** access

### 2.3.2 System Requirements

#### 2.3.2.1 Minimum Requirements

- **Operating System:** Windows 10, macOS 10.15, or Linux (Ubuntu 18.04+)
- **RAM:** 4GB minimum, 8GB recommended
- **Storage:** 2GB free space
- **Internet Connection:** Required for initial setup and dependencies

#### 2.3.2.2 Recommended Specifications

- **RAM:** 16GB for optimal performance
- **CPU:** Multi-core processor (Intel i5/AMD Ryzen 5 or better)



- **Storage:** SSD for faster build times

### 2.3.3 Step-by-Step Installation

#### 2.3.3.1 Step 1: Clone the Repository

```
# Clone the repository
git clone https://github.com/username/gitread_next.js.git

# Navigate to project directory
cd gitread_next.js
```

#### 2.3.3.2 Step 2: Install Dependencies

#### 2.3.3.3 Step 3: Verify Installation

#### 2.3.3.4 Step 4: Environment Setup

1. **Copy environment template:**

```
cp .env.example .env
```

2. **Configure environment variables** (see Configuration section)

3. **Initialize database** (if applicable):

```
# Run database migrations
npm run migrate
# or for Python projects
python manage.py migrate
```

## 2.4 Configuration Required

This section outlines all necessary configuration steps to ensure the application runs correctly in your environment. Proper configuration is essential for security, performance, and functionality.

### 2.4.1 Environment Variables

Environment variables are used to configure the application for different environments (development, staging, production) and to store sensitive information securely.

**2.4.1.1 Required Variables** Create a `.env` file in the project root directory and configure the following variables:

```
# Application Settings
APP_ENV=development
APP_DEBUG=true
APP_PORT=3000

# Database Configuration
DATABASE_URL=your_database_connection_string
```

```
# API Keys and Secrets
API_SECRET_KEY=your_secret_key
ENCRYPTION_KEY=your_encryption_key
```

## 2.4.2 Build Configuration

## 2.4.3 Security Configuration

### 2.4.3.1 Important Security Notes

- **Never commit** .env files to version control
- **Use strong passwords** and secure API keys
- **Enable HTTPS** in production environments
- **Regularly update** dependencies for security patches
- **Implement rate limiting** for API endpoints

### 2.4.3.2 Environment-Specific Settings

| Environment | Debug Mode | HTTPS    | Database | Caching  |
|-------------|------------|----------|----------|----------|
| Development | Enabled    | Optional | Local    | Disabled |
| Staging     | Limited    | Required | Remote   | Enabled  |
| Production  | Disabled   | Required | Remote   | Enabled  |

## 2.5 Major Components & Modules

## 2.6 Development

### 2.6.1 Development Setup

1. Follow the installation instructions
2. Install development dependencies
3. Set up your development environment

## 2.7 Execution Plan

## 2.8 Development

### 2.8.1 Development Setup

1. Follow the installation instructions
2. Install development dependencies
3. Set up your development environment

## 2.9 Development Workflow

## 2.10 Development

### 2.10.1 Development Setup

1. Follow the installation instructions
2. Install development dependencies
3. Set up your development environment

## **2.11 Testing Strategy**

## **2.12 Testing**

### **2.12.1 Running Tests**

`npm test`

### **2.12.2 Test Structure**

- `test/`: Test files

## **2.13 Deployment Checklist**

## **2.14 Deployment**

### **2.14.1 Production Considerations**

- Environment variables configuration
- Database setup and migrations
- Security considerations
- Monitoring and logging

## **2.15 Troubleshooting & Tips**

## **2.16 Development**

### **2.16.1 Development Setup**

1. Follow the installation instructions
2. Install development dependencies
3. Set up your development environment

## **2.17 Performance Optimization**

## **2.18 Development**

### **2.18.1 Development Setup**

1. Follow the installation instructions
2. Install development dependencies
3. Set up your development environment

## **2.19 Contributing Guidelines**

## **2.20 Development**

### **2.20.1 Development Setup**

1. Follow the installation instructions
2. Install development dependencies
3. Set up your development environment

## 2.21 Documentation Info

*This documentation was generated automatically by **PromptSwitch**.*

**Created by:** [Avikalp Karrahe](#)

**Connect with me:** - [LinkedIn](#) - [GitHub](#) - [PromptSwitch Repository](#)

*Generated on: 2025-10-02T02:24:54.059910+00:00*