

Contents

1	gitread_next.js	2
1.1	Table of Contents	2
1.2	Technology Stack	2
1.2.1	Programming Languages	2
1.2.2	Development Tools	3
1.2.3	File Breakdown	3
1.2.4	Architecture Overview	4
1.3	Usage	4
1.4	Project Structure	4
1.4.1	Directory Description	70
1.5	License	71
1.6	Project Summary & Goals	71
2	gitread_next.js - Comprehensive Project Plan	71
2.1	Table of Contents	71
2.1.1	Overview	71
2.1.2	Primary Goals	71
2.1.3	Target Audience	71
2.2	Key Features & Use Cases	72
2.2.1	Core Features	72
2.2.2	Use Cases	72
2.2.3	Feature Highlights	72
2.3	Setup Instructions	72
2.3.1	Prerequisites	72
2.3.2	System Requirements	72
2.3.3	Step-by-Step Installation	73
2.4	Configuration Required	73
2.4.1	Environment Variables	73
2.4.2	Build Configuration	74
2.4.3	Security Configuration	74
2.5	Major Components & Modules	74
2.6	Development	74
2.6.1	Development Setup	74
2.7	Execution Plan	74
2.8	Development	74
2.8.1	Development Setup	74
2.9	Development Workflow	74
2.10	Development	74
2.10.1	Development Setup	74
2.11	Testing Strategy	75
2.12	Testing	75
2.12.1	Running Tests	75
2.12.2	Test Structure	75
2.13	Deployment Checklist	75
2.14	Deployment	75
2.14.1	Production Considerations	75

2.15 Troubleshooting & Tips 75

2.16 Development 75

 2.16.1 Development Setup 75

2.17 Performance Optimization 75

2.18 Development 75

 2.18.1 Development Setup 75

2.19 Contributing Guidelines 75

2.20 Development 75

 2.20.1 Development Setup 75

2.21 Documentation Info 76

1 gitread_next.js

Primary Language: javascript **Project Type:** Web Frontend **Complexity:** Complex **Generated:** 2025-10-02T01:30:46.137033+00:00

1.1 Table of Contents

- [Technology Stack](#)
- [Usage](#)
- [Project Structure](#)
- [License](#)
- Project Summary & Goals
- Key Features & Use Cases
- [Setup Instructions](#)
- [Configuration Required](#)
- Major Components & Modules
- [Execution Plan](#)
- [Development Workflow](#)
- [Testing Strategy](#)
- [Deployment Checklist](#)
- Troubleshooting & Tips
- [Performance Optimization](#)
- [Contributing Guidelines](#)

1.2 Technology Stack

This project leverages modern technologies and frameworks to deliver a robust, scalable, and maintainable solution. The technology choices reflect current industry best practices and ensure optimal performance and developer experience.

1.2.1 Programming Languages

- **javascript** (Primary): 45.8% - 10074 files

- **typescript:** 37.3% - 8215 files
- **json:** 6.1% - 1351 files
- **rust:** 4.1% - 913 files
- **css:** 3.9% - 850 files
- **markdown:** 2.0% - 442 files
- **yaml:** 0.4% - 92 files
- **xml:** 0.1% - 29 files
- **shell:** 0.1% - 22 files
- **html:** 0.1% - 14 files
- **python:** 0.0% - 1 files

1.2.2 Development Tools

- **Modern Development Stack:** Industry-standard tools and practices
- **Code Quality Tools:** Linting, formatting, and testing utilities
- **Build Optimization:** Automated bundling and optimization processes

1.2.3 File Breakdown

Language	Files	Percentage	Purpose
javascript	10074	45.8%	Application development and functionality
typescript	8215	37.3%	Application development and functionality
json	1351	6.1%	Application development and functionality
rust	913	4.1%	Application development and functionality
css	850	3.9%	Application development and functionality
markdown	442	2.0%	Application development and functionality
yaml	92	0.4%	Application development and functionality
xml	29	0.1%	Application development and functionality
shell	22	0.1%	Application development and functionality

Language	Files	Percentage	Purpose
html	14	0.1%	Application development and functionality
python	1	0.0%	Application development and functionality

1.2.4 Architecture Overview

- **Modular Design:** Clean separation of functionality and concerns
- **Scalable Structure:** Organized codebase for easy maintenance
- **Best Practices:** Following industry standards and conventions
- **Documentation:** Comprehensive code documentation and comments

1.3 Usage

[Usage examples to be documented]

1.4 Project Structure

```

gitread_next.js/
  apps/
    docs/
      ...
      ...
      ...
      ...
      ...
      ...
      ...
      ...
      ...
      ...
      ...
    bench/
      app-router-server/
        ...
        ...
        ...
        ...
      basic-app/
        ...
        ...
        ...
      fuzzponent/

```

```
...
...
...
heavy-npm-deps/
...
...
...
...
...
...
...
module-cost/
...
...
...
...
...
...
...
nested-deps/
...
...
...
...
nested-deps-app-router/
...
...
...
...
nested-deps-app-router-many-pages/
...
...
...
...
...
next-minimal-server/
...
...
recursive-copy/
...
recursive-delete/
...
...
...
rendering/
...
...
...
```

```
vercel/  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
contributing/  
  core/  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
docs/  
    ...  
repository/  
    ...  
    ...  
    ...  
    ...  
crates/  
  napi/  
    ...  
    ...  
    ...  
    ...  
next-api/  
    ...  
    ...  
    ...  
next-build/  
    ...  
    ...  
next-build-test/  
    ...  
    ...  
    ...  
    ...  
    ...  
    ...  
next-core/  
    ...  
    ...
```

```
    ...
next-custom-transforms/
    ...
    ...
    ...
next-error-code-swc-plugin/
    ...
    ...
    ...
    ...
next-taskless/
    ...
    ...
    ...
wasm/
    ...
    ...
    ...
docs/
  01-app/
    ...
    ...
    ...
    ...
  02-pages/
    ...
    ...
    ...
    ...
    ...
  03-architecture/
    ...
    ...
    ...
    ...
    ...
  04-community/
    ...
    ...
    ...
app/
  ...
  index.mdx
errors/
  404-get-initial-props.mdx
  api-routes-response-size-limit.mdx
  api-routes-static-export.mdx
```

app-container-deprecated.mdx
app-dir-dynamic-href.mdx
app-static-to-dynamic-error.mdx
babel-font-loader-conflict.mdx
beta-middleware.mdx
build-dir-not-writeable.mdx
built-in-css-disabled.mdx
built-in-next-font.mdx
can-not-output-to-public.mdx
can-not-output-to-static.mdx
cant-override-next-props.mdx
circular-structure.mdx
class-component-in-server-component.mdx
client-side-exception-occurred.mdx
config-resolve-alias.mdx
conflicting-public-file-page.mdx
conflicting-ssg-paths.mdx
context-in-server-component.mdx
css-global.mdx
css-modules-npm.mdx
css-npm.mdx
custom-document-image-import.mdx
custom-error-no-custom-404.mdx
deleting-query-params-in-middlewares.mdx
deopted-into-client-rendering.mdx
deprecated-analyticsid.mdx
deprecated-target-config.mdx
doc-crossorigin-deprecated.mdx
duplicate-sass.mdx
dynamic-server-error.mdx
edge-dynamic-code-evaluation.mdx
empty-configuration.mdx
empty-object-getInitialProps.mdx
env-key-not-allowed.mdx
env-loading-disabled.mdx
experimental-app-dir-config.mdx
experimental-jest-transformer.mdx
export-all-in-page.mdx
export-image-api.mdx
export-no-custom-routes.mdx
export-no-i18n.mdx
export-path-mismatch.mdx
failed-loading-swc.mdx
failed-to-fetch-devpagesmanifest.mdx
failed-to-find-server-action.mdx
fast-refresh-reload.mdx
future-webpack5-moved-to-webpack5.mdx
generatebuildid-not-a-string.mdx

get-initial-props-as-an-instance-method.mdx
get-initial-props-export.mdx
google-font-display.mdx
google-font-preconnect.mdx
google-fonts-missing-subsets.mdx
gsp-redirect-during-prerender.mdx
gssp-component-member.mdx
gssp-export.mdx
gssp-mixed-not-found-redirect.mdx
gssp-no-mutating-res.mdx
head-build-id.mdx
href-interpolation-failed.mdx
ignored-compiler-options.mdx
import-esm-externals.mdx
import-next.mdx
improper-devtool.mdx
incompatible-href-as.mdx
inline-script-id.mdx
install-sass.mdx
install-sharp.mdx
invalid-api-status-body.mdx
invalid-assetprefix.mdx
invalid-dynamic-options-type.mdx
invalid-dynamic-suspense.mdx
invalid-external-rewrite.mdx
invalid-getserversideprops-value.mdx
invalid-getstaticpaths-value.mdx
invalid-getstaticprops-value.mdx
invalid-href-passed.mdx
invalid-i18n-config.mdx
invalid-images-config.mdx
invalid-multi-match.mdx
invalid-new-link-with-extra-anchor.mdx
invalid-next-config.mdx
invalid-page-config.mdx
invalid-project-dir-casing.mdx
invalid-react-version.mdx
invalid-redirect-gssp.mdx
invalid-relative-url-external-as.mdx
invalid-resolve-alias.mdx
invalid-route-source.mdx
invalid-script.mdx
invalid-segment-export.mdx
invalid-server-options.mdx
invalid-styled-jsx-children.mdx
invalid-use-server-value.mdx
invalid-webpack-5-version.mdx
large-page-data.mdx

link-multiple-children.mdx
link-no-children.mdx
link-passhref.mdx
max-custom-routes-reached.mdx
middleware-dynamic-wasm-compilation.mdx
middleware-new-signature.mdx
middleware-parse-user-agent.mdx
middleware-relative-urls.mdx
middleware-request-page.mdx
middleware-upgrade-guide.mdx
middleware-user-agent.mdx
minification-disabled.mdx
missing-data-scroll-behavior.mdx
missing-document-component.mdx
missing-env-value.mdx
missing-root-layout-tags.mdx
missing-suspense-with-csr-bailout.mdx
module-not-found.mdx
multi-tabs.mdx
nested-middleware.mdx
nested-reserved-page.mdx
nested-styled-jsx-tags.mdx
next-config-error.mdx
next-dynamic-api-wrong-context.mdx
next-dynamic-modules.mdx
next-export-no-build-id.mdx
next-export-serverless.mdx
next-head-count-missing.mdx
next-image-missing-loader-width.mdx
next-image-missing-loader.mdx
next-image-unconfigured-host.mdx
next-image-unconfigured-localpatterns.mdx
next-image-unconfigured-qualities.mdx
next-image-upgrade-to-13.mdx
next-prerender-crypto-client.mdx
next-prerender-crypto.mdx
next-prerender-current-time-client.mdx
next-prerender-current-time.mdx
next-prerender-dynamic-metadata.mdx
next-prerender-dynamic-viewport.mdx
next-prerender-missing-suspense.mdx
next-prerender-random-client.mdx
next-prerender-random.mdx
next-prerender-sync-headers.mdx
next-prerender-sync-params.mdx
next-prerender-sync-request.mdx
next-request-in-use-cache.mdx
next-response-next-in-app-route-handler.mdx

next-router-not-mounted.mdx
next-script-for-ga.mdx
next-start-serverless.mdx
no-assign-module-variable.mdx
no-async-client-component.mdx
no-before-interactive-script-outside-document.mdx
no-cache.mdx
no-css-tags.mdx
no-document-import-in-page.mdx
no-document-title.mdx
no-document-viewport-meta.mdx
no-duplicate-head.mdx
no-head-element.mdx
no-head-import-in-document.mdx
no-html-link-for-pages.mdx
no-img-element.mdx
no-on-app-updated-hook.mdx
no-page-custom-font.mdx
no-router-instance.mdx
no-script-component-in-head.mdx
no-script-in-document.mdx
no-script-tags-in-head-component.mdx
no-server-import-in-page.mdx
no-styled-jsx-in-document.mdx
no-stylesheets-in-head-component.mdx
no-sync-scripts.mdx
no-title-in-document-head.mdx
no-unwanted-polyfillio.mdx
node-module-in-edge-runtime.mdx
non-dynamic-getstaticpaths-usage.mdx
non-standard-node-env.mdx
nonce-contained-invalid-characters.mdx
opening-an-issue.mdx
opt-out-auto-static-optimization.mdx
opt-out-automatic-prerendering.mdx
page-data-collection-timeout.mdx
page-without-valid-component.mdx
parallel-build-without-worker.mdx
placeholder-blur-data-url.mdx
popstate-state-empty.mdx
postcss-function.mdx
postcss-ignored-plugin.mdx
postcss-shape.mdx
ppr-caught-error.mdx
ppr-preview.mdx
prefetch-true-deprecated.mdx
prerender-error.mdx
production-start-no-build-id.mdx

- promise-in-next-config.mdx
- public-next-folder-conflict.mdx
- react-client-hook-in-server-component.mdx
- react-hydration-error.mdx
- react-version.mdx
- render-no-starting-slash.mdx
- reserved-page-prop.mdx
- reserved-port.mdx
- returning-response-body-in-middleware.mdx
- rewrite-auto-export-fallback.mdx
- routes-must-be-array.mdx
- sharp-missing-in-production.mdx
- sharp-version-avif.mdx
- ssg-fallback-true-export.mdx
- static-dir-deprecated.mdx
- static-page-generation-timeout.mdx
- swc-disabled.mdx
- swc-minify-enabled.mdx
- sync-dynamic-apis.mdx
- template.txt
- threw-undefined.mdx
- undefined-webpack-config.mdx
- url-deprecated.mdx
- version-staleness.mdx
- webpack-build-worker-opt-out.mdx
- webpack5.mdx
- examples/
 - active-class-name/
 - ...
 - ...
 - ...
 - ...
 - ...
 - ...
 - api-routes-apollo-server/
 - ...
 - ...
 - ...
 - ...
 - ...
 - api-routes-apollo-server-and-client/
 - ...
 - ...
 - ...
 - ...
 - ...
 - api-routes-apollo-server-and-client-auth/
 - ...

```
...
...
...
...
...
...
api-routes-cors/
...
...
...
...
api-routes-graphql/
...
...
...
...
api-routes-middleware/
...
...
...
...
...
api-routes-rest/
...
...
...
...
...
auth/
...
...
...
...
...
...
auth-with-stytch/
...
auth0/
...
...
...
...
...
...
...
basic-css/
...
...
```

```
    ...
    ...
    ...
blog/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
blog-starter/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
blog-with-comment/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
cache-handler-redis/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
cloudflare-turnstile/
    ...
    ...
```

```
...
...
...
...
cms-agilitycms/
...
...
...
...
...
...
...
...
...
...
...
cms-builder-io/
...
...
...
...
...
...
...
...
...
...
...
cms-buttercms/
...
...
...
...
...
...
...
...
...
...
...
cms-contentful/
...
...
...
...
...
...
...
...
```

```
....  
cms-cosmic/  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
cms-datocms/  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
cms-dotcms/  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....  
cms-drupal/  
....  
....  
....  
....  
....  
....  
....  
....  
....  
....
```



```
...
cms-enterspeed/
...
...
...
...
...
...
...
...
...
...
...
...
...
...
...
...
cms-ghost/
...
...
...
...
...
...
...
...
...
...
...
...
cms-graphcms/
...
...
...
...
...
...
...
...
...
...
...
...
...
cms-keystonejs-embedded/
...
cms-kontent-ai/
...
...
...
...
...
...
...
```

....
....
....
....
....
....
....
cms-makeswift/
....
....
....
....
....
....
cms-payload/
....
....
....
....
....
....
....
....
....
....
....
....
....
....
....
cms-plasmic/
....
....
....
....
....
....
....
....
cms-prepr/
....
....
....
....
....
....
....
....
....
....

[illegible]

...
...
...
...
...
...
...
...
...
...
cms-storyblok/
...
...
...
...
...
...
...
...
...
...
...
cms-strap/
...
cms-takeshape/
...
...
...
...
...
...
...
...
...
...
cms-tina/
...
...
...
...
...
...
...
...
...
...
...
...
cms-umbraco/
...
...
...
...

```

...
...
...
...
...
...
...
...
cms-umbraco-heartcore/
...
...
...
...
...
...
...
...
...
cms-webiny/
...
...
...
...
...
...
...
...
...
cms-wordpress/
...
...
...
...
...
...
...
convex/
...
...
...
...
...

```

```
...
custom-server/
...
...
...
...
...
...
...
github-pages/
...
...
...
...
...
hello-world/
...
...
...
...
...
i18n-routing/
...
...
...
...
...
...
...
...
i18n-routing-pages/
...
...
...
...
...
...
image-component/
...
...
...
...
...
...
...
...
```

```
...
image-secure-compute/
...
...
...
...
...
...
inngest/
...
...
...
...
...
markdoc/
...
...
...
...
...
...
mdx/
...
...
...
...
...
...
...
mdx-pages/
...
...
...
...
...
mdx-remote/
...
...
...
...
...
...
next-forms/
...
...
...
```

```
    ...
panda-css/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
prisma-postgres/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
radix-ui/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
react-remove-properties/
    ...
    ...
    ...
    ...
    ...
remove-console/
    ...
    ...
    ...
    ...
    ...
reproduction-template/
    ...
    ...
    ...
    ...
    ...
reproduction-template-pages/
    ...
    ...
```



```
...
...
...
...
with-ably/
...
...
...
...
...
...
...
with-absolute-imports/
...
...
...
...
...
with-algolia-react-instantsearch/
...
...
...
...
...
with-ant-design/
...
...
...
...
...
with-apivideo/
...
...
...
...
...
...
...
with-apollo/
...
...
...
...
...
with-apollo-and-redux/
...
```

```
...
...
...
...
with-axiom/
...
...
...
...
...
...
with-azure-cosmos/
...
...
...
...
...
...
with-babel-macros/
...
...
...
...
...
with-biome/
...
...
...
...
...
with-chakra-ui/
...
...
...
...
with-clerk/
...
...
...
...
...
...
...
with-cloudinary/
...
...
...
```

```
...
...
...
...
...
...
...
...
with-compiled-css/
...
...
...
...
...
...
with-contentlayer/
...
...
...
...
...
...
...
with-context-api/
...
...
...
...
...
with-cookies-next/
...
...
...
...
with-couchbase/
...
...
...
...
...
...
with-custom-babel-config/
...
...
...
with-cxs/
...
```

```
...
...
...
with-cypress/
...
...
...
...
...
...
...
...
...
...
with-docker/
...
...
...
...
...
...
...
...
...
with-docker-compose/
...
...
...
...
...
with-docker-multi-env/
...
...
...
...
...
...
...
with-dynamic-import/
...
...
...
...
with-edgedb/
...
...
...
```

```
    ...
    ...
    ...
    ...
    ...
    ...
with-elasticsearch/
    ...
    ...
    ...
    ...
    ...
    ...
with-electron/
    ...
    ...
    ...
    ...
with-electron-typescript/
    ...
    ...
    ...
    ...
with-emotion/
    ...
    ...
    ...
    ...
    ...
with-eslint/
    ...
    ...
    ...
    ...
with-expo-typescript/
    ...
    ...
    ...
    ...
    ...
    ...
with-facebook-pixel/
```

```
...
...
...
...
...
...
with-fela/
...
...
...
...
...
with-filbert/
...
...
...
...
with-fingerprintjs-pro/
...
...
...
...
...
...
...
...
with-firebase/
...
...
...
...
...
...
...
with-firebase-cloud-messaging/
...
...
...
...
...
with-firebase-hosting/
...
...
...
...
...
```

```
    ...
with-flow/
    ...
    ...
    ...
    ...
    ...
    ...
with-formspree/
    ...
    ...
    ...
    ...
    ...
    ...
with-framer-motion/
    ...
    ...
    ...
    ...
    ...
with-goober/
    ...
    ...
    ...
    ...
with-google-analytics/
    ...
    ...
    ...
    ...
    ...
with-google-maps-embed/
    ...
    ...
    ...
    ...
with-google-tag-manager/
    ...
    ...
    ...
    ...
    ...
with-grafbase/
    ...
    ...
    ...
    ...
```

```
...
...
...
...
...
...
...
with-graphql-gateway/
...
...
...
...
...
...
with-graphql-hooks/
...
...
...
...
...
with-graphql-react/
...
...
...
with-gsap/
...
...
...
...
...
...
...
with-hls-js/
...
...
...
...
...
with-http2/
...
...
...
...
...
with-i18n-next-intl/
...
...
```



```
...
...
...
...
with-i18n-rosetta/
...
...
...
...
...
...
...
...
with-ionic/
...
...
...
...
...
...
...
...
with-iron-session/
...
with-jest/
...
...
...
...
...
...
...
...
...
...
with-jest-babel/
...
...
...
...
...
...
...
...
...
...
...
```

with-joi/
...
...
...
...
with-jotai/
...
...
...
...
...
...
...
with-kea/
...
...
...
with-knex/
...
...
...
...
...
with-linaria/
...
...
...
...
...
with-lingui/
...
...
...
...
...
...
with-magic/
...
...
...
...
...
with-mantine/

```
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
with-mdbreact/
    ...
    ...
    ...
    ...
    ...
with-meilisearch/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
with-mobx/
    ...
    ...
    ...
    ...
    ...
with-mobx-state-tree/
    ...
    ...
    ...
    ...
    ...
    ...
with-mocha/
    ...
    ...
    ...
    ...
    ...
with-mongodb/
    ...
    ...
    ...
    ...
```

```
...
...
...
...
...
...
...
with-mongodb-mongoose/
...
...
...
...
...
...
...
...
with-mqtt-js/
...
...
...
...
...
...
with-msw/
...
...
...
...
...
...
with-mux-video/
...
...
...
...
...
...
...
with-mysql/
...
...
...
...
...
...
...
...
```

```
    ...
    ...
    ...
with-neo4j/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
with-next-page-transitions/
    ...
    ...
    ...
    ...
with-next-seo/
    ...
    ...
    ...
    ...
with-next-sitemap/
    ...
    ...
    ...
    ...
    ...
with-next-translate/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
with-next-ui/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
with-nhost-auth-realtime-graphql/
```

```
...
...
...
...
...
...
with-opentelemetry/
...
...
...
...
...
...
...
with-orbit-components/
...
...
...
...
...
with-overmind/
...
...
...
...
...
with-oxlint/
...
...
...
...
with-particles/
...
...
...
...
...
...
...
...
with-passport/
...
...
...
...
...
with-passport-and-next-connect/
```

```
...
...
...
...
...
...
...
with-paste-typescript/
...
...
...
...
...
with-plausible/
...
...
...
...
...
with-playwright/
...
...
...
...
...
...
...
...
with-polyfills/
...
...
...
...
with-portals/
...
...
...
...
with-portals-ssr/
...
...
...
with-postgres/
...
with-prefetching/
...
...
```

```
...
...
...
with-quill-js/
...
...
...
with-rbx-bulma-pro/
...
...
...
with-react-bootstrap/
...
...
...
...
with-react-ga4/
...
...
...
with-react-hook-form/
...
...
...
...
with-react-intl/
...
...
...
...
with-react-md-typescript/
...
...
...
...
with-react-multi-carousel/
...
```



```
...
...
...
...
with-react-native-web/
...
...
...
...
...
with-react-toolbox/
...
...
...
...
...
with-reactstrap/
...
...
...
...
...
with-realm-web/
...
...
...
...
with-rebass/
...
...
...
with-recoil/
...
...
...
...
...
with-redis/
...
...
...
...
...
with-redux/
...
...
...
```

```
    ...
    ...
    ...
    ...
with-reflexjs/
    ...
    ...
    ...
    ...
    ...
with-reflux/
    ...
    ...
    ...
    ...
    ...
with-relay-modern/
    ...
    ...
    ...
    ...
    ...
    ...
with-rematch/
    ...
    ...
    ...
    ...
with-route-as-modal/
    ...
    ...
    ...
    ...
    ...
with-rspack/
    ...
    ...
    ...
    ...
    ...
with-sass/
    ...
    ...
    ...
    ...
    ...
    ...
```

```
with-segment-analytics/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
with-segment-analytics-pages-router/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
with-sentry/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
with-service-worker/  
  ...  
  ...  
  ...  
  ...  
  ...  
with-sfcc/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
with-shallow-routing/  
  ...  
  ...  
  ...  
with-sitemap/
```

```
...
...
...
...
...
...
...
with-slate/
...
...
...
...
...
with-static-export/
...
...
...
...
...
with-stencil/
...
...
...
with-stitches/
...
...
...
...
...
...
...
with-storybook/
...
...
...
...
...
...
...
...
with-strict-csp/
...
...
...
...
with-stripe-typescript/
...
...
```

```
...
...
...
...
...
...
...
...
with-styled-components/
...
...
...
...
...
...
...
with-styled-jsx/
...
...
...
...
with-styletron/
...
...
...
...
...
...
with-supabase/
...
...
...
...
...
...
...
...
...
...
with-supertokens/
...
...
...
...
...
...
```

```
    ...
    ...
with-temporal/
    ...
    ...
    ...
    ...
    ...
    ...
with-three-js/
    ...
    ...
    ...
    ...
    ...
    ...
with-tigris/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
with-turbopack/
    ...
    ...
    ...
    ...
with-turbopack-loaders/
    ...
    ...
    ...
    ...
    ...
    ...
with-turso/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
```

```
with-typescript/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
with-typescript-graphql/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
with-typescript-types/  
  ...  
  ...  
  ...  
  ...  
  ...  
with-unsplash/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
with-urql/  
  ...  
  ...  
  ...  
  ...  
  ...  
with-userbase/  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...  
  ...
```

with-vanilla-extract/

...
...
...
...
...
...
...

with-videojs/

...
...
...
...
...

with-vitest/

...
...
...
...
...
...
...
...
...

with-web-worker/

...
...
...
...
...
...

with-webassembly/

...
...
...
...
...
...
...
...
...

with-windicss/

...
...
...
...
...
...


```
    ...
    ...
with-xata/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
with-xstate/
    ...
    ...
    ...
    ...
with-yarn-workspaces/
    ...
    ...
    ...
with-yoga/
    ...
    ...
    ...
    ...
    ...
    ...
with-youtube-embed/
    ...
    ...
    ...
    ...
with-zones/
    ...
    ...
    ...
    ...
    ...
with-zustand/
    ...
    ...
    ...
    ...
    ...
packages/
  create-next-app/
    ...
    ...
```

```

...
...
...
...
...
eslint-config-next/
...
...
...
...
...
eslint-plugin-internal/
...
...
eslint-plugin-next/
...
...
...
...
font/
...
...
...
...
...
...
...
...
next/
...
...
...
...
...
...
...
...
...
...
...
...
...
...
...

```

.....

```
...
...
...
...
...
next-bundle-analyzer/
...
...
...
...
next-codemod/
...
...
...
...
...
...
...
...
...
next-env/
...
...
...
...
next-mdx/
...
...
...
...
...
...
...
...
next-plugin-storybook/
...
...
...
next-polyfill-module/
...
...
next-polyfill-nomodule/
...
...
next-rspack/
...
...
...
```

```

    ...
    ...
next-swc/
    ...
    ...
    ...
react-refresh-utils/
    ...
    ...
    ...
    ...
    ...
    ...
    ...
    ...
third-parties/
    ...
    ...
    ...
    ...
    ...
patches/
  @base-ui-components__react@1.0.0-beta.1.patch
  @types__node@20.17.6.patch
  stacktrace-parser@0.1.10.patch
  taskr@1.1.0.patch
  webpack-sources@3.2.3.patch
rspack/
  crates/
    ...
  lib/
    ...
    ...
Cargo.lock
Cargo.toml
change-npm-name.js
package.json
pnpm-lock.yaml
pnpm-workspace.yaml
rust-toolchain.toml
scripts/
  cargo/
    ...
  LaunchAgents/
    ...
    ...
merge-errors-json/

```

```

...
...
...
pack-utils/
...
release/
...
...
...
send-trace-to-jaeger/
...
...
...
automated-update-workflow.js
build-native.ts
build-wasm.cjs
check-examples.sh
check-is-release.js
check-manifests.js
check-pre-compiled.bat
check-pre-compiled.sh
code-freeze.js
create-preview-tarballs.js
create-release-branch.js
deploy-docs.sh
deploy-examples.sh
deploy-turbopack-docs.sh
devlow-bench.mjs
generate-release-log.mjs
get-changed-tests.mjs
git-configure.mjs
inject-deploy-url.js
install-native.mjs
macos-compress.sh
minimal-server.js
next-with-deps.sh
normalize-version-bump.js
pack-next.ts
pack-util.ts
patch-next.ts
publish-native.js
publish-release.js
pull-turbo-cache.js
release-stats.sh
reset-project.mjs
rm.mjs
run-e2e-test-project-reset.mjs
run-for-change.js

```

[illegible]

• • •

• • •

• • •

• • •

.....

.....

.....

[illegible]

.....

.....

.....

.....

.....

[illegible]

/

[illegible]

duction/

[illegible]

.....


```
xtask/
...
...
tsconfig.json
Cargo.lock
Cargo.toml
CODE_OF_CONDUCT.md
contributing.md
jest.config.js
jest.config.turbopack.js
lerna.json
license.md
lint-staged.config.js
package.json
pnpm-lock.yaml
pnpm-workspace.yaml
readme.md
release.js
run-tests.js
rust-toolchain.toml
sgconfig.yml
socket.yaml
test-file.txt
tsconfig-tsec.json
tsconfig.json
tsec-exemptions.json
turbo.json
UPGRADING.md
vercel.json
```

1.4.1 Directory Description

- `bench/`: [Description needed]
- `crates/`: [Description needed]
- `test/`: [Description needed]
- `turbo/`: [Description needed]
- `contributing/`: [Description needed]
- `patches/`: [Description needed]
- `turbopack/`: [Description needed]
- `docs/`: [Description needed]
- `rspack/`: [Description needed]
- `examples/`: [Description needed]
- `scripts/`: [Description needed]
- `packages/`: [Description needed]
- `errors/`: [Description needed]
- `apps/`: [Description needed]

1.5 License

This project is licensed under the terms specified in the `LICENSE.md` file.

1.6 Project Summary & Goals

2 gitread_next.js - Comprehensive Project Plan

Repository: [GitHub Repository URL] **Primary Language:** javascript **Project Type:** Application **Complexity:** Low **Last Updated:** October 01, 2025

2.1 Table of Contents

1. [Project Summary & Goals](#)
 2. [Key Features & Use Cases](#)
 3. [Technology Stack](#)
 4. [Project Structure](#)
 5. [Major Components & Modules](#)
 6. [Setup Instructions](#)
 7. [Configuration Required](#)
 8. [Execution Plan](#)
 9. [Development Workflow](#)
 10. [Deployment Checklist](#)
 11. [Troubleshooting & Tips](#)
 12. [Performance Optimization](#)
 13. [Contributing Guidelines](#)
-

2.1.1 Overview

Used by some of the world's largest companies, Next.js enables you to create full-stack web applications by extending the latest React features, and integrating powerful Rust-based JavaScript tooling for the fastest builds.

- Visit our [Learn Next.js](#) course to get started with Next.js.
- Visit the [Next.js Showcase](#) to see more sites built with Next.js.

2.1.2 Primary Goals

• **Functionality:** Deliver core features with high reliability and performance • **Maintainability:** Ensure clean, well-documented, and extensible codebase • **User Experience:** Provide intuitive and efficient user interactions • **Quality:** Maintain high code quality with comprehensive testing

2.1.3 Target Audience

• Developers and software engineers • Technical teams and project stakeholders • Students and learners in software development • Anyone interested in modern software architecture

2.2 Key Features & Use Cases

2.2.1 Core Features

2.2.1.1 Core Functionality • **javascript Implementation:** Professional-grade code with modern practices • **Modular Design:** Clean architecture with separation of concerns • **Extensible Framework:** Easy to customize and extend functionality • **Comprehensive Documentation:** Well-documented codebase and APIs

2.2.1.2 Quality & Maintenance • **Code Quality:** Following industry best practices and standards • **Testing Coverage:** Comprehensive test suite for reliability • **Version Control:** Proper Git workflow and branching strategy • **Continuous Integration:** Automated testing and deployment pipeline

2.2.2 Use Cases

• **Development Learning:** Educational resource for software development • **Production Deployment:** Ready-to-use solution for real-world applications • **Code Reference:** Example implementation for similar projects • **Foundation Framework:** Starting point for custom development

2.2.3 Feature Highlights

• **Professional Architecture:** Well-structured and maintainable codebase • **Modern Technologies:** Built with current industry standards • **Scalable Design:** Prepared for future growth and enhancements

2.3 Setup Instructions

This section provides comprehensive instructions for setting up the development environment and running the project locally. Follow these steps carefully to ensure a smooth setup process.

2.3.1 Prerequisites

Before you begin, ensure you have the following software installed on your system:

- **Git** for version control
- **Code Editor** (VS Code, Sublime Text, etc.)
- **Terminal/Command Line** access

2.3.2 System Requirements

2.3.2.1 Minimum Requirements

- **Operating System:** Windows 10, macOS 10.15, or Linux (Ubuntu 18.04+)
- **RAM:** 4GB minimum, 8GB recommended
- **Storage:** 2GB free space
- **Internet Connection:** Required for initial setup and dependencies

2.3.2.2 Recommended Specifications

- **RAM:** 16GB for optimal performance
- **CPU:** Multi-core processor (Intel i5/AMD Ryzen 5 or better)

- **Storage:** SSD for faster build times

2.3.3 Step-by-Step Installation

2.3.3.1 Step 1: Clone the Repository

```
# Clone the repository
git clone https://github.com/username/gitread_next.js.git

# Navigate to project directory
cd gitread_next.js
```

2.3.3.2 Step 2: Install Dependencies

2.3.3.3 Step 3: Verify Installation

2.3.3.4 Step 4: Environment Setup

1. **Copy environment template:**

```
cp .env.example .env
```

2. **Configure environment variables** (see Configuration section)

3. **Initialize database** (if applicable):

```
# Run database migrations
npm run migrate
# or for Python projects
python manage.py migrate
```

2.4 Configuration Required

This section outlines all necessary configuration steps to ensure the application runs correctly in your environment. Proper configuration is essential for security, performance, and functionality.

2.4.1 Environment Variables

Environment variables are used to configure the application for different environments (development, staging, production) and to store sensitive information securely.

2.4.1.1 Required Variables Create a `.env` file in the project root directory and configure the following variables:

```
# Application Settings
APP_ENV=development
APP_DEBUG=true
APP_PORT=3000

# Database Configuration
DATABASE_URL=your_database_connection_string
```

```
# API Keys and Secrets
API_SECRET_KEY=your_secret_key
ENCRYPTION_KEY=your_encryption_key
```

2.4.2 Build Configuration

2.4.3 Security Configuration

2.4.3.1 Important Security Notes

- **Never commit** .env files to version control
- **Use strong passwords** and secure API keys
- **Enable HTTPS** in production environments
- **Regularly update** dependencies for security patches
- **Implement rate limiting** for API endpoints

2.4.3.2 Environment-Specific Settings

Environment	Debug Mode	HTTPS	Database	Caching
Development	Enabled	Optional	Local	Disabled
Staging	Limited	Required	Remote	Enabled
Production	Disabled	Required	Remote	Enabled

2.5 Major Components & Modules

2.6 Development

2.6.1 Development Setup

1. Follow the installation instructions
2. Install development dependencies
3. Set up your development environment

2.7 Execution Plan

2.8 Development

2.8.1 Development Setup

1. Follow the installation instructions
2. Install development dependencies
3. Set up your development environment

2.9 Development Workflow

2.10 Development

2.10.1 Development Setup

1. Follow the installation instructions
2. Install development dependencies
3. Set up your development environment

2.11 Testing Strategy

2.12 Testing

2.12.1 Running Tests

`npm test`

2.12.2 Test Structure

- `test/`: Test files

2.13 Deployment Checklist

2.14 Deployment

2.14.1 Production Considerations

- Environment variables configuration
- Database setup and migrations
- Security considerations
- Monitoring and logging

2.15 Troubleshooting & Tips

2.16 Development

2.16.1 Development Setup

1. Follow the installation instructions
2. Install development dependencies
3. Set up your development environment

2.17 Performance Optimization

2.18 Development

2.18.1 Development Setup

1. Follow the installation instructions
2. Install development dependencies
3. Set up your development environment

2.19 Contributing Guidelines

2.20 Development

2.20.1 Development Setup

1. Follow the installation instructions
2. Install development dependencies
3. Set up your development environment

2.21 Documentation Info

*This documentation was generated automatically by **PromptSwitch**.*

Created by: [Avikalp Karrahe](#)

Connect with me: - [LinkedIn](#) - [GitHub](#) - [PromptSwitch Repository](#)

Generated on: 2025-10-02T01:30:46.137033+00:00