```
In [1]: import numpy as np
    import pandas as pd
    import seaborn as sns
    from sklearn.model_selection import train_test_split
    from sklearn.tree import DecisionTreeClassifier
```

## Out[4]:

	Age	Sex	ВР	Cholesterol	Na_to_K	Drug
0	23	F	HIGH	HIGH	25.355	drugY
1	47	М	LOW	HIGH	13.093	drugC
2	47	М	LOW	HIGH	10.114	drugC
3	28	F	NORMAL	HIGH	7.798	drugX
4	61	F	LOW	HIGH	18.043	drugY
195	56	F	LOW	HIGH	11.567	drugC
196	16	М	LOW	HIGH	12.006	drugC
197	52	М	NORMAL	HIGH	9.894	drugX
198	23	М	NORMAL	NORMAL	14.020	drugX
199	40	F	LOW	NORMAL	11.349	drugX

200 rows × 6 columns

```
In [6]: df.info()
        <class 'pandas.core.frame.DataFrame'>
        RangeIndex: 200 entries, 0 to 199
        Data columns (total 6 columns):
             Column
                          Non-Null Count Dtype
         0
             Age
                          200 non-null
                                          int64
                          200 non-null
                                          object
         1
             Sex
                          200 non-null
         2
                                          object
             BP
             Cholesterol 200 non-null
                                          object
                          200 non-null
                                          float64
             Na_to_K
         4
         5
                          200 non-null
             Drug
                                          object
        dtypes: float64(1), int64(1), object(4)
        memory usage: 9.5+ KB
In [7]: df['BP'].value_counts()
        df['Na_to_K'].value_counts()
Out[7]: Na_to_K
        12.006
                  2
        18.295
                  2
        25.355
                  1
        11.939
                  1
        16.347
                  1
        24.658
                  1
        24.276
                  1
        13.967
                  1
        19.675
                  1
        11.349
                  1
        Name: count, Length: 198, dtype: int64
```

localhost:8888/notebooks/drug.ipynb#

```
In [8]: convert={"BP":{"HIGH":129,"NORMAL":80,"LOW":50}}
    df=df.replace(convert)
    df
```

## Out[8]:

	Age	Sex	BP	Cholesterol	Na_to_K	Drug
0	23	F	129	HIGH	25.355	drugY
1	47	М	50	HIGH	13.093	drugC
2	47	М	50	HIGH	10.114	drugC
3	28	F	80	HIGH	7.798	drugX
4	61	F	50	HIGH	18.043	drugY
195	56	F	50	HIGH	11.567	drugC
196	16	М	50	HIGH	12.006	drugC
197	52	М	80	HIGH	9.894	drugX
198	23	М	80	NORMAL	14.020	drugX
199	40	F	50	NORMAL	11.349	drugX

200 rows × 6 columns

localhost:8888/notebooks/drug.ipynb#

3/5

```
In [9]: convert={"Cholesterol":{"HIGH":103,"NORMAL":97}}
df=df.replace(convert)
df
```

## Out[9]:

	Age	Sex	BP	Cholesterol	Na_to_K	Drug
0	23	F	129	103	25.355	drugY
1	47	М	50	103	13.093	drugC
2	47	М	50	103	10.114	drugC
3	28	F	80	103	7.798	drugX
4	61	F	50	103	18.043	drugY
195	56	F	50	103	11.567	drugC
196	16	М	50	103	12.006	drugC
197	52	М	80	103	9.894	drugX
198	23	М	80	97	14.020	drugX
199	40	F	50	97	11.349	drugX

200 rows × 6 columns

```
In [11]: (x_train,x_test,y_train,y_test)=train_test_split(all_inputs,all_classes,test_size=0.3)
```

```
In [12]: clf=DecisionTreeClassifier(random_state=0)
```

localhost:8888/notebooks/drug.ipynb#

localhost:8888/notebooks/drug.ipynb#