

```
In [1]: import pandas as pd
import numpy as np
from sklearn.linear_model import LogisticRegression
from sklearn.preprocessing import StandardScaler
```

```
In [3]: df=pd.read_csv(r"C:\Users\DELL\Downloads\ionosphere.csv")
df
```

Out[3]:

	column_a	column_b	column_c	column_d	column_e	column_f	column_g	column_h	column_i	column_j	...	column_z	column_aa	column_ab
0	True	False	0.99539	-0.05889	0.85243	0.02306	0.83398	-0.37708	1.00000	0.03760	...	-0.51171	0.41078	-0.46168
1	True	False	1.00000	-0.18829	0.93035	-0.36156	-0.10868	-0.93597	1.00000	-0.04549	...	-0.26569	-0.20468	-0.18401
2	True	False	1.00000	-0.03365	1.00000	0.00485	1.00000	-0.12062	0.88965	0.01198	...	-0.40220	0.58984	-0.22145
3	True	False	1.00000	-0.45161	1.00000	1.00000	0.71216	-1.00000	0.00000	0.00000	...	0.90695	0.51613	1.00000
4	True	False	1.00000	-0.02401	0.94140	0.06531	0.92106	-0.23255	0.77152	-0.16399	...	-0.65158	0.13290	-0.53206
...
346	True	False	0.83508	0.08298	0.73739	-0.14706	0.84349	-0.05567	0.90441	-0.04622	...	-0.04202	0.83479	0.00123
347	True	False	0.95113	0.00419	0.95183	-0.02723	0.93438	-0.01920	0.94590	0.01606	...	0.01361	0.93522	0.04925
348	True	False	0.94701	-0.00034	0.93207	-0.03227	0.95177	-0.03431	0.95584	0.02446	...	0.03193	0.92489	0.02542
349	True	False	0.90608	-0.01657	0.98122	-0.01989	0.95691	-0.03646	0.85746	0.00110	...	-0.02099	0.89147	-0.07760
350	True	False	0.84710	0.13533	0.73638	-0.06151	0.87873	0.08260	0.88928	-0.09139	...	-0.15114	0.81147	-0.04822

351 rows × 35 columns



```
In [4]: pd.set_option('display.max_rows',1000000000)
pd.set_option('display.max_columns',1000000000)
pd.set_option('display.width',95)
```

```
In [5]: print('The DataFrame has %d Rows and %d Columns'%(df.shape))
```

The DataFrame has 351 Rows and 35 Columns

In [6]: `df.head()`

Out[6]:

	column_a	column_b	column_c	column_d	column_e	column_f	column_g	column_h	column_i	column_j	column_k	column_l	column_m	column_n
0	True	False	0.99539	-0.05889	0.85243	0.02306	0.83398	-0.37708	1.00000	0.03760	0.85243	-0.17755	0.59755	-0.4494
1	True	False	1.00000	-0.18829	0.93035	-0.36156	-0.10868	-0.93597	1.00000	-0.04549	0.50874	-0.67743	0.34432	-0.6970
2	True	False	1.00000	-0.03365	1.00000	0.00485	1.00000	-0.12062	0.88965	0.01198	0.73082	0.05346	0.85443	0.0082
3	True	False	1.00000	-0.45161	1.00000	1.00000	0.71216	-1.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.0000
4	True	False	1.00000	-0.02401	0.94140	0.06531	0.92106	-0.23255	0.77152	-0.16399	0.52798	-0.20275	0.56409	-0.0077

In [7]: `features_matrix=df.iloc[:,0:34]`

In [8]: `target_vector=df.iloc[:,-1]`

In [9]: `print('The Features Matrix Has %d Rows and %d Columns'%(features_matrix.shape))`
`print('The Target Matrix Has %d Rows and %d Columns'%(np.array(target_vector).reshape(-1,1).shape))`

The Features Matrix Has 351 Rows and 34 Columns
 The Target Matrix Has 351 Rows and 1 Columns

In [10]: `features_matrix_standardized=StandardScaler().fit_transform(features_matrix)`

In [11]: `algorithm =LogisticRegression(penalty =None,dual =False,tol=1e-4,C=1.0,fit_intercept = True,intercept_scaling = 1,class_weight = None,solver = 'lbfgs',max_iter =1000,multi_class = 'auto',verbose=0, warm_start = False, n_jobs = None,l1_ratio = None)`

In [12]: `Logistic_Regression_Model=algorithm.fit(features_matrix_standardized,target_vector)`

```
In [13]: observation=[[1,0,0.99539,-0.05889,0.8524299999999999,0.02306,0.8337999999999999,-0.37708,1.0,0.0376,
0.8524299999999999,-0.17755,0.56755,-0.44945,0.60536,-0.38223,0.8435600000000001,-0.38542,-0.32192,0.56971,-0.29674,
0.36946,-0.47357,0.56811,-0.51171,0.4107800000000003,-0.4616800000000003,0.21266,-0.3409,0.42267,-0.54487,0.18641,-0.453,0]
```

```
In [14]: predictions=Logistic_Regression_Model.predict(observation)
print('The Model Predicted The Observation To Belong To Class %s'%(predictions))
```

The Model Predicted The Observation To Belong To Class ['g']

```
In [15]: print('The Algorithm Was trained to predict one of two classes:%s'%(algorithm.classes_))
```

The Algorithm Was trained to predict one of two classes:['b' 'g']

```
In [16]: 1 says the probability of the observation we passed belonging to class['b']is %s""%(algorithm.predict_proba(observation)[0]
1 says the probability of the observation we passed belonging to class['b']is %s""%(algorithm.predict_proba(observation)[0]
```

The model says the probability of the observation we passed belonging to class['b']is 3.1886272426895346e-06

The model says the probability of the observation we passed belonging to class['b']is 0.9999968113727573

In []: