

Cucumber Report




Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Eform Details	4.039 s	3	0	3	0	22	0	0	22

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Eform Details	3	0	3	0	4.039 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Eform Details	Successfully submit privilege request details	8	0	0	8	3.854 s
2	Eform Details	Successfully submit Additional software request details	7	0	0	7	3.329 s
3	Eform Details	Successfully view status	7	0	0	7	4.028 s

DETAILED SECTION -- 5 --

Eform Details

FAILED	DURATION - 4.039 s	Scenarios		Steps	
		Total - 3		Total - 22	
/ 6:38:46.677 PM // 6	6:38:50.716 PM /	Pass - 0	3	Pass - 0	22
		Fail - 3	~ J	Fail - 0	
		Skip - 0		Skip - 22	


Successfully submit privilege request details



#	Step / Hook Details	Status	Duration
	BEFORE - apphooks.ApplicationHooks.launchBrowser()	FAILED	3.818 s
	java.lang.lllegalStateException: The path to the driver executable The path to the driver executable must be set by the webdriver.chrome.driver system property; for more information, see https://chromedriver.chromium.org/. The latest version can be downloaded from https://chromedriver.chromium.org/downloads		
	at org.openqa.selenium.internal.Require\$StateChecker.nonNull(Require.java:314)		
	at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:148)		
	at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:39)		
	at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:233)		
	at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:450)		
	at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:142)		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:70)</init>		
	at factory.DriverFactory.init_driver(DriverFactory.java:30)		
	at apphooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:32)		
1	Given user navigates to Website	SKIPPED	0.000 s
2	When user enters credential from credentialsheet	SKIPPED	0.001 s
3	And user clicks on Login button	SKIPPED	0.000 s
4	Given user is on Privilege request page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
5	When user enter required detail	SKIPPED	0.000 s
6	And User accept terms and conditions	SKIPPED	0.001 s
7	And User Click Submit button	SKIPPED	0.000 s
8	Then User gets eform number	SKIPPED	0.000 s
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:48)		
	AFTER - apphooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException at apphooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		


Successfully submit Additional software request details



#	Step / Hook Details	Status	Duration
	BEFORE - apphooks.ApplicationHooks.launchBrowser()	FAILED	3.263 s
	java.lang.lllegalStateException: The path to the driver executable The path to the driver executable must be set by the webdriver.chrome.driver system property; for more information, see https://chromedriver.chromium.org/. The latest version can be downloaded from https://chromedriver.chromium.org/downloads at org.openqa.selenium.internal.Require\$StateChecker.nonNull(Require.java:314) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:148) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:39) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:233) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:450) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:142) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:70)</init>		
	at factory.DriverFactory.init_driver(DriverFactory.java:30) at apphooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:32)		
1	Given user navigates to Website	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
2	When user enters credential from credentialsheet	SKIPPED	0.002 s
3	And user clicks on Login button	SKIPPED	0.001 s
4	Given user is on Additional software request page	SKIPPED	0.000 s
5	When user enter required detail to raise eform	SKIPPED	0.000 s
6	And User Click on Submit button	SKIPPED	0.000 s
7	Then User gets eform number	SKIPPED	0.000 s
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.009 s
	java.lang.NullPointerException at apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:48)		
	AFTER - apphooks.ApplicationHooks.quitBrowser()	FAILED	0.002 s
	java.lang.NullPointerException at apphooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

Successfully view status



#	Step / Hook Details	Status	Duration
	BEFORE - apphooks.ApplicationHooks.launchBrowser()	FAILED	3.996 s
	java.lang.lllegalStateException: The path to the driver executable The path to the driver executable must be set by the webdriver.chrome.driver system property; for more information, see https://chromedriver.chromium.org/. The latest version can be downloaded from https://chromedriver.chromium.org/downloads at org.openqa.selenium.internal.Require\$StateChecker.nonNull(Require.java:314) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:148) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:39) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:233) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:450) at org.openqa.selenium.chrome.ChromeDriverService.createServiceWithConfig(ChromeDriverService.java:142) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:70) at factory.DriverFactory.init_driver(DriverFactory.java:30)</init>		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at apphooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:32)		
1	Given user navigates to Website	SKIPPED	0.000 s
2	When user enters credential from credentialsheet	SKIPPED	0.000 s
3	And user clicks on Login button	SKIPPED	0.000 s
4	When user clicks on View Status button	SKIPPED	0.000 s
5	And user fills E-formNo	SKIPPED	0.000 s
6	And user clicks on Submit button	SKIPPED	0.000 s
7	And verify status	SKIPPED	0.000 s
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:48)		
	AFTER - apphooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException at apphooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		