Cucumber Report

| Start : Feb 01, 1:05:20.689 PM	End : Feb 01, 1:05:20.912 PM	Duration : 0.223 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 5 SKIPPED - 0	PASSED - 0 FAILED - 5 SKIPPED - 15

1

5

20

Pass %

Pass %

Pass %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validating Ecommerce_API's	*0.223 s*	5	0	5	0	20	0	5	15

Tag	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@LoginForEcommerce	*1*	*0*	*1*	*0*	*1*	*0*	*1*	*0*
@AddProduct	*1*	*0*	*1*	*0*	*1*	*0*	*1*	*0*
@PlacingOrder	*1*	*0*	*1*	*0*	*1*	*0*	*1*	*0*
@FetchingOrderDetails	*1*	*0*	*1*	*0*	*1*	*0*	*1*	*0*
@DeleteProduct	*1*	*0*	*1*	*0*	*1*	*0*	*1*	*0*

#	Feature Name	T	P	F	S	Duration
1	Validating Ecommerce_API's	5	0	5	0	0.223 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating Ecommerce_API's	Login validation for ecommerce site	3	0	1	2	0.104 s
2	Validating Ecommerce_API's	Validating Addition of the product	4	0	1	3	0.014 s
3	Validating Ecommerce_API's	Placing the order for product created	5	0	1	4	0.004 s
4	Validating Ecommerce_API's	Fetching the order details	4	0	1	3	0.004 s
5	Validating Ecommerce_API's	Deleting the product	4	0	1	3	0.003 s

Validating Ecommerce_API's

FAILED	DURATION - 0.223 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0	5	Steps Total - 20 Pass - 0 Fail - 5 Skip - 15	20
	/ 1:05:20.689 PM // 1:05:20.912 PM /				

Login validation for ecommerce site

FAILED	DURATION - 0.104 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	3
	/ 1:05:20.696 PM // 1:05:20.800 PM /			
	Validating Ecommerce_API's			
	@LoginForEcommerce			

| #	Step / Hook Details	Status	Duration
1	Given Body payload with credentials "srimannaidu7849@gmail.com" and "Sriman@7849"	FAILED	0.089 s

	java.lang.NoClassDefFoundError: Could not initialize class org.codehaus.groovy.reflection.ReflectionCache
	   at org.codehaus.groovy.runtime.dgmimpl.NumberNumberMetaMethod.<clinit>(NumberNumberMetaMethod.java:33)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.codehaus.groovy.runtime.metaclass.MetaClassRegistryImpl.createMetaMethodFromClass(MetaClassRegistryImpl.java:258)
	   at org.codehaus.groovy.runtime.metaclass.MetaClassRegistryImpl.<init>(MetaClassRegistryImpl.java:111)
	   at org.codehaus.groovy.runtime.metaclass.MetaClassRegistryImpl.<init>(MetaClassRegistryImpl.java:86)
	   at groovy.lang.GroovySystem.<clinit>(GroovySystem.java:36)
	   at org.codehaus.groovy.runtime.InvokerHelper.<clinit>(InvokerHelper.java:86)
	   at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.createMap(ScriptBytecodeAdapter.java:635)
	   at io.restassured.internal.ResponseParserRegistrar.<init>(ResponseParserRegistrar.groovy)
	   at io.restassured.RestAssured.<clinit>(RestAssured.java:346)
	   at stepdefinations.StepDefinationsEcommerce.bodyPayloadWithCredentialsAnd(StepDefinationsEcommerce.java:49)
	   at ?.Body payload with credentials "srimannaidu7849@gmail.com" and "Sriman@7849"(file:///C:/Users/AC67129/Documents/		

#	Step / Hook Details	Status	Duration
	BddCucumberProject/BddWithEform/src/test/resources/features/EndToEndEcommerce.feature:5) * Not displayable characters are replaced by '?'.		
2	When user calls the resource "Login_API" with "POST" method	SKIPPED	0.000 s
3	Then the API call will get success with status code 200	SKIPPED	0.000 s

Validating Addition of the product

FAILED	DURATION - 0.014 s
/ 1:05:20.835 PM // 1:05:20.849 PM /	
Validating Ecommerce_API's	
@AddProduct	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	Given The authorization token is fetched with the data "Laptop", "Electronics", "Computer devices", "90000","Best Laptop", "everyone"	FAILED	0.011 s
	java.lang.NoClassDefFoundError: Could not initialize class io.restassured.RestAssured at io.restassured.builder.RequestSpecBuilder.<init>(RequestSpecBuilder.java:78) at stepdefinations.StepDefinationsEcommerce.theAuthorizationTokenIsFetchedWithTheData(StepDefinationsEcommerce.java:82) at ?.The authorization token is fetched with the data "Laptop", "Electronics", "Computer devices", "90000","Best Laptop","everyone"(file:///C:/Users/AC67129/Documents/BddCucumberProject/BddWithEform/src/test/resources/features/EndToEndEcommerce.feature:14) * Not displayable characters are replaced by '?'.		
2	When user calls the resource "ADD_PRODUCT_API" with "POST" method	SKIPPED	0.000 s
3	Then the API call will pass successfully with status code 201	SKIPPED	0.000 s
4	And The "message" will be rendered as "Product Added Successfully"	SKIPPED	0.000 s

Placing the order for product created

FAILED	*DURATION - 0.004 s*
/ 1:05:20.866 PM // 1:05:20.870 PM /	
Validating Ecommerce_API's	
@PlacingOrder	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

| #	Step / Hook Details	Status	Duration
1	Given sending the placing order payload with required properties	FAILED	0.003 s

	java.lang.NoClassDefFoundError: Could not initialize class io.restassured.RestAssured
	    at io.restassured.builder.RequestSpecBuilder.<init>(RequestSpecBuilder.java:78)
	    at stepdefinations.StepDefinationsEcommerce.sendingThePlacingOrderPayloadWithRequiredProperties(StepDefinationsEcommerce.java:122)
	    at ?.sending the placing order payload with required properties(file:///C:/Users/AC67129/Documents/BddCucumberProject/BddWithEform/src/test/resources/features/EndToEndEcommerce.feature:24)
	* Not displayable characters are replaced by '?'.		

2	When user calls the resource "PLACE_ORDER_API" with "POST" method	SKIPPED	0.000 s
3	Then the API call will pass successfully with status code 201	SKIPPED	0.000 s
4	And The "message" will be rendered as "Order Placed Successfully"	SKIPPED	0.000 s
5	And the orderNumber is fetched	SKIPPED	0.000 s

Fetching the order details

FAILED	*DURATION - 0.004 s*
/ 1:05:20.891 PM // 1:05:20.895 PM /	
Validating Ecommerce_API's	
@FetchingOrderDetails	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	Given Fetching the order details by sending orderNumber as query parameter	FAILED	0.002 s
	java.lang.NoClassDefFoundError: Could not initialize class io.restassured.RestAssured		

#	Step / Hook Details	Status	Duration
	at io.restassured.builder.RequestSpecBuilder.<init>(RequestSpecBuilder.java:78) at stepdefinations.StepDefinationsEcommerce. fetchingTheOrderDetailsBySendingOrderNumberAsQueryParameter(StepDefinationsEcommerce.java:145) at ?.Fetching the order details by sending orderNumber as query parameter(file:///C:/Users/AC67129/Documents/BddCucumberProject/ BddWithEform/src/test/resources/features/EndToEndEcommerce.feature:32) * Not displayable characters are replaced by '?'.		
2	When user calls the resource "GET_ORDER_API" with "GET" method	SKIPPED	0.000 s
3	Then the API call will pass successfully with status code 200	SKIPPED	0.000 s
4	And The message will be displayed as "Orders fetched for customer Successfully"	SKIPPED	0.001 s

Deleting the product

FAILED	DURATION - 0.003 s
/ 1:05:20.909 PM // 1:05:20.912 PM /	
Validating Ecommerce_API's	
@DeleteProduct	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	Given Fetching the productId that to be deleted	FAILED	0.002 s
	java.lang.NoClassDefFoundError: Could not initialize class io.restassured.RestAssured at io.restassured.builder.RequestSpecBuilder.<init>(RequestSpecBuilder.java:78) at stepdefinations.StepDefinationsEcommerce.fetchingTheProductIdThatToBeDeleted(StepDefinationsEcommerce.java:169) at ?.Fetching the productId that to be deleted(file:///C:/Users/AC67129/Documents/BddCucumberProject/BddWithEform/src/test/resources/ features/EndToEndEcommerce.feature:39) * Not displayable characters are replaced by '?'.		
2	When user calls the resource "DELETE_PRODUCT_API" with "DELETE" method	SKIPPED	0.000 s
3	Then the API call will pass successfully with status code 200	SKIPPED	0.000 s
4	And The "message" is "Product Deleted Successfully"	SKIPPED	0.000 s