


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
SearchKeyword	32.286 s	1	0	1	0	12	3	1	8

FEATURES SUMMARY -- 3 --



#	t Feature Maine	T	P	F	S	Duration
2	SearchKeyword Search	1	0	1	0	32.286 s


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	SearchKeyword	Successfully Item has been searched	12	3	1	8	32.256 s

DETAILED SECTION -- 5 --

SearchKeyword



Successfully Item has been searched



#	Step / Hook Details	Status	Duration
1	Given user is on home page	PASSED	15.774 s
2	When user enter the item in search engine from given sheetname "SearchProduct" and rownumber 0	PASSED	2.862 s
3	And Click on search button	PASSED	2.570 s
4	And user clicks on the sort by button	FAILED	1.070 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='sorting-sec animBounce']/div[@class='sort-drop clearfix']"} (Session info: chrome=105.0.5195.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_131' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [0afd2249c9c2edb3706028acb16e1ce0, findElement {using=xpath, value=//div[@class='sorting-sec animBounce']/div[@class='sort-drop clearfix']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883, userDataDir: C:\Users\as61837\AppData\Lo}, goog:chromeOptions: {debuggerAddress: localhost:57348}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57348/devtoo, se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0afd2249c9c2edb3706028acb16e1ce0 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:62)		

#	Step / Hook Details	Status	Duration
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:65) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy31.click(Unknown Source) at stepdefinations.MyStepdefs.userClicksOnTheSortByButton(MyStepdefs.java:81) at ?user clicks on the sort by button(file:///C:/Users/as61837/Documents/GitHub/BddcucumberFramework/src/test/resources/features/Searchkeyword.feature:7) * Not displayable characters are replaced by '?'.		
5	And user clicks on the popularity And user sets the price range	SKIPPED SKIPPED	0.001 s 0.000 s
7	And user sets the price range And user clicks on the first item	SKIPPED	0.000 s
1			
8	And user clicks on add to cart	SKIPPED	0.000 s
9	And user verifies item added to cart	SKIPPED	0.000 s
10	And user verifies item removed from cart	SKIPPED	0.000 s
11	Then user gets message	SKIPPED	0.000 s
12	And the message should be "Shopping Cart is empty!"	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Successfully_Item_has_been_searched	PASSED	0.463 s