

Cucumber Report

Oct 14, 2022, 10:46:08 AM

Start : Oct 14, 10:45:35.346 AM

End : Oct 14, 10:46:07.272 AM

Duration : 31.926 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 5

FAILED - 1


SKIPPED - 6



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>SearchKeyword</u>	31.926 s	1	0	1	0	12	5	1	6





#	Feature Name	T	P	F	S	Duration
1	<u>SearchKeyword</u>	1	0	1	0	31.926 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SearchKeyword</u>	<u>Successfully Item has been searched</u>	12	5	1	6	31.911 s

SearchKeyword

FAILED	DURATION - 31.926 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 5 Fail - 1 Skip - 6	
/ 10:45:35.346 AM // 10:46:07.272 AM /					

Successfully Item has been searched

FAILED		DURATION - 31.911 s			Steps	
/ 10:45:35.361 AM // 10:46:07.272 AM /					Total - 12	
SearchKeyword					Pass - 5	
					Fail - 1	
					Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given user is on home page	PASSED	13.774 s
2	When user enter the item in search engine from given sheetname "SearchProduct" and rownumber 0	PASSED	2.396 s
3	And Click on search button	PASSED	0.001 s
4	And user clicks on the sort by button	PASSED	0.000 s
5	And user clicks on the popularity	PASSED	0.000 s
6	And user sets the price range	FAILED	3.073 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"input[value='179']"} (Session info: chrome=105.0.5195.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d2864923a8c1277a2e477839f5d996ce, findElement {using=css selector, value=input[value='179']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\AC67129\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:51894}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51894/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d2864923a8c1277a2e477839f5d996ce at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy27.sendKeys(Unknown Source) at pages.SelectPriceRange.clickFirstPriceRange(SelectPriceRange.java:30) at stepdefinitions.MyStepdefs.userSetsTheSecondPriceRange(MyStepdefs.java:89) at ?.user sets the price range(file:///C:/Users/AC67129/Desktop/practices/BddCucumber/src/test/resources/features/SearchKeyword. feature:9) * Not displayable characters are replaced by '?'. </pre>		
7	And user clicks on the first item	SKIPPED	0.003 s
8	And user clicks on add to cart	SKIPPED	0.000 s
9	And user verifies item added to cart	SKIPPED	0.001 s
10	And user verifies item removed from cart	SKIPPED	0.001 s
11	Then user gets message	SKIPPED	0.001 s
12	And the message should be "Shopping Cart is empty!"	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.282 s
	Successfully_item_has_been_searched		
	