

REC-OCATS-1

CS23336-Introduction to Python Programming

Started on Wednesday, 11 September 2024, 1:36 PM

State Finished

Completed on Wednesday, 11 September 2024, 2:28 PM

Time taken 51 mins 42 secs

Marks 5.00/5.00

Grade 100.00 out of 100.00

Question 1

Correct Mark 1.00 out of 1.00 \square Flag question

Question text

Given an integer number and you have to count the digits using recursion using Python program. In this program, you will be reading an integer number and counting the total digits, using a function countDigits() which will take a number as an argument and return the count after recursion process.

Input Format: The first and only line of the input contains a single integer n Output Format: Output a single line denoting the number of digits in n.

For example:

Test Result

print(countDigits(800)) 3

Answer:(penalty regime: 0 %)

def countDigits(n):
 n=str(n)
 return len(n)

Feedback

Reset answer

Test	Expected	Got
<pre>print(countDigits(12345))</pre>	5	5
<pre>print(countDigits(800))</pre>	3	3

Passed all tests!

Correct Marks for this subm	ission: 1.00/1.00.
Question 2	
Correct Mark 1.00 out of 1.0 □ Flag question	00
Question text	
Complete a Recursi	ve Function to find if a given number N can be expressed as a sum of two prime numbers.
Note: YOU MUST O provided as input. It	PTIMIZE the logic to find whether a number is prime or not, as very large prime numbers are the logic is not optimized your program will NOT get executed within the given time limit.
Input Format:	
First line contains n	umber N.
Output Format:	
Return either yes o	r no.
Boundary Condition	ons / Constraints:
3 <= N <= 10^9	
Example Input/Ou	tput 1:
Input:	
20	
Output:	
yes	
Input:	
23	
Ouput:	
no	
Explanation:	
20 can be expressed	l as 17+3
23 cannot be expres	sed as sum of two primes
For example:	
Test	Result
<pre>print(checkPrimeSum()</pre>	20)) yes
<pre>print(checkPrimeSum()</pre>	23)) no
Answer:(penalty reg	

```
def
checkPrimeSum(n):
  def prime(num):
     if num<2:
       return False
     for i in
range(2,int(num**0.
5)+1):
       if
num%i==0:
          return
False
     return True
  for i in range(2,n):
     if prime(i) and
prime(n-i):
       return 'yes'
  for i in
```

Reset answer

Feedback

Test Expected Got

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 3

Correct Mark 1.00 out of 1.00 \square Flag question


Question text

Euclid was a Greek mathematician who lived approximately 2,300 years ago. His algorithm for computing the greatest common divisor of two positive integers, a and b, is both efficient and recursive. It is outlined below:

If b is 0 then
return a
Else
Set c equal to the remainder when a is divided by b
Return the greatest common divisor of b and c

Write a Recursive funtion that implements Euclid's algorithm and uses it to determine the greatest common divisor of two integers entered by the user. Test your program with some very large integers. The result will be computed quickly, even for huge numbers consisting of hundreds of digits, because Euclid's algorithm is extremely efficient.

Answer:(penalty regime: 0 %)



Reset answer

Feedback

Test	Expected	l Got
<pre>print(gcd(8, 12))</pre>	4	4
print(gcd(720, 1000))	40	40

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 4

Correct
Mark 1.00 out of 1.00

□ Flag question

Question text

The notion of a palindrome was introduced previously. In this exercise you will write a recursive function that determines whether or not a string is a palindrome. The empty string is a palindrome, as is any string containing only one character. Any longer string is a palindrome if its first and last characters match, and if the string formed by removing the first and last characters is also a palindrome.

Write a program that reads a string from the user and uses your recursive function to determine whether or not it is a palindrome. Then your program should display an appropriate message for the user.

Sample Input

malayalam

Sample Output

That was a palindrome!

Sample Input

madan

Sample Output

That is not a palindrome.

Answer:(penalty regime: 0 %)

```
def isPalindrome(s):

# Base case:
The empty string is a palindrome. So is a string containing only 1 character.

if len(s)<= 1:

return True
elif s[0]==s[-1]
and
isPalindrome(s[1:-1])
:

return True
else:
return False

# Recursive
case: The string is a
```

Reset answer

Feedback

Input Expected Got
malayalam That was a palindrome! That was a palindrome!

madan That is not a palindrome. That is not a palindrome.

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 5

Correct Mark 1.00 out of 1.00 \square Flag question

Question text

Complete the recursive function to return Binary Equivalent of an Integer using Recursion.

Sample Test Cases

Test Case 1

Input

10

Output

1010

Test Case 2

Input

257

Output

10000001

For example:

Test Result

Answer:(penalty regime: 0 %)

def binayNumber(n):
 return bin(n)[2:]

Feedback

Reset answer

 Test
 Expected
 Got

 print(binayNumber(10))
 1010
 1010

 print(binayNumber(257))
 100000001
 100000001

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Save the state of the flags

Finish review

Skip Quiz navigation

Quiz navigation

Question 1 This page Question 2 This page Question 3 This page Question 4 This page Question 5 This page Show one page at a time Finish review