1. C
2. C
3. D
4. D
5. A
6. B
7. B
8. D
9. D
10. B
11. B
12. C
13. B
14. C
15. B
16. B
17. B

27. To find the outlier in the Data we could perform a standard deviation by using the mean as a middle point to determine which data is furthest, the ~~fad~~ furthest are the outliers.

28. Data pre-processing is a stage in the data science life-cycle. During this stage is where we prepare the dataset in order to feed it to the model for ~~th~~ training and Testing. In this Stage, we perform:

- handling miss value
- Outlier Detection
- feature Selection
- feature Engineering

~~29.~~

29. Data normalization is required in K-NN, because we need to divide the dataset into class or group that has similar property. This will allow the k-NN model to precisely train with ~~table~~ labeled data and make better prediction.

31. k in K-means algorithms refers to the number of clusters that we will use to divide the dataset into when fiting the model.

32. A few hyperparameters of ML Algorithms:
- n-estimators
- mean
- media
- neighbors
- k - number of clusters
- Train-Test set ratio

34. Comment on the performance of the Classifiers
- Classifier 1 : this is a good classifier, whereas there are no mis-classification ~~and it remains a~~, able to ~~sep~~ Separate the data properly and has a decent gap between the linear boundaries.

34. - Classifier 2: this is ~~a~~ not a good classifier. There seems to be 2 different types of data within the linear boundaries gap. ~~But it~~ Despite having a decent gap lenght, it stills mis-classify data properly.

- Classifier 3: this is an ok classifier. Even though there are no ~~mis~~ mis-classification with the data, this classifier has a rather small gap between the linear boundaries.

23. Regression Analysis is the monitoring of the relationship between variables with continous value.

24. 2 challenges of Machine Learning:
- Data: This is a major problem, even with the best ML Algorithms with bad data the output would also be bad.