

 MET.32721995		Task Card Title: EMERGENCY EQUIPMENTS EXPIRY CHECK				
Task Card NO: 05-SVA-01		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP		
A/C Type: 321		Block Taskcard		Main Skill: PROD,ACFT_TECH,PLANNER,A P		
Project No: 01BASPC72608		Related Task Card:		A/C Area: 0		
Internal Check:		Check Type:		Work Order NO: 31909295		
Tally Sequence NO: 2						
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐						
Type Code:		Special Code: CAB		MSG Code: 4		
Request:		Phase:				
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.						
Zones:						
DOCUMENT REFERENCES:						
Doc Typ		Reference				
ACCESS PANELS:						
MATERIAL REQUIREMENTS:						
Part Number		Description			Qty.	
No parts assigned to this Task Item						
TOOLING REQUIREMENTS:						
Part Number		Description			Qty.	
No tools assigned to this Task Item						
EMERGENCY EQUIPMENTS MAPPING						
Job Description						
A- GET ACCESS TO EMERGENCY EQUIPMENTS AS PER AMM & EMERGENCY CHART. B- FILL THE ATTACHED EMERGENCY EQUIPMENTS LIST.						
NOTE #1 P/N, S/N, AND EXPIRY DATE INFORMATION SHOULD BE TAKEN FROM THE OVH CERTIFICATE (YELLOW TAG)						



MET.32721995

Task Card Title:

EMERGENCY EQUIPMENTS EXPIRY CHECK

Task Card NO:

05-SVA-01

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**NOTE #2**

USE THE ADDITIONAL ROWS IN CASE:

- THERE ARE ADDITIONAL EMERGENCY EQUIPMENTS WITH OVH CERTIFICATE AND NOT LISTED
- THERE IS ANY DISCREPANCY IN THE PROVIDED P/N.

CAUTION

IF ITEM ALREADY EXPIRED, RAISE NRC FOR REPLACEMENT.

IF NOT YET EXPIRED, NO WO/NRC SHOULD BE RAISED AS THIS WILL BE HANDLED BY SV CONFIGURATION CONTROL.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.			HRS				

SCAN THE DFP**Job Description**

C- A SCANNED COPY OF THE DFP ALONG WITH THE FILLED MAPPING FORM TO BE SENT TO SV CONFIGURATION CONTROL THROUGH:

1- RAISE TECHNICAL QUERY TO "SV_CONF_MNGT"

OR

2- SEND EMAIL TO "SVCONFIGURATION@SAUDIAIRLINES.ONMICROSOFT.COM"

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PLANNER		HRS				
Insp.			HRS				



Task Card Title:

EMERGENCY EQUIPMENTS EXPIRY CHECK

Task Card NO:

05-SVA-01

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.29291084		Task Card Title: INTERIOR PLACARDS CHECK					
Task Card NO: 11-11-00-01-0-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: A-PAINT,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 3	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: CHK		Special Code: CAB		MSG Code: 7, 4		Request: 	
Phase: PRE INSP							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 200							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
CAP		S05-C10003 APPROVED.pdf					
DO		sb:53-20-15					
DO		IPC 11-31/11-32/11-42/11-52					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description					Qty.
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description					Qty.
No tools assigned to this Task Item							
AIRCRAFT INTERIOR PLACARDS CHECK							
Job Description							
A. CHECK CABIN INTERIOR PLACARDS FOR FOLLOWING: NOTE: FOR REFERENCE SEE (IPC: 11-31, 11-32, 11-42, 11-52). (1) PRESENCE, READABILITY AND ADHESION. (2) TEARS, DIRT, STAIN AND WRITINGS THAT ARE NOT PART OF THE PLACARDS.							
STEP COMPLETION SIGN OFF:							
		Qualification / Skill	Number of employees	Duration		Number./Signature	Date
							Day Month Year
Mechanic/s		A-PAINT/ACFT_TECH H		HRS			
Insp.				HRS			



MET.29291084

Task Card Title:

INTERIOR PLACARDS CHECK

Task Card NO:

11-11-00-01-0-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722023		Task Card Title: RECIRCULATION FILTER REPLACEMENT					
Task Card NO: 212141-01-1		Work Package: ASP/H-26 C7-CHK			A/C Registration: HZ-ASP		
A/C Type: 321		Block Taskcard		Main Skill: AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 09			
Internal Check:		Check Type:		Work Order NO: 31909295			
				Tally Sequence NO: 4			
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: DIS		Special Code: AF		MSG Code: MRB, 9		Request:	
						Phase: TC/P	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 130							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		21-21-41-920-002-A					
AMM		212141-920-002					
ACCESS PANELS:							
131PW, 132PW, 825							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
424B200-6		CARTRIDGE FILTER,ALTERN QA06423-01				2.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
Job Description							
A. RECIRCULATION FILTERS REPLACEMENT: REMOVE AND REPLACE L/H AND R/H RECIRCULATION FILTER ELEMENT PER AMM TASK 21-21-41-920-002-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day	Month
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				



MET.32722023

Task Card Title:

RECIRCULATION FILTER REPLACEMENT

Task Card NO:

212141-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722040		Task Card Title: LAVATORY AIR EXTRACTION FLTR R/R					
Task Card NO: 212300-02-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 5	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: DIS		Special Code: CAB		MSG Code: LUR, 7, MRB		Request: 	
						Phase: TC/P,TC/P	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 200							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		21-23-00-600-001-A					
AMM		212300-600-001					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
A225400454-204		FLEECE-AIRFILTER				4.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTIONS							
Job Description							
A. REPLACE L/H FWD LAVATORY AIR EXTRACTION FILTER AS PER AMM TASK 21-23-00-600-001-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			
TASK INSTRUCTIONS							
Job Description							
B. REPLACE L/H & R/H AFT LAVATORY AIR EXTRACTION FILTER AS PER AMM TASK 21-23-00-600-001-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day	Month



Task Card Title:

LAVATORY AIR EXTRACTION FLTR R/R



Task Card NO:

212300-02-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

_____, _____, _____, _____, _____, _____, _____, _____, _____, _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

_____, _____, _____, _____, _____, _____, _____, _____, _____, _____

(1) If Task card interrupted or performed by different personals updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

Task Completion Close Up And
System Update

Station

Date

Signature

 MET.32722051	Task Card Title: VERRIDE FUNCTION (BLOWER AND EXTRACT) OPC						
Task Card NO: 212600-02-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321	Block Taskcard		Main Skill: AV,ACFT_TECH	PROD Final Acceptance:			
Project No: 01BASPC72608	Related Task Card:	A/C Area: 06					
Internal Check:	Check Type:	Work Order NO: 31909295	Tally Sequence NO: 6				
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: OPC	Special Code:	MSG Code: MRB, 8	Request:	Phase: OPS/LK			
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		21-26-00-710-002-A					
AMM		212600-710-002					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description		Qty.			
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description		Qty.			
No tools assigned to this Task Item							
TASK INSTRUCTIONS							
Job Description							
A. PERFORM OPERATIONAL TEST OF THE OVERRIDE FUNCTION AS PER AMM TASK 21-26-00-710-002-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AV/ACFT_TECH		HRS				
Insp.			HRS				
-Aircraft Maintenance Manual used: Revision No. _____ Dated._____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to creat the finding Work Order on task card level. Remark's: _____ _____							



Task Card Title:

VERRIDE FUNCTION (BLOWER AND EXTRACT) OPC

Task Card NO:

212600-02-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722021		Task Card Title: DEMISTER FLTER&FILTER CARTRIDGE R&R					
Task Card NO: 212600-11-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 09			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 7	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: DIS		Special Code: AF		MSG Code: LUR, 6, MRB		Request: Phase: JOB SETUP,TC/P,TC/P,J OB-CLOSEUP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 127							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		21-26-43-600-016-A					
CAP		S21-C10006					
ACCESS PANELS:							
824							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
4200A200-6		CARTRIDGE FILTER				1.0	
425A200-5		DEMISTER FILTER OEM PART				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
PREPARATION							
Job Description							
A. PREPARE FOR DEMISTER FILTER AND FILTER CARTRIDGE REPLACEMENT AS PER AMM TASK 21-26-43-600-016 AND AMM TASK 21-26-43-600-017-A.							
STEP COMPLETION SIGN OFF:							
Qualification / Skill		Number of employees		Duration		Number./Signature	
Date							
Day Month Year							
Mechanic/s		AF/ACFT_TECH		HRS			
Insp.				HRS			
FILTER REMOVAL							
Job Description							
B. REMOVE AND DISCARD THE DEMISTER FILTER AND FILTER CARTRIDGE AS PER AMM TASK 21-26-43-600-016 AND AMM TASK 21-26-43-600-017-A.							
STEP COMPLETION SIGN OFF:							



Task Card Title:

DEMISTER FLTER&FILTER CARTRIDGE R&R

Task Card NO:

212600-11-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

FILTER INSTALLATION**Job Description**

C. INSTALL A NEW DEMISTER FILTER AND FILTER CARTRIDGE AS PER AMM TASK 21-26-43-600-016 AND AMM TASK 21-26-43-600-017-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

D. RETURN THE AIRCRAFT TO ITS NORMAL CONFIGURATION AS PER AMM TASK 21-26-43-600-016 AND AMM TASK 21-26-43-600-017-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____



Task Card Title:

DEMISTER FLTER&FILTER CARTRIDGE R&R

Task Card NO:

212600-11-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722034		Task Card Title: CVR DATA DOWNLOADING ON WING							
Task Card NO: 23-71-00-00-A		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP					
A/C Type: 321		Block Taskcard		Main Skill: CAB,AV,ACFT_TECH		PROD Final Acceptance:			
Project No: 01BASPC72608		Related Task Card:		A/C Area: 00					
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 8			
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐									
Type Code: SPL		Special Code:		MSG Code: 4, GACA*		Request:			
Phase:									
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.									
Zones: 312									
DOCUMENT REFERENCES:									
Doc Typ		Reference							
AMM		23-71-00-600-802-A01							
CAP		CAP # S23-C10003							
GACA		91.452							
ACCESS PANELS:									
312AR									
MATERIAL REQUIREMENTS:									
Part Number		Description				Qty.			
NO parts assigned to this task									
TOOLING REQUIREMENTS:									
Part Number		Description				Qty.			
69001074-070		EHHDLU HANDHELD KIT				1.0			
JOB SET-UP									
Job Description									
A. PERFORM JOB SET-UP FOR DOWNLOAD OF COCKPIT VOICE RECORDER (CVR) DATA DOWNLOAD ON WING AS PER THE PPLICABLE AMM TASK 23-71-00-600-802-A01.									
STEP COMPLETION SIGN OFF:									
		Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
							Day	Month	Year
Mechanic/s		CAB/ACFT_TECH		HRS					
Insp.				HRS					
TASK INSTRUCTION:									
Job Description									
B. AFTER CVR DATA DOWNLOAD COMPLETED, CHECK THE DATA FILE SIZE AFTER DOWNLOAD IS APPROXIMATELY ABOVE 220MB.									



Task Card Title:

CVR DATA DOWNLOADING ON WING



Task Card NO:

23-71-00-00-A

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AV/ACFT_TECH		HRS				
Insp.			HRS				

TASK INSTRUCTION:

Job Description

C. RENAME THE DOWNLOADED FILE NAME BY THE AIRCRAFT REGISTRATION "HZ-AXXX".

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AV/ACFT_TECH		HRS				
Insp.			HRS				

TASK INSTRUCTION:

Job Description

D. UPLOAD THE DOWNLOADED FILE TO THE FOLLOWING LINK:

HTTPS://SAUDIAMROCOM.SHAREPOINT.COM/SITES/SV/CVR/FORMS/ALLITEMS.ASPX?E=2%3ADDAGBQ&AT=9
TO SV. AVIONICS ENGINEERING FOR VARIFICATION/INSPECTION.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AV/ACFT_TECH		HRS				
Insp.			HRS				

CLOSE UP:

Job Description

E. PERFORM AIRCRAFT CLOSE-UP PER AMM TASK 23-71-00-600-802-A01

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

CVR DATA DOWNLOADING ON WING

Task Card NO:

23-71-00-00-A

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.25495527		Task Card Title: COCKPIT VOICE RECORDER OPC					
Task Card NO: 237100-01-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: AV,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 06			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 9	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: OPC		Special Code: AVN		MSG Code: GACA*, MRB, 9		Request: 	
Phase: PRE HGR							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		23-71-00-710-001-A					
AMM		237100-710-001					
GACA		GACAR Part 91.452					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTIONS							
Job Description							
A. PERFORM AN OPERATIONAL TEST OF THE CVR AND CVR CHANNEL RECORDING WITH HOT MIKE FUNCTION AS PER AMM TASK 23-71-00-710-001-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	AV/ACFT_TECH			HRS			
Insp.				HRS			



Task Card Title:

COCKPIT VOICE RECORDER OPC

Task Card NO:

237100-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

Copyright of Saudia Technic - Regeneration is not allowed without prior approval by Saudia Technic.



MET.32722027

Task Card Title:

GAPCU OPERATIONAL TEST

Task Card NO:

242000-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.25495632		Task Card Title: NO.1 ENG (QAD)ADAPTER TENSION BOLT					
Task Card NO: 242100-01-1-001		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: PP,II,INSP,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 01			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 11	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: FNC		Special Code: PP		MSG Code: LUR, 9, MRB		Request: 	
Phase: JOB SETUP,TC/P,TC/P,J OB-CLOSEUP							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 438							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		24-21-00-210-043-A					
AMM		242100-210-043					
ACCESS PANELS:							
438AR							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
MIL-PRF-16173		COMPOUND - CORROSION PREVENTIVE,				1.0	
MIL-PRF-23699F		TURBINE ENG OIL MRP#P001-A (USE FOR				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
Job Description							
A. PREPARATION: (1) PREPARE FOR TENSION-BOLT TORQUE CHECK PER AMM TASK 24-21-00-210-043-A .							
STEP COMPLETION SIGN OFF:							
Qualification / Skill		Number of employees		Duration		Number./Signature	
Date							
Day Month Year							
Mechanic/s		PP/ACFT_TECH		HRS			
Insp.				HRS			



Task Card Title:

NO.1 ENG (QAD)ADAPTER TENSION BOLT

Task Card NO:

242100-01-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**Job Description**

B. INSTRUCTION:

(1) LUBRICATE THE QAD ADAPTER AND THE TENSION BOLT PER AMM TASK 24-21-00-210-043-A .

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	PP/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

B. CONTINUED:

(2) PERFORM TENSION BOLT TORQUE VALUE CHECK PER AMM TASK 24-21-00-210-043-A .

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	PP/ACFT_TECH			HRS				
Insp.	II/INSP			HRS				

Job Description

B. CONTINUED:

(3) RETURN AIRCRAFT BACK TO NORMAL CONFIGURATION PER AMM TASK 24-21-00-210-043-A .

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	PP/ACFT_TECH			HRS				
Insp.				HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below
Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



MET.25495632

Task Card Title:

NO.1 ENG (QAD)ADAPTER TENSION BOLT

Task Card NO:

242100-01-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.25470465		Task Card Title: NO.2 ENG (QAD)ADAPTER TENSION BOLT							
Task Card NO: 242100-01-1-002		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP					
A/C Type: 321		Block Taskcard		Main Skill: PP,INSP,II,ACFT_TECH		PROD Final Acceptance:			
Project No: 01BASPC72608		Related Task Card:		A/C Area: 02					
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 12			
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐									
Type Code: FNC		Special Code: PP		MSG Code: 9, MRB, LUR		Request: Phase: JOB SETUP,TC/P,TC/P,J OB-CLOSEUP			
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.									
Zones: 448									
DOCUMENT REFERENCES:									
Doc Typ		Reference							
AMM		24-21-00-210-043-A							
AMM		242100-210-043							
ACCESS PANELS:									
448AR									
MATERIAL REQUIREMENTS:									
Part Number		Description				Qty.			
MIL-PRF-23699F		TURBINE ENG OIL MRP#P001-A (USE FOR				1.0			
MIL-PRF-16173		COMPOUND - CORROSION PREVENTIVE,				1.0			
TOOLING REQUIREMENTS:									
Part Number		Description				Qty.			
No tools assigned to this Task Item									
Job Description									
A. PREPARATION: (1) PREPARE FOR TENSION-BOLT TORQUE CHECK PER AMM TASK 24-21-00-210-043-A .									
STEP COMPLETION SIGN OFF:									
Qualification / Skill		Number of employees		Duration		Number./Signature		Date	
Mechanic/s		PP/ACFT_TECH		HRS				Day Month Year	



Task Card Title:

NO.2 ENG (QAD)ADAPTER TENSION BOLT



Task Card NO:

242100-01-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

Insp.

HRS

Job Description

B. INSTRUCTION:

(1) LUBRICATE THE QAD ADAPTER AND THE TENSION BOLT PER AMM TASK 24-21-00-210-043-A .

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

B. CONTINUED:

(2) PERFORM TENSION BOLT TORQUE VALUE CHECK PER AMM TASK 24-21-00-210-043-A .

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.	INSP/II		HRS				

Job Description

B. CONTINUED:

(3) RETURN AIRCRAFT BACK TO NORMAL CONFIGURATION PER AMM TASK 24-21-00-210-043-A .

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

NO.2 ENG (QAD)ADAPTER TENSION BOLT

Task Card NO:

242100-01-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722014		Task Card Title: STATIC INVERTER OPERATIONAL CHECK					
Task Card NO: 242800-01-2		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: II,INSP,AV,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 09			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 13	
ENCLOSURE: ☐ CMR: ☒ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: OPC		Special Code: AV		MSG Code: 8, MRB, CMR **, LUR		Request: 	
						Phase: OPS/LK	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		24-28-00-710-001-A					
AMM		242800-710-001					
AMTOSS		242800-710-001					
DO		CMR**:242000-00001-2-C					
MSI		24.20.00/17					
MSI		24.30.00/10					
MSI		24.50.00/08					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTIONS							
Job Description							
A. PERFORM AN OPERATIONAL CHECK OF THE STATIC INVERTER AS PER AMM TASK 24-28-00-710-001-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	AV/ACFT_TECH			HRS			
Insp.	II/INSP			HRS			



MET.32722014

Task Card Title:

STATIC INVERTER OPERATIONAL CHECK

Task Card NO:

242800-01-2

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722037	Task Card Title: BATT CHARGE LIMITER OPS CHECK						
Task Card NO: 243800-01-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321	Block Taskcard		Main Skill: AV,ACFT_TECH	PROD Final Acceptance:			
Project No: 01BASPC72608	Related Task Card:	A/C Area: 06					
Internal Check:	Check Type:	Work Order NO: 31909295	Tally Sequence NO: 14				
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: OPC	Special Code: AV	MSG Code: LUR, 9, MRB	Request:	Phase: OPS/LK			
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		24-38-00-710-001-A					
AMM		243800-710-001					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description		Qty.			
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description		Qty.			
No tools assigned to this Task Item							
TASK INSTRUCTIONS							
Job Description							
A. PERFORM OPERATIONAL CHECK OF BATTERY CHARGE LIMITER NO 1 AND NO 2 VIA CFDS AS PER AMM TASK 24-38-00-710-001-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AV/ACFT_TECH		HRS				
Insp.			HRS				
-Aircraft Maintenance Manual used: Revision No. _____ Dated._____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to create the finding Work Order on task card level. Remark's: _____ _____							



MET.32722037

Task Card Title:

BATT CHARGE LIMITER OPS CHECK

Task Card NO:

243800-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.31510236		Task Card Title: COCKPIT CHECK			
Task Card NO: 25-10-00-00-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP	
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH	
Project No: 01BASPC72608		Related Task Card:		A/C Area:	
Internal Check:		Check Type:		Work Order NO: 31909295	
Tally Sequence NO: 15					
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐					
Type Code: CHK		Special Code:		MSG Code: 4	
Request:		Phase:			
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.					
Zones:					
DOCUMENT REFERENCES:					
Doc Typ		Reference			
ACCESS PANELS:					
MATERIAL REQUIREMENTS:					
Part Number		Description			Qty.
No parts assigned to this Task Item					
TOOLING REQUIREMENTS:					
Part Number		Description			Qty.
No tools assigned to this Task Item					
COCKPIT DEEP INSPECTION (A-CHECK):					
Job Description					
CAPTAIN SEAT: -COVERS, CUSHIONS, AND PARTS 1- PERFORM DET VISUAL CHECK (USING HAND-HELD FLASHLIGHT) THE DRESS COVER FOR ITS CONDITION, CLEANLINESS, AND PROPER FIT (NO SAGGING): A.STAINS OR DISCOLORATION ARE UNACCEPTABLE. B.PEN / INK MARKS MUST BE CLEANED. C.VERIFY PROPER ATTACHMENT OF VELCROS. D.COLOR FADING IS NOT ACCEPTABLE. E.WRINKLES PERMITTED; CRACKS AND CUTS ARE UNACCEPTABLE. F.STITCHING MUST BE INTACT AND CONTINUOUS. G.BAD SMELL NOT ACCEPTABLE.					
STEP COMPLETION SIGN OFF:					



MET.31510236

Task Card Title:

COCKPIT CHECK

Task Card NO:

25-10-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

FIRST OFFICER SEAT:

-COVERS, CUSHIONS, AND PARTS

1- PERFORM DET VISUAL CHECK (USING HAND-HELD FLASHLIGHT) THE DRESS COVER FOR ITS CONDITION, CLEANLINESS, AND PROPER FIT (NO SAGGING):

H.STAINS OR DISCOLORATION ARE UNACCEPTABLE.

I.PEN / INK MARKS MUST BE CLEANED.

J.VERIFY PROPER ATTACHMENT OF VELCROS.

K.COLOR FADING IS NOT ACCEPTABLE.

L.WRINKLES PERMITTED; CRACKS AND CUTS ARE UNACCEPTABLE.

M.STITCHING MUST BE INTACT AND CONTINUOUS.

N.BAD SMELL NOT ACCEPTABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

SECOND AND THERED OBSERVER SEAT:

-COVERS, CUSHIONS, AND PARTS

1- PERFORM DET VISUAL CHECK OF (USING HAND-HELD FLASHLIGHT) THE DRESS COVER FOR ITS CONDITION, CLEANLINESS, AND PROPER FIT (NO SAGGING):

O.STAINS OR DISCOLORATION ARE UNACCEPTABLE.

P.PEN / INK MARKS MUST BE CLEANED.

Q.VERIFY PROPER ATTACHMENT OF VELCROS.

R.COLOR FADING IS NOT ACCEPTABLE.

S.WRINKLES PERMITTED; CRACKS AND CUTS ARE UNACCEPTABLE.

T.STITCHING MUST BE INTACT AND CONTINUOUS.

U.BAD SMELL NOT ACCEPTABLE.



MET.31510236

Task Card Title:

COCKPIT CHECK

Task Card NO:

25-10-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

LIFE VEST COMPARTMENT:

1- PERFORM GENERAL VISUAL CHECK OF LIFE VEST COMPARTMENT FOR CLEANLINESS, CONDITION AND SECURITY.

- A.PULL STRAP PROPERLY INSTALLED.
- B.PARTS MUST BE ALIGNED WITH NO GAPS.
- C.VELCROS PROPERLY INSTALLED.
- D.LOOSE OR DAMAGED DOOR HINGES ARE NOT ACCEPTABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

AFT SHROUD

1- PERFORM DET VISUAL CHECK OF AFT SHROUD FOR CLEANLINESS AND CONDITION (USING HAND-HELD FLASHLIGHT).

- A.ANY CRACKS, DENTS, OR OTHER DAMAGE ARE NOT ACCEPTABLE.
- B.SURFACE SCRATCHES ARE ACCEPTABLE, BUT DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL ARE NOT ACCEPTABLE.
- C.SURFACES SHOULD BE CLEAN AND FREE OF ANY STAINS OR MARKS.
- D.MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
- E.SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
- F.WORN OR CHIPPED PAINT AND FINISH ARE NOT ACCEPTABLE.
- G.PARTS SHOULD BE ALIGNED PROPERLY AND THERE SHOULD BE NO GAPS.
- H.MISSING OR LOOSE FASTENERS ARE NOT ACCEPTABLE.
- I.ALL VELCROS SHOULD BE PROPERLY INSTALLED.
- J.SEALS SHOULD BE CLEAN, INSTALLED PROPERLY, AND FREE FROM MISALIGNMENT, CUTS, OR DAMAGES.
- K.PLACARDS SHOULD BE CLEAN AND IN GOOD CONDITION, WITH NO MISALIGNMENT, CUTS, OR DAMAGES.
- L. ORIENTATION OF PARTS, LAMINATES, DÉCOR, DECALS, AND PLACARDS SHOULD BE CORRECT.



Task Card Title:

COCKPIT CHECK

Task Card NO:

25-10-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

SEAT ARM ASSEMBLY

1- DEPLOY AND STOW ARM-RESTS:

A.SMOOTH MOTION ACCEPTABLE. NOISY OR STIFF MOVEMENT NOT ACCEPTABLE.

NOTE : YOU MUST PUSH THE OUTER HANDLES MANY TIME.

B.CHECK THE CONDITION OF DEPLOY & STOW SWITCH/MECHANISM FOR DAMAGE OR LOOSE INSTALLATION.

C.SHOULD BE EASILY DEPLOYABLE AND STOWED WITHOUT THE NEED OF EXCESSIVE FORCE.

2- PERFORM DET VISUAL CHECK OF SEAT ARM ASSEMBLY FOR CLEANLINESS AND CONDITION (USING HAND-HELD FLASH LIGHT):

A.CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.

B.SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.

C.SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.

(D) MAKE SURE THAT THE SPRINGS ARE IN GOOD CONDITION (NO CORROSION, REGULAR EXTENSION OF THE SPIRAL).

E. MAKE SURE THAT THE FITTINGS AND THE LINKS ARE IN GOOD CONDITION (NO CRACKS).

F. MAKE SURE THAT THE ROLLERS ARE NOT WORN.

G. MAKE SURE THAT THE LINKS ARE IN CORRECT CONDITION.

H.MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.

I.SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.

J.WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.

K.MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.

L.SEALS ARE CLEAN AND INSTALLED PROPERLY. MISALIGNMENT, CUTS, OR DAMAGES ARE NOT ACCEPTABLE.

M.ARM CAPS STAINS, DAMAGE OR DISCOLORATION ARE UNACCEPTABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description



Task Card Title:

COCKPIT CHECK

Task Card NO:

25-10-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**SEAT ACTUATION****1.FUNCTION TEST THE SEAT ACTUATION SYSTEM (PERSON TO BE SEATED DURING THE TEST)**

- A.NOISY OR JERKY MOVEMENTS NOT ACCEPTABLE.
- B.INTERFERENCE OF PARTS, SHROUDS, OR OTHER ITEMS IS NOT ACCEPTABLE.
- C.FULL SEAT ACTUATION.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description**MEAL TABLE****1.DEPLOY & STOW MEAL TABLE****A. TEST THE TABLE DEPLOYMENT:**

- (1) MAKE SURE THAT THE EQUIPMENT IS LOCKED IN STOWED POSITION.
- (2) CLOSE THE HANDLE TO UNLOCK THE ARM.
- (3) PULL ON THE HANDLE UNTIL THE ROLLERS OF THE ARM ASSEMBLY ARE IN CONTACT WITH THE BODY ASSEMBLY.
- (4) PULL ON THE HANDLE UNTIL THE TABLE DEPLOYMENT.
- (5) CLOSE ON THE HANDLE TO UNLOCK THE ARM.
- (6) MAKE SURE THAT THE EQUIPMENT GOES FREELY IN TO THE STOWED POSITION.

B. TEST THE TABLE ORIENTATION:

- (1) IF NECESSARY, SET THE MODULE TO THE DEPLOYED POSITION.
- (2) DO THE UNLOCK FUNCTION:
 - (a) PUSH ON THE HANDLE TO UNLOCK THE TABLE FROM THE ARM.
 - (b) MAKE SURE THAT THE TABLE IS UNLOCKED.
- (3) TURN THE TABLE AND RELEASE THE HANDLE.
- (4) MAKE SURE THAT THE TABLE IS LOCKED.
- (5) MAKE SURE THAT THE ANGLE BETWEEN THE TABLE AND THE ARM IS 30 DEG.
- (6) DO THE STOWED FUNCTION.

NOTE : DO THIS TEST FOR THE 20 DEG. POSITION AND THE 30 DEG. POSITION OF THE TABLE.

- (a) CLOSE THE HANDLE TO UNLOCK THE ARM.
- (b) MAKE SURE THAT THE EQUIPMENT GO WITHOUT FORCE IN STOWED POSITION.

C.NOISY OR JERKY MOVEMENTS NOT ACCEPTABLE.**D.INTERFERENCE OF PARTS, SHROUDS, OR OTHER ITEMS IS NOT ACCEPTABLE.****E.CHECK FOR RIGIDITY OR ARM AND TILT MECHANISM. LOOSE INSTALLATION NOT ACCEPTABLE.****F.MISALIGNMENT OF MEAL TABLE IN STOW POSITION IS NOT ACCEPTABLE.****G.NOISY OR JERKY TABLE SLIDING MOVEMENT NOT ACCEPTABLE****2.PERFORM GENERAL VISUAL CHECK OF MEAL TABLE FOR CONDITION AND CLEANLINESS.**



Task Card Title:

COCKPIT CHECK

Task Card NO:

25-10-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
 B. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
 C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
 D. MISSING, BROKEN, DAMAGED, DIS-BONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
 E. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
 F. WORN OR CHIPPED OR PEELED PAINT AND FINISH NOT ACCEPTABLE.
 G. PEELING OF LAMINATES OR BUBBLES IN LAMINATES ARE NOT ACCEPTABLE.
 H. TABLE SLIDING RAIL DAMAGE, SHARP EDGES, BURRS OR MISSING END CAP ARE NOT ACCEPTABLE.
 I. MAKE SURE THAT THE JUNCTION PARTS BETWEEN THE TWO TABLE ARE NOT WORN.
 J. MAKE SURE THAT THE PARTS OF THE TWO CLIP ASSEMBLIES ARE IN THE CORRECT CONDITION.
 K. MAKE SURE THAT THE LOCATING DISKS ARE IN THE CORRECT CONDITION.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			

Job Description**SEAT BELT**

1. PERFORM GENERAL VISUAL CHECK OF SEAT BELT FOR CONDITION AND CLEANLINESS.

- A. STAINS OR DISCOLORATION ARE UNACCEPTABLE.
 B. WEBBING IS NOT FRAYED OR CUT.
 C. NO DENTS OR DAMAGE TO LATCH AND BUCKLE.
 D. STITCHING MUST BE INTACT AND CONTINUOUS.
 E. INSTALLATION ORIENTATION MUST BE CORRECT.

2. CHECK SEATBELT FASTEN AND UNFASTEN MECHANISM WORKS PROPERLY AND SEATBELTS INSTALLATION AT SEAT STRUCTURE IS SECURED AND NOT DAMAGED.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			



MET.31510236

Task Card Title:

COCKPIT CHECK

Task Card NO:

25-10-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**Job Description**

SEAT STRUCTURE:

1.REMOVE SEAT CUSHIONS AND PERFORM GENERAL VISUAL CHECK OF THE CONDITION FOR SERVICEABILITY OF SEATPAN, DIAPHRAGM, AND SURROUNDING STRUCTURE FOR DAMAGE, CRACKS, ETC.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

COCKPIT CARPET:

1.CARPET MUST BE PROPERLY INSTALLED WITH EDGES AND CORNERS NOT LIFTED. WORN OR DAMAGED CARPET AND STAINS ARE NOT ACCEPTABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

SUNSHAD ROLLERS:

1. PERFORM AN OPERATIONAL AND CONDITION CHECK OF ALL FLIGHT COMPARTMENT SUNSHADE ROLLERS.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

COCKPIT WALL, CEILING PANELS:

1.PERFORM DETAILED VISUAL CHECK OF THE FLIGHT COMPT INCLUDING CONTROL COLUMNS, CENTER CONSOLE, INSTRUMENT PANELS, CEILING AND SIDEWALL PANELS FOR GENERAL CONDITION AND STRUCTURAL DAMAGE. POLISH ALL EXPOSED BARE METAL AND PAINT OR TOUCH-UP AS REQUIRED.



Task Card Title:

COCKPIT CHECK



Task Card NO:

25-10-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

BOX ASSEMBLY INSPECTION

Job Description

1. PERFORM GENERAL VISUAL INSPECTION OF BOX ASSEMBLY AS FOLLOWS:

- (1) MAKE SURE THAT THE ROLLERS ARE NOT WORN.
- (2) MAKE SURE THAT THE ECCENTRICS ARE NOT WORN.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

FOOTREST INSPECTION

Job Description

1.PERFORM GENERAL VISUAL INSPECTION OF FLIGHT CREW FOOTREST AS FOLLOWS:

- (1) INSPECT FOOTREST AS PER AMM TASK 25-13-14-200-002-A, SUBTASK 25-13-14-210-051-A.
- (2) MAKE SURE THAT THE BUFFERS ARE IN CORRECT CONDITION.
- (3) MAKE SURE THAT THE ROTATION AXLES ARE NOT WORN.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____



MET.31510236

Task Card Title:

COCKPIT CHECK

Task Card NO:

25-10-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722032		Task Card Title: FOURTH OCCUPANT SEAT LUBRICATION					
Task Card NO: 25-11-00-07-0-SVA-001		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 06			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 16	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: LUB		Special Code: INSP		MSG Code: 4, 7		Request: Phase: TC/P	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		25-11-42					
CMM		25-11-25					
DO		CAP# S25-11008					
DO		IPC 25-11-42					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
WD40		SPRAY				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
Job Description							
A. PERFORM LUBRICATION OF FOURTH OCCUPANT SEAT: (1) SEAT BOTTOM ASSEMBLY ROLLERS FIXED ON BOTTOM EQUIPPED USING SILICON OIL AND REMOVE EXCESS OIL WITH CLOTH.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day Month Year	
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			



Task Card Title:

FOURTH OCCUPANT SEAT LUBRICATION

Task Card NO:

25-11-00-07-0-SVA-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722039		Task Card Title: THIRD OCCUPANT SEAT LUBRICATION					
Task Card NO: 25-11-00-19-0-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 06			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 17	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: LUB		Special Code: CAB		MSG Code: 4, 7		Request: 	
Phase: TC/P							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
CMM		CMM-25-11-96-R11.pdf					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
WD40		SPRAY				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTIONS							
Job Description							
A. PERFORM LUBRICATION OF THIRD OCCUPANT SEAT FOLLOWING PARTS: (1) SEAT BOTTOM ASSEMBLY ROLLERS FIXED ON BOTTOM EQUIPPED USING SILICON OILAND REMOVE EXCESS OIL WITH CLOTH. (2) HEADREST ASSEMBLY LOCK SYSTEM USING SILICON GREASE AND REMOVE EXCESS GREASE WITH CLOTH.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day	Month
Mechanic/s	CAB/ACFT_TECH		HRS				Year
Insp.			HRS				



MET.32722039

Task Card Title:

THIRD OCCUPANT SEAT LUBRICATION

Task Card NO:

25-11-00-19-0-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722042		Task Card Title: GENERAL CABIN DEEP INSP			
Task Card NO: 25-20-00-00-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP	
A/C Type: 321		Block Taskcard		Main Skill: INSP,II,CAB,ACFT_TECH,AP	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05	
Internal Check:		Check Type:		Work Order NO: 31909295	
Tally Sequence NO: 18					
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐					
Type Code: INSP		Special Code: CAB		MSG Code: 4	
Request:		Phase:			
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.					
Zones:					
DOCUMENT REFERENCES:					
Doc Typ		Reference			
AMM		25-25-00/11			
AMM		25-25-00/11			
AMM		21-21-00-710			
AMM		21-21-00-710-002-A			
CAP		S25-11008			
CAP		S25-11008			
CAP		S25-11008			
IPC		25-25-09/11			
IPC		25-25-09/11			
ACCESS PANELS:					
MATERIAL REQUIREMENTS:					
Part Number		Description			Qty.
A347111		NOVIRUCLEAN (1/30)			1.0
TOOLING REQUIREMENTS:					
Part Number		Description			Qty.
No tools assigned to this Task Item					
GENERAL CABIN (A-CHECK)					
Job Description					
GENERAL CABIN (A-CHECK)					
1. PERFORM GENERAL VISUAL CHECK THE EMERGENCY EQUIPMENT LAYOUT CHART FOR AVAILABILITY AND CONDITION.					



Task Card Title:

GENERAL CABIN DEEP INSP



Task Card NO:

25-20-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

2. OPERATE AND TEST ALL CEILING LIGHTS, AREA LIGHTS, ENTRY LIGHTS, EXIT IDENTIFIERS, ETC., FOR SERVICEABILITY AND ANY VARIATION IN COLOR OR INTENSITY.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

3. PERFORM GENERAL VISUAL CHECK OF ALL OVERHEAD BINS FOR CLEANLINESS AND CONDITION.

- A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
- B. SURFACE SCRATCHES ARE ACCEPTABLE, BUT DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL ARE UNACCEPTABLE.
- C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
- D. MISSING, BROKEN, DAMAGED, DISBANDED, OR LOOSE PARTS ARE UNACCEPTABLE.
- E. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.
- F. MISSING OR LOOSE FASTENERS ARE NOT ACCEPTABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

4. PERFORM GENERAL VISUAL CHECK ALL CLOSETS/STOWAGE FOR CLEANLINESS AND CONDITION.

- A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
- B. SURFACE SCRATCHES ARE ACCEPTABLE, BUT DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL ARE



Task Card Title:

GENERAL CABIN DEEP INSP



Task Card NO:

25-20-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

UNACCEPTABLE.

C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.

D. MISSING, BROKEN, DAMAGED, DISBANDED, OR LOOSE PARTS ARE UNACCEPTABLE.

E. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.

F. MISSING OR LOOSE FASTENERS ARE NOT ACCEPTABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

5. PERFORM GENERAL VISUAL CHECK OF CEILING PANELS FOR ANY MISALIGNMENT, LOOSENESS, CLEANLINESS AND CONDITION.

A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.

B. SURFACE SCRATCHES ARE ACCEPTABLE, BUT DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL ARE UNACCEPTABLE.

C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.

D. MISSING, BROKEN, DAMAGED, DISBANDED, OR LOOSE PARTS ARE UNACCEPTABLE.

E. MISALIGNED, LOOSE PARTS AND GAPS ARE NOT ACCEPTABLE.

F. MISSING OR LOOSE FASTENERS ARE NOT ACCEPTABLE.

I. ALL VELCROS SHOULD BE PROPERLY INSTALLED.

J. SEALS SHOULD BE CLEAN, INSTALLED PROPERLY, AND FREE FROM MISALIGNMENT, CUTS, OR DAMAGES.

K. PLACARDS SHOULD BE CLEAN AND IN GOOD CONDITION, WITH NO MISALIGNMENT, CUTS, OR DAMAGES.

L. ORIENTATION OF PARTS, LAMINATES, DÉCOR, DECALS, AND PLACARDS SHOULD BE CORRECT.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

6. PERFORM GENERAL VISUAL CHECK OF THE SLIDE RAFT BUSTLES AND PRESSURE GAUGE LENS FOR CONDITION, PROPER INSTALLATION AND THE SERVABLE TAG POUCH IS AVAILABLE AND IN GOOD CONDITION.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year

 MET.32722042	Task Card Title: GENERAL CABIN DEEP INSP								
Task Card NO: 25-20-00-00-SVA		Work Package: ASP/H-26 C7-CHK			A/C Registration: HZ-ASP				
Mechanic/s	CAB/ACFT_TECH			HRS					
Insp.				HRS					
Job Description									
7. PERFORM GENERAL VISUAL CHECK LITERATURE POCKETS AND RACK FOR CONDITION AND CLEANLINESS: A. LOOSE OR SAGGING PARTS ARE NOT ACCEPTABLE. B. MISSING, BROKEN, DAMAGED, DISBANDED, OR LOOSE PARTS ARE UNACCEPTABLE.									
STEP COMPLETION SIGN OFF:									
	Qualification / Skill	Number of employees	Duration		Number./Signature		Date		
							Day	Month	
							Year		
Mechanic/s	CAB/ACFT_TECH			HRS					
Insp.				HRS					
Job Description									
8. PERFORM GENERAL VISUAL CHECK OF SIDEWALLS FOR CLEANLINESS AND CONDITION: A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE. B. SURFACE SCRATCHES ARE ACCEPTABLE, BUT DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL ARE UNACCEPTABLE. C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS. D. MISSING, BROKEN, DAMAGED, DISBANDED, OR LOOSE PARTS ARE UNACCEPTABLE. E. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE. F. MISSING OR LOOSE FASTENERS ARE NOT ACCEPTABLE. G. MISSING GAP FILLER ARE NOT ACCEPTABLE. H. AIR BUBBLES ARE NOT ACCEPTABLE.									
STEP COMPLETION SIGN OFF:									
	Qualification / Skill	Number of employees	Duration		Number./Signature		Date		
							Day	Month	
							Year		
Mechanic/s	CAB/ACFT_TECH			HRS					
Insp.				HRS					
Job Description									
9. PERFORM GENERAL VISUAL CHECK OF ALL CABIN LAMINATES (GALLEYS, OUTSIDE OF LAVATORY, PRAYER AREA, STOWAGE, SIDEWALL, ETC.) FOR CONDITION AND CLEANNESS. A. SURFACES MUST BE CLEAN AND FREE OF ANY STAINS OR MARKS. B. WORN OR CHIPPED FINISH ARE NOT ACCEPTABLE. C. ORIENTATION OF PARTS, LAMINATES AND, DECOR SHOULD BE CORRECT									



Task Card Title:

GENERAL CABIN DEEP INSP



Task Card NO:

25-20-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

10. PERFORM GENERAL VISUAL CHECK PAX WINDOW SHADES FOR CONDITION AND CLEANLINESS.

- A. NO CRACKS, DENTS, OR DAMAGE ARE ACCEPTABLE.
- B. MISSING, BROKEN, DAMAGED, DIS-BONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
- C. SHARP EDGES OR BURRS ARE NOT ALLOWED.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

11. PERFORM GENERAL VISUAL CHECK OF ALL PASSENGER SEAT TRACK COVERS FOR CORRECT INSTALLATION, CONDITION, DAMAGE, AND CLEANNESS. MISSING SEAT TRACK COVERS ARE NOT ACCEPTABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

12. PERFORM GENERAL VISUAL CHECK OF ALL CORNER BUMPERS/KICKSTRIPS OF LAVATORIES, GALLEYS, CLOSETS, PARTITIONS AND CLASS DIVIDERS. CHECK ALL SEALS, BUMPERS AND KICK STRIPS FOR PROPER INSTALLATION AND CONDITION. ALL CORNER BUMPERS/KICKSTRIPS OF LAVATORIES, GALLEYS, CLOSETS, PARTITIONS AND CLASS DIVIDERS. CHECK ALL SEALS, BUMPERS AND KICK STRIPS FOR PROPER INSTALLATION AND CONDITION.



Task Card Title:

GENERAL CABIN DEEP INSP

Task Card NO:

25-20-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

A. BUMPER STRIPS AND KICKSTRIP MUST BE PRESENT AND SECURE.

B. SURFACE SCRATCHES ARE PERMISSIBLE. CRACK, DENT, DEEP SCRATCHES, OR DAMAGE ARE NOT ACCEPTABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

13. CHECK AVAILABILITY OF AUGMENTED CREW CURTAINS AND POUCH.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

14. PERFORM GENERAL VISUAL CHECK DOOR ASSIST HANDLE NEAR L1, R1, L2, R2, L3, R3, L4, R4, L5 AND R5 DOORS FOR PROPER INSTALLATION AND CONDITION.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

15. PERFORM GENERAL VISUAL CHECK OF THE CONDITION OF NTF FOR ANY DAMAGE, CLEANNESS, OR STAINS IN ALL GALLEYS, LAVATORIES, AND ENTRYWAYS.

 MET.32722042	Task Card Title: GENERAL CABIN DEEP INSP						
Task Card NO: 25-20-00-00-SVA		Work Package: ASP/H-26 C7-CHK			A/C Registration: HZ-ASP		

STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				
Job Description								
16. PERFORM GENERAL VISUAL CHECK OF ALL AIRCRAFT CARPET AND FLOOR MAT (JOINTS) AT ALL PASSENGER ENTRY DOORS AREA AND FIX IT, IF IT NOT INSTALLED PROPERLY USE DOUBLE FACE TAPE P/N: SABA99D AS REQUIRED. .								

STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				
Job Description								
17. CHECK AVAILABILITY OF ADAPTER PLATE FOR BABY BASSINET PN: 5WM003CK501/-502. REFER CMM 25-32-065-4148 PAGES 10405-10408. .								

STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				
Job Description								
18. PERFORM GENERAL VISUAL CHECK OF ALL CABIN PLACARDS FOR PRESENCES, CONDITION AND CLEANLINESS. A. PLACARDS MUST BE CLEAN AND IN GOOD CONDITION, CORRECT ORIENTATION, WITH NO MISALIGNMENT, CUTS, OR DAMAGES.								

STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				
Job Description								



Task Card Title:

GENERAL CABIN DEEP INSP

Task Card NO:

25-20-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

19. PERFORM GENERAL VISUAL CHECK OF ALL CABIN SEALS (GALLEY, LAVATORY, OVERHEAD/CLOSET, PARTITION AND PAX DOOR).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

20 . PERFORM GENERAL VISUAL INSPECTION OF ALL PASSENGER SERVICE UNITS FOR DAMAGE AND CONDITION; ENSURE THAT CABIN ATTENDANT CALL LIGHT AND INFORMATION SIGNNS ARE NOT DAMAGED OR BROKEN. NOTE: IF INFORMATION SIGN IS DAMAGED THE PSU MUST BE REPLACED, DAMAGED LIGHT LENS OR CABIN ATTENDANT CALL LIGHT MUST BE REPLACED AND ANY DEFECT MUST BE RECTIFIED

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s				HRS				
Insp.	INSP/II			HRS				

Job Description

21. PERFORM CLEANING OF ALL PASSENGER SURFACE UNITS.

NOTE: USE CHEMICAL CLEANER (NOVIRUCLEAN) P/N: A-3471-11 (2 EACH BOTTLES) TO CLEAN ALL HARD SERVICES INSIDE AIRCRAFT CABIN EXCEPT THE FOLLOWING ITEMS:

1. AIRCRAFT SEAT LEATHER COVERS.
2. AIRCRAFT CARPET.
3. AIRCRAFT WINDOWS.
4. AIRCRAFT LCD MONITORS.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

22. PERFORM OPERATIONAL CHECK OF ALL PASSENGER SERVICE UNIT (PSU) AIR OUTLETS AS PER AMM TASK



MET.32722042

Task Card Title:

GENERAL CABIN DEEP INSP



Task Card NO:

25-20-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

21-21-00-710-002-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

 MET.32722042	Task Card Title: GENERAL CABIN DEEP INSP			
Task Card NO: 25-20-00-00-SVA	Work Package: ASP/H-26 C7-CHK	A/C Registration: HZ-ASP		
Task Completion Close Up And System Update	Station	Date	Signature	

 MET.32722001		Task Card Title: B/C SEAT DEEP INSP				
Task Card NO: 25-21-00-00-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP		
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH		
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05		
Internal Check:		Check Type:		Work Order NO: 31909295		
Tally Sequence NO: 19						
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐						
Type Code: INSP		Special Code:		MSG Code: 4		
Request:		Phase:				
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.						
Zones:						
DOCUMENT REFERENCES:						
Doc Typ		Reference				
ACCESS PANELS:						
MATERIAL REQUIREMENTS:						
Part Number		Description			Qty.	
No parts assigned to this Task Item						
TOOLING REQUIREMENTS:						
Part Number		Description			Qty.	
No tools assigned to this Task Item						
B/C SEAT DEEP INSPECTION:						
Job Description						
B/C SEAT REFRESHMENT: REFERENCES 1- FOR REPAIRS AND CLEANING PROCEDURE FOLLOW THE APPLICABLE CMM: A. CMM 25-26-83 (APPLICABILITY: A321, HZ-ASH - HZ-ASW). 2- SAUDIA GMM. AISLE ENDBAY (IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, PLEASE REFER TO STEP 5):						



Task Card Title:

B/C SEAT DEEP INSP


Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

1- DEEP CLEAN, POLISH, REAPPLY SURFACE FINISH, OR PAINT PARTS AS APPLICABLE.

2- DVI OF OUTBOARD SHELL FOR CLEANLINESS AND CONDITION (USING HAND-HELD FLASH LIGHT):

- A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
- B. SURFACE SCRATCHES ARE ACCEPTABLE, BUT DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL ARE UNACCEPTABLE.
- C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
- D. MISSING, BROKEN, DAMAGED, DISBANDED, OR LOOSE PARTS ARE UNACCEPTABLE.
- E. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
- F. WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.
- G. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.
- H. MISSING OR LOOSE FASTENERS ARE NOT ACCEPTABLE.
- I. ENSURE ALL VELCROS ARE PROPERLY INSTALLED.
- J. SEALS MUST BE CLEAN AND INSTALLED CORRECTLY. MISALIGNMENT, CUTS, OR DAMAGES ARE NOT ACCEPTABLE.
- K. ORIENTATION OF PARTS, LAMINATES, DECOR, DECALS, AND PLACARDS SHOULD BE CORRECT.

3- DVI BUMPER STRIPS AND KICKSTRIP FOR CONDITION (USING HAND-HELD FLASH LIGHT).

- A. BUMPER STRIPS AND KICKSTRIP MUST BE PRESENT AND SECURE.
- B. SURFACE SCRATCHES ARE PERMISSIBLE. CRACK, DENT, SCRATCHES, OR DAMAGE ARE NOT ACCEPTABLE.

4- CHECK THE CONDITION AND SERVICEABILITY OF THE IN-USE LIGHT/TTL LIGHT REPLACE ANY DEFECTIVE PART WITH A NEW ONE.

5- IF A PART CANNOT BE REPAIRED, POLISHED, PAINTED, OR REFRESHED, REPLACE THE DEFECTIVE PART WITH A NEW ONE.

STEP COMPLETION SIGN OFF:



Task Card Title:

B/C SEAT DEEP INSP

Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:


HZ-ASP

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description**INNER SHROUDS AND PLASTIC PARTS**

(IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, PLEASE REFER TO STEP 3 AND 4):

1- PERFORM DET VISUAL CHECK OF INTERNAL BOARD SHELL AND PLASTIC PARTS FOR CLEANLINESS AND CONDITION (USING HAND-HELD FLASH LIGHT):



- A. CRACKS, DENTS, OR DAMAGE NOT ALLOWED.
- B. SURFACE SCRATCHES ARE ALLOWED, BUT DEEP SCRATCHES ARE NOT.
- C. SURFACES MUST BE CLEAN AND FREE OF STAINS OR MARKS.
- D. MISSING, BROKEN, DAMAGED, DIS-BONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
- E. SHARP EDGES OR BURRS ARE NOT ALLOWED.
- F. NO WORN OR CHIPPED PAINT OR FINISH ALLOWED.
- G. PARTS MUST BE ALIGNED WITH NO GAPS.
- H. NO MISSING OR LOOSE FASTENERS ALLOWED.
- I. ALL VELCRO MUST BE PROPERLY INSTALLED.
- J. SEALS MUST BE CLEAN AND PROPERLY INSTALLED, WITH NO MISALIGNMENT, CUTS, OR DAMAGES.
- K. PLACARDS SHOULD BE CLEAN AND IN GOOD CONDITION, WITH NO MISALIGNMENT, CUTS, OR DAMAGES
- L. ORIENTATION OF PARTS, LAMINATES, DECOR, DECALS, AND PLACARDS SHOULD BE CORRECT.

2- PERFORM GENERAL VISUAL CHECK LIFE VEST COMPARTMENT FOR CLEANLINESS, CONDITION AND SECURITY.



Task Card Title:

B/C SEAT DEEP INSP


Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- A. PULL STRAP PROPERLY INSTALLED.
- B. PARTS MUST BE ALIGNED WITH NO GAPS.
- C. VELCROS PROPERLY INSTALLED.
- D. LOOSE OR DAMAGED DOOR HINGES/RAIL ARE NOT ACCEPTABLE.

3- CLEAN, POLISH, REAPPLY SURFACE FINISH, OR PAINT DEFECTIVE PARTS AS APPLICABLE.

4- IN CASE OF ANY FINDING IN STEP (1 & 2) AND IF THE PART CANNOT BE POLISHED, PAINTED, OR REFRESHED, REPLACE THE DEFECTIVE PART WITH A NEW ONE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

SEAT ARM ASSEMBLY

(IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, PLEASE REFER TO STEP 3 FOR ARM CAPS FOR OTHER PARTS REFER TO STEP 3 AND 4):



Task Card Title:

B/C SEAT DEEP INSP


Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

1- PERFORM DET VISUAL CHECK OF SEAT ARM ASSEMBLY FOR CLEANLINESS AND CONDITION (USING HAND-HELD FLASH LIGHT):

- A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
- B. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
- C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
- D. MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
- E. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
- F. WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.
- G. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.
- H. SEALS ARE CLEAN AND INSTALLED PROPERLY. MISALIGNMENT, CUTS, OR DAMAGES ARE NOT ACCEPTABLE.
- I. ARM CAPS STAINS, DAMAGE OR DISCOLORATION ARE UNACCEPTABLE.

2- IF ANY ARM CAP ARE IN UNACCEPTABLE CONDITION SEND THEM TO THE SHOP FOR REPAIR AS APPLICABLE.

3- CLEAN, POLISH, REAPPLY SURFACE FINISH, OR PAINT DEFECTIVE PARTS AS APPLICABLE.

4- IN CASE ANY FINDING IN STEP (1 & 2) AND IF THE PART CANNOT BE POLISHED, PAINTED, OR REFRESHED, REPLACE THE DEFECTIVE PART WITH A NEW ONE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

SEAT ACTUATION

(IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, PLEASE REFER TO STEP 4):

1. FUNCTION TEST THE SEAT MECHANICAL ACTUATION SYSTEM (LEGREST, BACKREST, AND FOOT REST) (PERSON TO BE SEATED DURING THE TEST):



Task Card Title:

B/C SEAT DEEP INSP

Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK


A/C Registration:

HZ-ASP

A. NOISY OR JERKY MOVEMENTS NOT ACCEPTABLE.

B. INTERFERENCE OF PARTS, SHROUDS, OR OTHER ITEMS IS NOT ACCEPTABLE.

2. PERFORM GENERAL VISUAL CHECK THE SEAT CONTROL UNIT FOR CLEANLINESS AND CONDITION.



A. DAMAGED OR LOOSE BUTTONS OR PANELS OR MEMBRANES ARE NOT ACCEPTABLE.

B. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.

C. SURFACE SCRATCHES ARE ACCEPTABLE.

D. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.

E. MISSING, BROKEN, DAMAGED, DIS-BONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.

F. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.

G. WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.

H. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.

3. CHECK HEADREST FOR PROPER FUNCTION AND MOVEMENT.

4. IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, REPAIR OR REPLACE THE DEFECTIVE PART WITH A NEW ONE AS APPLICABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				



Task Card Title:

B/C SEAT DEEP INSP

Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP


Insp.

HRS

Job Description

MEAL TABLE & COCKTAIL TABLE

(IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, PLEASE REFER TO STEP 3 AND 4):

1. DEPLOY & STOW MEAL TABLE

- A. NOISY OR JERKY MOVEMENTS NOT ACCEPTABLE.
- B. INTERFERENCE OF PARTS, SHROUDS, OR OTHER ITEMS IS NOT ACCEPTABLE.
- C. CHECK FOR RIGIDITY OR ARM AND TILT MECHANISM. LOOSE INSTALLATION NOT ACCEPTABLE.
- D. MISALIGNMENT OF MEAL TABLE IN STOW POSITION IS NOT ACCEPTABLE.

2. PERFORM DET VISUAL CHECK OF MEAL TABLE & COCKTAIL TABLE FOR CONDITION AND CLEANLINESS.



Task Card Title:

B/C SEAT DEEP INSP



Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
 B. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
 C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
 D. MISSING, BROKEN, DAMAGED, DIS-BONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
 E. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
 F. WORN OR CHIPPED OR PEELED PAINT AND FINISH NOT ACCEPTABLE.

3. PEELING OF LAMINATES OR BUBBLES IN LAMINATES ARE NOT ACCEPTABLE. CLEAN, POLISH, REAPPLY SURFACE FINISH, OR PAINT DEFECTIVE PARTS AS APPLICABLE.
 4. IN CASE ANY FINDING IN STEP (1 & 2) AND IF THE PART CANNOT BE POLISHED, PAINTED, OR REFRESHED, REPLACE THE DEFECTIVE PART WITH A NEW ONE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

SEAT ARM ASSEMBLY/FOODTRAY STOWAGE

(IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, PLEASE REFER TO STEP 3 AND 4):



Task Card Title:

B/C SEAT DEEP INSP


Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

1. OPEN THE ARMREST AND FOODTRAY STOWAGE AND PERFORM GENERAL VISUAL CHECK FOR CLEANLINESS AND CONDITION:

A. CRACKS, DENTS, OR DAMAGE NOT ALLOWED.



MET.32722001

Task Card Title:

B/C SEAT DEEP INSP

Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- B. SURFACE SCRATCHES ARE ALLOWED, BUT DEEP SCRATCHES ARE NOT.
 C. SURFACES MUST BE CLEAN AND FREE OF STAINS OR MARKS.
 D. MISSING, BROKEN, DAMAGED, DIS-BONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
 E. SHARP EDGES OR BURRS ARE NOT ALLOWED.
 F. PARTS MUST BE ALIGNED WITH NO GAPS.
 G. NO MISSING OR LOOSE FASTENERS ALLOWED.
 H. SEALS MUST BE CLEAN AND PROPERLY INSTALLED, WITH NO MISALIGNMENT, CUTS, OR DAMAGES.
 I. ORIENTATION OF PARTS, LAMINATES, AND DÉCOR SHOULD BE CORRECT.

2. DEPLOY & STOW STOWAGE COMPARTMENT DOOR:

- A. NOISY OR JERKY MOVEMENTS NOT ACCEPTABLE.
 B. NO PLAY OR RATTLING ALLOWED.
 C. INTERFERENCE OF PARTS, ITEMS IS NOT ACCEPTABLE.
 D. CHECK FOR RIGIDITY LOOSE INSTALLATION NOT ACCEPTABLE.
 E. MISALIGNMENT OF STOWAGE COMPARTMENT DOOR IN STOW POSITION IS NOT ACCEPTABLE.
 F. SHOULD BE EASILY DEPLOYABLE AND STOWED WITHOUT THE NEED OF EXCESSIVE FORCE.

3. CLEAN, POLISH, REAPPLY SURFACE FINISH, OR PAINT DEFECTIVE PARTS AS APPLICABLE.

4. IN CASE ANY FINDING IN STEP (1 & 2) AND IF THE PART CANNOT BE POLISHED, PAINTED, OR REFRESHED, REPLACE THE DEFECTIVE PART WITH A NEW ONE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

LEGREST ASSEMBLY

(IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, PLEASE REFER TO STEP 3 AND 4):



Task Card Title:

B/C SEAT DEEP INSP


Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

LEGREST ASSEMBLY

1- PERFORM DET VISUAL CHECK OF LEGREST ASSEMBLY FOR CLEANLINESS AND CONDITION (USING HAND-HELD FLASH LIGHT):

- A. SURFACES MUST BE CLEAN AND FREE OF STAINS OR MARKS.
- B. MISSING, BROKEN, DAMAGED, DIS-BONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
- C. SHARP EDGES OR BURRS ARE NOT ALLOWED.
- D. ALL VELCRO MUST BE PROPERLY INSTALLED.
- E. ORIENTATION OF PARTS, LAMINATES, DECOR, DECALS, AND PLACARDS SHOULD BE CORRECT.

2- IN CASE OF ANY FINDING IN STEP 1 IF THE PART CANNOT REPAIRED, OR REFRESHED, REPLACE THE DEFECTIVE PART WITH A NEW ONE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT TECH			HRS				
Insp.				HRS				

Job Description

SEAT STRUCTURE

(IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, PLEASE REFER TO STEP 4):

1. REMOVE SEAT CUSHIONS AND USE A VACUUM CLEANER OR LIGHT BRUSH TO CLEAN THE AREA HIDDEN UNDER THE CUSHION AND AROUND THE SEAT STRUCTURE.

2. PERFORM DET VISUAL CHECK THE CONDITION FOR SERVICEABILITY OF SEATPAN, DIAPHRAGM, AND SURROUNDING STRUCTURE FOR DAMAGE, CRACKS, ETC.:

 MET.32722001	Task Card Title: B/C SEAT DEEP INSP						
Task Card NO: 25-21-00-00-SVA	Work Package: ASP/H-26 C7-CHK	A/C Registration: HZ-ASP					
A. CHECK FOR PROPER TENSION. THE DIAPHRAGM SHOULD NOT HAVE SAGS OR APPEAR LOOSE. B. TEARS OR OTHER DAMAGE TO THE FABRIC ARE UNACCEPTABLE. MISSING PARTS, BROKEN PARTS, AND PARTS NOT SECURELY ATTACHED OR FASTENED ARE UNACCEPTABLE. C. HARDWARE AND METAL PARTS FOR MUST BE IN A CORRECT ORIENTATION, TIGHT, AND FREE OF BURRS, DAMAGE, SHARP EDGES AND, CRACKS 3. CHECK FOR PROPER INSTALLATION OF THE ACTUATION HARDWARE AND LEGREST. 4. IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, REPAIR OR REPLACE THE DEFECTIVE PART WITH A NEW ONE AS APPLICABLE. ALL SEAT PLACARDS/MARKER 1. PERFORM GENERAL VISUAL CHECK ALL SEAT PLACARDS/MARKER CONDITION AND CLEANLINESS. A. PLACARDS MUST BE CLEAN AND IN GOOD CONDITION, CORRECT ORIENTATION, WITH NO MISALIGNMENT, CUTS, OR DAMAGES. B. MISSING OR DIS-BONDED PARTS ARE NOT ACCEPTABLE. 2. IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, REPAIR OR REPLACE THE DEFECTIVE PART WITH A NEW ONE AS APPLICABLE.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				
Job Description							
READING LIGHT AND AMBIENT LIGHT							



Task Card Title:

B/C SEAT DEEP INSP


Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

1. OPERATION CHECK OF THE READING LIGHT AND AMBIENT LIGHT.
2. DVI OF READING LIGHT AND AMBIENT LIGHT:

- A. SURFACE IS FREE OF CRACKS, DAMAGES, OR DISCOLORATION.
- B. WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			

Job Description**SEAT ACTUATION**

1. FUNCTION TEST THE SEAT ACTUATION SYSTEM (LEGREST, BACKREST AND ARTICULATION) (PERSON TO BE SEATED DURING THE TEST):

- A. NOISY OR JERKY MOVEMENTS NOT ACCEPTABLE.
- B. INTERFERENCE OF PARTS, SHROUDS, OR OTHER ITEMS IS NOT ACCEPTABLE.
- C. FULL SEAT ACTUATION (TTL-FULL RECLINE-TTL).

2. PERFORM GENERAL VISUAL CHECK THE SEAT CONTROL UNIT FOR CLEANLINESS AND CONDITION.



Task Card Title:

B/C SEAT DEEP INSP


Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- A.DAMAGED OR LOOSE BUTTONS OR PANELS OR MEMBRANES ARE NOT ACCEPTABLE.
 B.CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
 C.SURFACE SCRATCHES ARE ACCEPTABLE.
 D.SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
 E.MISSING, BROKEN, DAMAGED, DIS-BONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
 F.SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
 G.WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.
 H.MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.

3.CHECK MECHANICAL OVER RIDE FUNCTION OF RECLINE, LEGREST, FOOTREST, AND BOLSTER FOR SERVICEABILITY.

4.CHECK HEADREST FOR PROPER FUNCTION AND MOVEMENT.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

MEAL TABLE & COCKTAIL TABLE

1.DEPLOY & STOW MEAL TABLE



Task Card Title:

B/C SEAT DEEP INSP


Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

A.NOISY OR JERKY MOVEMENTS NOT ACCEPTABLE.

B.INTERFERENCE OF PARTS, SHROUDS, OR OTHER ITEMS IS NOT ACCEPTABLE.

C.CHECK FOR RIGIDITY OR ARM AND TILT MECHANISM. LOOSE INSTALLATION NOT ACCEPTABLE.

D.MISALIGNMENT OF MEAL TABLE IN STOW POSITION IS NOT ACCEPTABLE.

2.GVI OF MEAL TABLE & COCKTAIL TABLE FOR CONDITION AND CLEANLINESS.



Task Card Title:

B/C SEAT DEEP INSP



Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
 B. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
 C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
 D. MISSING, BROKEN, DAMAGED, DIS-BONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
 E. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
 F. WORN OR CHIPPED OR PEELED PAINT AND FINISH NOT ACCEPTABLE.
 G. CHROME PEELING IS NOT ACCEPTABLE.
 H. PEELING OF LAMINATES OR BUBBLES IN LAMINATES ARE NOT ACCEPTABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

LITERATURE POCKETS

1. PERFORM GENERAL VISUAL CHECK OF LITERATURE POCKETS FOR CONDITION AND CLEANLINESS.



Task Card Title:

B/C SEAT DEEP INSP


Task Card NO:

25-21-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.

B. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.

C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.

D. MISSING, BROKEN, DAMAGED, DIS-BONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.


E. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.

F. WORN OR CHIPPED OR PEELED PAINT AND FINISH NOT ACCEPTABLE.

G. PEELING OF LAMINATES OR BUBBLES IN LAMINATES ARE NOT ACCEPTABLE.

H. ORIENTATION OF PARTS, LAMINATES, DECOR, DECALS, AND PLACARDS SHOULD BE CORRECT.

SEAT BELT



1. PERFORM GENERAL VISUAL CHECK OF SEAT BELT FOR CONDITION AND CLEANLINESS.

 MET.32722001	Task Card Title: B/C SEAT DEEP INSP						
Task Card NO: 25-21-00-00-SVA	Work Package: ASP/H-26 C7-CHK	A/C Registration: HZ-ASP					
A.STAINS OR DISCOLORATION ARE UNACCEPTABLE. B.WEBBING IS NOT FRAYED OR CUT. C.NO DENTS OR DAMAGE TO LATCH AND BUCKLE. D.STITCHING MUST BE INTACT AND CONTINUOUS. E.INSTALLATION ORIENTATION MUST BE CORRECT. 2.CHECK SEATBELT FASTEN AND UNFASTEN MECHANISM WORKS PROPERLY AND SEATBELTS INSTALLATION AT SEAT STRUCTURE IS SECURED AND NOT DAMAGED							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			
Job Description							
SEAT STRUCTURE 1.REMOVE SEAT CUSHIONS AND PERFORM GENERAL VISUAL CHECK OF THE CONDITION FOR SERVICEABILITY OF SEATPAN, DIAPHRAGM, AND SURROUNDING STRUCTURE FOR DAMAGE, CRACKS, ETC. ALL SEAT PLACARDS 1.PERFORM GENERAL VISUAL CHECK ALL SEAT PLACARDS CONDITION AND CLEANLINESS. A.PLACARDS MUST BE CLEAN AND IN GOOD CONDITION, CORRECT ORIENTATION, WITH NO MISALIGNMENT, CUTS, OR DAMAGES.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			

 MET.32722001	Task Card Title: B/C SEAT DEEP INSP		
Task Card NO: 25-21-00-00-SVA	Work Package: ASP/H-26 C7-CHK	A/C Registration: HZ-ASP	
- Aircraft Maintenance Manual used: Revision No. _____ Dated. _____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to create the finding Work Order on task card level. Remark's: _____ _____			
(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box) - Interruption No. 1 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 2 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 3 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 4 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 5 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____			
(2) Record any dimension or torque through the performed steps and sign-off as applicable: - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____ - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____ - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____ - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____ - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____			
Task Completion Close Up And System Update		Station	Date
			Signature

 MET.32722043		Task Card Title: G/C SEAT DEEP INSP							
Task Card NO: 25-21-01-00-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP					
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH		PROD Final Acceptance:			
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05					
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 20			
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐									
Type Code: INSP		Special Code:		MSG Code: 4		Request:			
Phase:									
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.									
Zones:									
DOCUMENT REFERENCES:									
Doc Typ		Reference							
ACCESS PANELS:									
MATERIAL REQUIREMENTS:									
Part Number		Description				Qty.			
No parts assigned to this Task Item									
TOOLING REQUIREMENTS:									
Part Number		Description				Qty.			
No tools assigned to this Task Item									
G/C SEAT DEEP INSPECTION									
Job Description									
1) Perform general visual check of all seats for general condition and cleanliness and make sure they are secured properly.									
STEP COMPLETION SIGN OFF:									
		Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
							Day	Month	Year
Mechanic/s		CAB/ACFT_TECH		HRS					
Insp.				HRS					
Job Description									
2) Perform general visual check of all dress covers for general condition and cleanliness.									



Task Card Title:

G/C SEAT DEEP INSP

Task Card NO:

25-21-01-00-SVA

Work Package:

ASP/H-26 C7-CHK


A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

3) Perform general visual check of seat belts for general condition and cleanliness and make sure it is installed properly.

**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				



Task Card Title:

G/C SEAT DEEP INSP

Task Card NO:

25-21-01-00-SVA


Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**Job Description**


4) Perform general visual check of the condition of life vest pocket / pouch and check its opening condition.

**STEP COMPLETION SIGN OFF:**


	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

5) Perform general visual check of escutcheon and arm rest for general condition and cleanliness and make sure the arm rotation works normally.

**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year

 MET.32722043	Task Card Title: G/C SEAT DEEP INSP						
Task Card NO: 25-21-01-00-SVA		Work Package: ASP/H-26 C7-CHK			A/C Registration: HZ-ASP		
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			
Job Description							
6) Perform general visual check of the seat bumper – endbay for general condition, damages and cleanliness.							
							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			
Job Description							
7) Perform general visual check of recline button for damage or missing and perform operational check of the seats recline and make sure it works normally.							



MET.32722043

Task Card Title:

G/C SEAT DEEP INSP


Task Card NO:

25-21-01-00-SVA

Work Package:

ASP/H-26 C7-CHK


A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

8) Check and ensure seat track fittings are secure in the floor tracks without looseness.





Task Card Title:

G/C SEAT DEEP INSP



Task Card NO:

25-21-01-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:


HZ-ASP

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

9) GVI baggage bar for general condition or damages.



STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

10) Perform general visual check of the seat shroud for general condition, damages and cleanliness.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				



Task Card Title:

G/C SEAT DEEP INSP

Task Card NO:

25-21-01-00-SVA


Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**Job Description**

11) Perform general visual check of literature pocket for general condition and ensure that the literature pocket springs are secure and correctly fitted.

**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

12) Check rear meal tray table and latch for general condition, operation and leveling.



Task Card Title:

G/C SEAT DEEP INSP



Task Card NO:

25-21-01-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP



STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

13) Perform general visual check of in-arm table for general condition, operation and leveling.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

 MET.32722043	Task Card Title: G/C SEAT DEEP INSP		
Task Card NO: 25-21-01-00-SVA	Work Package: ASP/H-26 C7-CHK	A/C Registration: HZ-ASP	

14) Perform general visual check of the meal table is secured in stowed position (EXIT Row).

STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

15) Perform general visual check of the condition of all placards on the seat.

STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

16) Perform general visual check of the ACOU installation for any damage or looseness. Check power indicator light status on ACOU is green..

STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated._____.
 Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below
 Work order No: _____

 Note: Make sure to creat the finding Work Order on task card level.
 Remark's: _____



MET.32722043

Task Card Title:

G/C SEAT DEEP INSP

Task Card NO:

25-21-01-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722017		Task Card Title: CABIN CREW SEAT DEEP INSP					
Task Card NO: 25-22-00-00-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area:			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 21	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: INSP		Special Code:		MSG Code: 4		Request:	
Phase:							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones:							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
ATTENDANT SEAT DEEP INSPECTION							
Job Description							
1. PERFORM PERFORM GENERAL VISUAL CHECK OF THE ATTENDANT SEAT FOR GENERAL CONDITION AND CLEANLINESS.							
STEP COMPLETION SIGN OFF:							
Qualification / Skill		Number of employees		Duration		Number./Signature	
Date							
Day Month Year							
Mechanic/s		CAB/ACFT_TECH		HRS			
Insp.				HRS			
TOILET SHROUD, TOILET SEAT AND TOILET LID&OPS OF SEAT BELT HARNESS							
Job Description							
2- PERFORM GENERAL VISUAL CHECK ATTENDANT SEAT COVER, CUSHION AND SEAT BELT FOR GENERAL CONDITION AND CLEANLINESS.							



Task Card Title:

CABIN CREW SEAT DEEP INSP

Task Card NO:

25-22-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

3- CHECK THE OPERATION OF SEAT BELT HARNESS.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

GENERAL VISUAL CHECK THE SEAT RUBSTRIP AND PLASTIC EDGING FOR DAMAGE**Job Description**

4- PERFORM GENERAL VISUAL CHECK THE SEAT RUBSTRIP AND PLASTIC EDGING FOR DAMAGE.

**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				



MET.32722017

Task Card Title:

CABIN CREW SEAT DEEP INSP



Task Card NO:

25-22-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

GENERAL VISUAL CHECK THE STOWAGE BOX DOOR, LATCH AND HINGES FOR DAMAGE**Job Description**

5- PERFORM GENERAL VISUAL CHECK THE STOWAGE BOX DOOR, LATCH AND HINGES FOR DAMAGE OR LOOSENESS AND MAKE SURE IT CAN OPEN AND CLOSE NORMALLY.

**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			

GV CHECK AND CHECK THE SEAT FITTING FOR DAMAGE OR LOOSENESS**Job Description**

6- PERFORM GENERAL VISUAL CHECK AND CHECK THE SEAT FITTING FOR DAMAGE OR LOOSENESS.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			

OPERATE THE ATTENDANT SEAT AND MAKE SURE IT WORKS NORMALLY.**Job Description**

7-OPERATE THE ATTENDANT SEAT AND MAKE SURE IT WORKS NORMALLY.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			



MET.32722017

Task Card Title:

CABIN CREW SEAT DEEP INSP

Task Card NO:

25-22-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722007		Task Card Title: PASS COMPT CURTAIN RAILS INSPECTION					
Task Card NO: 25-26-00-03-0-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,II		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 22	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: GVI		Special Code: CAB		MSG Code: 4, 7		Request: 	
Phase: PRE INSP							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 200							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		25-26-00/41/42/43					
DO		CAP#S25-11008					
DO		IPC 25-26-02/09/41/42/43					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description					Qty.
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description					Qty.
No tools assigned to this Task Item							
TASK INSTRUCTION							
Job Description							
A. PERFORM GENERAL VISUAL INSPECTION OF ALL PASSENGER COMPARTMENT CURTAINS RAILS FOR DAMAGE AND CONDITION.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s				HRS			
Insp.	INSP/II			HRS			



Task Card Title:

PASS COMPT CURTAIN RAILS INSPECTION

Task Card NO:

25-26-00-03-0-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722047		Task Card Title: PASSNGER COMPT CURTAINS REPLACEMENT					
Task Card NO: 25-26-00-08-0-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 00			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 23	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: R/R		Special Code: CAB		MSG Code: 4, 7		Request: Phase: TC/P	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 200							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		25-26-00/41/42/43					
DO		CAP#S25-11008					
DO		IPC 25-26-02/09/41/42/43					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
SAEI-S25-R10117-1		CABIN CURTAIN KIT RETROFIT (ASA-ASG)				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTION							
Job Description							
A. REPLACE ALL PASSENGER COMPARTMENT CURTAINS.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			
-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to creat the finding Work Order on task card level. Remark's: _____ _____							



Task Card Title:

PASSNGER COMPT CURTAINS REPLACEMENT

Task Card NO:

25-26-00-08-0-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.31764964		Task Card Title: HZ-ASH TO ASW AISLE CARPETS R/R				
Task Card NO: 25-28-00-03-0-SVA-003		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP		
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH		
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05		
Internal Check:		Check Type:		Work Order NO: 31909295		
				Tally Sequence NO: 24		
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐						
Type Code: INSP		Special Code: CAB		MSG Code: 4		
				Request:		
				Phase: PRE INSP		
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.						
Zones: 200						
DOCUMENT REFERENCES:						
Doc Typ		Reference				
AMM		25-28-00/41/42/43				
IPC		25-28-02/09/41/42				
ACCESS PANELS:						
MATERIAL REQUIREMENTS:						
Part Number		Description			Qty.	
No parts assigned to this Task Item						
TOOLING REQUIREMENTS:						
Part Number		Description			Qty.	
No tools assigned to this Task Item						
TASK INSTRUCTIONS						
Job Description						



MET.31764964

Task Card Title:

HZ-ASH TO ASW AISLE CARPETS R/R

Task Card NO:

25-28-00-03-0-SVA-003

Work Package:

ASP/H-26 C7-CHK

A/C Registration:


HZ-ASP

A. REPLACE PASSENGER COMPARTMENT AISLE CARPETS (REF. FIG. 1 & 2).

NOTE: ALL EXPOSED SEAT TRACKS SHOULD BE CLEANED BEFORE SEAT TRACK COVER INSTALLATION.

AISLE CARPET KIT P/N: S25-R1042-1 CONSIST OF THE FOLLOWING:

CODE NO.	CARPET P/N:	DESCRIPTION	QTY
2	D25292893202-NT1	CARPET	1
12	D25292893212-NT1	CARPET	1
26	D25292893226-NT1	CARPET	1
36	D25292893236-NT1	CARPET	1
50	D25292893250-NT1	CARPET	1
60	D25292893260-NT1	CARPET	1
70	D25292893270-NT1	CARPET	1
78	D25292893278-NT1	CARPET	1

FIGURE 1



MET.31764964

Task Card Title:

HZ-ASH TO ASW AISLE CARPETS R/R



Task Card NO:

25-28-00-03-0-SVA-003

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**FIGURE 2****STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				



MET.31764964

Task Card Title:

HZ-ASH TO ASW AISLE CARPETS R/R

Task Card NO:

25-28-00-03-0-SVA-003

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

Insp.

HRS

- Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____

**Task Completion Close Up And
System Update**

Station

Date

Signature

 MET.29291052	Task Card Title: GALLY & WATER AUTO DRAIN VALVES OPC							
Task Card NO: 25-30-00-13-0-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP				
A/C Type: 321	Block Taskcard		Main Skill: CAB,ACFT_TECH	PROD Final Acceptance:				
Project No: 01BASPC72608	Related Task Card:	A/C Area: 05						
Internal Check:	Check Type:	Work Order NO: 31909295	Tally Sequence NO: 25					
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐								
Type Code: OPC	Special Code: CAB	MSG Code: 4, 7	Request:	Phase: PRE INSP				
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.								
Zones: 200								
DOCUMENT REFERENCES:								
Doc Typ		Reference						
AMM		25-30-00						
DO		CAP# S25-11008						
ACCESS PANELS:								
MATERIAL REQUIREMENTS:								
Part Number		Description		Qty.				
No parts assigned to this Task Item								
TOOLING REQUIREMENTS:								
Part Number		Description		Qty.				
No tools assigned to this Task Item								
GALLEY SPIGOTS AND WATER AUTO DRAIN VALVES OPERATION CHECK								
Job Description								
A. PERFORM OPERATIONAL CHECK OF ALL GALLEY SPIGOTS AND WATER AUTO DRAIN VALVES, CHECK DRAIN LINE FOR CLOGGING AND WATER LEAK.								
STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS					
Insp.			HRS					
-Aircraft Maintenance Manual used: Revision No. _____ Dated._____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to create the finding Work Order on task card level. Remark's: _____ _____								



MET.29291052

Task Card Title:

GALLY & WATER AUTO DRAIN VALVES OPC

Task Card NO:

25-30-00-13-0-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32721818		Task Card Title: GALLEY CHECK							
Task Card NO: 25-32-00-00-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP					
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH		PROD Final Acceptance:			
Project No: 01BASPC72608		Related Task Card:		A/C Area:					
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 26			
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐									
Type Code: INSP		Special Code:		MSG Code: 4		Request:			
Phase:									
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.									
Zones:									
DOCUMENT REFERENCES:									
Doc Typ		Reference							
ACCESS PANELS:									
MATERIAL REQUIREMENTS:									
Part Number		Description				Qty.			
No parts assigned to this Task Item									
TOOLING REQUIREMENTS:									
Part Number		Description				Qty.			
No tools assigned to this Task Item									
GALLEY REFRESH									
Job Description									
1- PERFORM DET VISUAL CHECK OF ALL GALLEYS FOR GENERAL CONDITION AND CLEANLINESS.									
STEP COMPLETION SIGN OFF:									
		Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
							Day	Month	Year
Mechanic/s		CAB/ACFT_TECH		HRS					
Insp.				HRS					
GALLEY INSERTS									
Job Description									
2- GALLEY INSERTS									
GENERAL VISUAL CHECK OF ALL GALLEY INSERTS FOR CONDITION AND CLEANLINESS.									
A. PERFORM OPERATION TEST OF ALL GALLEY INSERTS. B. WATER LEAKS ARE NOT ACCEPTABLE.									



MET.32721818

Task Card Title:

GALLEY CHECK

Task Card NO:

25-32-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP


- IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN OR REPAIR DEFECTIVE PARTS AS APPLICABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			

3- SINK**Job Description**

3- SINK



- GENERAL VISUAL CHECK OF SINK PLUG RETAINER {NOT MISSING} AND RUN WATER IN THE SINK DRAIN AND CHECK IT IS NOT CLOGGING.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			

4- GALLEY WATER**Job Description**



Task Card Title:

GALLEY CHECK


Task Card NO:

25-32-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- GENERAL VISUAL CHECK FOR SIGNS OF ANY WATER LEAKS.
- GENERAL VISUAL CHECK OF THE DRAIN VALVE UNDER THE SINK AND CHECK IT IS CLOSED.

-IF THERE IS ANY SIGNS OF WATER LEAKS, CLEAN OR REPLACE THE DEFECTIVE PART WITH A NEW ONE AS APPLICABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

5- GALLEY LIGHTS**Job Description**

- GENERAL VISUAL CHECK OF THE LIGHTS FOR GENERAL CONDITION, CLEANLINESS, DAMAGE OR LOOSENESS AND INSURE THEY ARE WORKING NORMALLY.
1. LENS SHROUD IS FREE OF CRACKS, DAMAGES, OR DISCOLORATION.
 2. LIGHT COLOR MISMATCH IS NOT ACCEPTABLE.
- IF THE PART IS DEFECTIVE OR MISSING, REPLACE THE DEFECTIVE PART WITH A NEW ONE.

 MET.32721818	Task Card Title: GALLEY CHECK						
Task Card NO: 25-32-00-00-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			
6- WASTE FLAP							
Job Description							
							
• GENERAL VISUAL CHECK OF THE WASTE FLAP FOR GENERAL CONDITION, CLEANLINESS, DAMAGE OR LOOSENESS • A. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS. B. MISSING, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE. C. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE. D. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE. -IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN, POLISH, REAPPLY SURFACE FINISH, REPAIR OR PAINT DEFECTIVE PARTS AS APPLICABLE.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			
7- SECURITY LATCHES							
Job Description							



MET.32721818

Task Card Title:

GALLEY CHECK


Task Card NO:

25-32-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- GENERAL VISUAL CHECK AND OPERATE OF THE SECURITY LATCHES AND CHECK FOR GENERAL CONDITION, CLEANLINESS, DAMAGE OR LOOSENESS.

- A. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
- B. MISSING, ,DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
- C. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
- D. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN, POLISH, REAPPLY SURFACE FINISH, REPAIR OR PAINT DEFECTIVE PARTS AS APPLICABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_Tech		HRS				
Insp.			HRS				

8- COMPARTMENT DOORS, LATCHES AND HINGES**Job Description**



Task Card Title:

GALLEY CHECK

Task Card NO:

25-32-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP


- GENERAL VISUAL CHECK OF ALL COMPARTMENT DOORS, LATCHES AND HINGES FOR GENERAL CONDITION, DAMAGES, LOOSENESS AND CLEANLINESS.

- A. BUBBLES IN TEDLARS, CRACKS, DENTS, GOUGES OR DAMAGE ARE NOT ACCEPTABLE.
- B. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
- C. MISSING, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
- D. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
- E. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.
- F. MISSING OR LOOSE FASTENERS ARE NOT ACCEPTABLE.
- G. SEALS ARE CLEAN AND INSTALLED PROPERLY. MISALIGNMENT, CUTS, OR DAMAGES ARE NOT ACCEPTABLE.
- H. HOLES OR PLUGGED HOLES ARE NOT ACCEPTABLE {TEDLARS NEED TO BE FREE OF THEM}.

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN OR REPAIR PARTS AS APPLICABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

- FLIGHT CREW STEP**Job Description**

- GENERAL VISUAL CHECK AND OPERATION CHECK FOR FLIGHT CREW STEP FOR GENERAL CONDITION, DAMAGES AND LOOSENESS

- A. MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
- B. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
- C. WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.
- D. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN OR REPAIR PARTS AS APPLICABLE.



MET.32721818

Task Card Title:

GALLEY CHECK

Task Card NO:

25-32-00-00-SVA


Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			

10- GALLEY CARTS COOLING SYSTEM**Job Description**

- GENERAL VISUAL CHECK FOR GENERAL CONDITION AND DAMAGES
- OPERATION CHECK OF GALLEY CARTS COOLING SYSTEM.
- IF ANY PARTS ARE DEFECTED, CLEAN OR REPAIR DEFECTIVE PARTS AS APPLICABLE

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			

11- GALLEY STRUCTURE**Job Description**

- GENERAL VISUAL CHECK OF GALLEY STRUCTURE, DIVIDER, KICK STRAP, STABBING, EDGE TRIMS AND EXTRUSIONS FOR GENERAL CONDITION, DAMAGES, LOOSENESS AND CLEANLINESS.



MET.32721818

Task Card Title:

GALLEY CHECK

Task Card NO:

25-32-00-00-SVA


Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

12- WORK TOP**Job Description**

- GENERAL VISUAL CHECK OF THE WORK TOP FOR GENERAL CONDITION, AND CLEANLINESS.

- A. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
- B. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
- C. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.
- D. MISSING OR LOOSE FASTENERS ARE NOT ACCEPTABLE.
- E. CRACKED OR MISSING SEALANT IS NOT ACCEPTABLE.

- IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN, POLISH, REAPPLY SURFACE FINISH, REPAIR OR PAINT DEFECTIVE PARTS AS APPLICABLE

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

13- WORK TOP EXTENSION TABLES**Job Description**



Task Card Title:

GALLEY CHECK


Task Card NO:

25-32-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- GENERAL VISUAL CHECK OF WORK TOP EXTENSION TABLES FOR GENERAL CONDITION, LOOSENESS AND CLEANLINE

- A. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
- B. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
- C. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.
- D. MISSING OR LOOSE FASTENERS ARE NOT ACCEPTABLE.

- IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN, POLISH, REAPPLY SURFACE FINISH, REPAIR OR PAINT DEFECTS

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

14- GALLEY ADHESIVE AND SEALS**Job Description**

- GENERAL VISUAL CHECK OF ALL ADHESIVE AND SEALS FOR GENERAL CONDITION, DAMAGES, CLEANLINESS AND PROPER INSTALLATION.

- IF ANY ADHESIVE OR SEAL IS DEFECTED, REPLACE THE DEFECTIVE ADHESIVE OR SEAL WITH A NEW ONE.



Task Card Title:

GALLEY CHECK



Task Card NO:

25-32-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

15- GALLEY AC POWER OUTLET

Job Description

- GENERAL VISUAL CHECK FOR GENERAL CONDITION AND DAMAGES
- TEST OF THE AC POWER OUTLET

-IF ANY AC POWER OUTLET IS DEFECTED, REPLACE THE DEFECTIVE AC POWER OUTLET WITH A NEW ONE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

16-GALLEY CONTROL PANEL

Job Description

- PERFORM OPERATION TEST OF GALLEY CONTROL PANEL.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____

 MET.32721818	Task Card Title: GALLEY CHECK		
Task Card NO: 25-32-00-00-SVA	Work Package: ASP/H-26 C7-CHK	A/C Registration: HZ-ASP	

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

Task Completion Close Up And System Update	Station	Date	Signature

 MET.32721822		Task Card Title: LAV CHECK								
Task Card NO: 25-40-00-00-SVA			Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP					
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH		PROD Final Acceptance:				
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05						
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 27				
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐										
Type Code: INSP		Special Code:		MSG Code: 4		Request:				
Phase:										
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.										
Zones:										
DOCUMENT REFERENCES:										
Doc Typ		Reference								
ACCESS PANELS:										
MATERIAL REQUIREMENTS:										
Part Number		Description					Qty.			
No parts assigned to this Task Item										
TOOLING REQUIREMENTS:										
Part Number		Description					Qty.			
No tools assigned to this Task Item										
LAVATORY DEEP INSPECTION										
Job Description										
1. LAVATORY PERFORM PERFORM GENERAL VISUAL CHECK OF ALL LAVATORY INCLUDING LAVATORY WALLS AND SHROUDS FOR GENERAL CONDITION AND CLEANLINESS.										
STEP COMPLETION SIGN OFF:										
		Qualification / Skill	Number of employees	Duration		Number./Signature		Date		
								Day	Month	Year
Mechanic/s		CAB/ACFT_TECH		HRS						
Insp.				HRS						
2- TOILET SHROUD, TOILET SEAT AND TOILET LID										
Job Description										



Task Card Title:

LAV CHECK


Task Card NO:

25-40-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**2- TOILET SHROUD, TOILET SEAT AND TOILET LID**

- REMOVE THE TOILET SHROUD, TOILET SEAT AND TOILET LID FOR DEEP CLEANING AND CLEAN THE AREA BEHIND. AFTER THE DEEP CLEANING, MAKE SURE THE TOILET SHROUD, TOILET SEAT AND TOILET LID ARE IN GOOD CONDITION AND INSTALLED CORRECTLY WITH NO LOOSENESS.

- A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
- B. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
- C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
- D. MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
- E. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
- F. WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.
- G. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.
- H. LOOSE, MISSING OR BROKEN HINGES ARE NOT ACCEPTABLE

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN, POLISH, REAPPLY SURFACE FINISH, REPAIR OR PAINT DEFECTIVE PARTS AS APPLICABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year



Task Card Title:

LAV CHECK



Task Card NO:

25-40-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:


HZ-ASP

Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

3- WASTE FLAP

Job Description

3- WASTE FLAP



- PERFORM GENERAL VISUAL CHECK THE WASTE FLAP FOR DAMAGE. CHECK ITS SPRING LOADED IS CLOSED.

- A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
- B. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
- C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
- D. MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
- E. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
- F. WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.
- G. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN, POLISH, REAPPLY SURFACE FINISH, REPAIR OR PAINT DEFECTIVE PARTS AS APPLICABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			

4-DIAPER BOARD, HINGES AND LATCHES

Job Description



Task Card Title:

LAV CHECK



Task Card NO:

25-40-00-00-SVA


Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

4-DIAPER BOARD, HINGES AND LATCHES



- PERFORM GENERAL VISUAL CHECK DIAPER BOARD/LATCHES FOR GENERAL CONDITION, CLEANLINESS, DAMAGE OR LOOSENESS

1. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
2. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
3. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
4. MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
5. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
6. WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.
7. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.
8. LOOSE, MISSING OR BROKEN HINGES AND LATCHES ARE NOT ACCEPTABLE

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN, POLISH, REAPPLY SURFACE FINISH, REPAIR OR PAINT DEFECTIVE PARTS AS APPLICABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			



MET.32721822

Task Card Title:

LAV CHECK



Task Card NO:

25-40-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP


Insp.

HRS

5- UPPER AND LOWER CABINET DOORS, HINGES AND LATCHES

Job Description

5- UPPER AND LOWER CABINET DOORS, HINGES AND LATCHES



- PERFORM GENERAL VISUAL CHECK ALL UPPER AND LOWER CABINET DOORS, HINGES AND LATCHES GENERAL CONDITION, CLEANLINESS, DAMAGE OR LOOSENESS

1. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
2. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
3. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
4. MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
5. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
6. WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.
7. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.
8. LOOSE, MISSING OR BROKEN HINGES AND LATCHES ARE NOT ACCEPTABLE

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN, POLISH, REAPPLY SURFACE FINISH, REPAIR OR PAINT DEFECTIVE PARTS AS APPLICABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year



Task Card Title:

LAV CHECK



Task Card NO:

25-40-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:


HZ-ASP

Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

6- SINK

Job Description

6- SINK



- PERFORM GENERAL VISUAL CHECK AND CLEAN THE SINK.




STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

7-DRAIN VALVE UNDER THE SINK

Job Description

7-DRAIN VALVE UNDER THE SINK



- PERFORM GENERAL VISUAL CHECK AND CHECK THAT THE DRAIN VALVE UNDER THE SINK IS CLOSED



Task Card Title:

LAV CHECK



Task Card NO:

25-40-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP


STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

8- COMPARTMENT DOORS, LATCHES AND HINGES

Job Description

8- ASHTRAY



- PERFORM GENERAL VISUAL CHECK THE ASHTRAY FOR GENERAL CONDITION, CLEANLINESS, DAMAGE OR LOOSENESS

AND INSURE INSTALLED AND OPERATE NORMALLY.

- CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
- SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
- SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
- MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE
- WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.
- MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN, POLISH, REAPPLY SURFACE FINISH, REPAIR OR PAINT DEFECTIVE PARTS AS APPLICABLE.



Task Card Title:

LAV CHECK



Task Card NO:

25-40-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP


STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

9- MIRRORS

Job Description

9- MIRRORS



- PERFORM GENERAL VISUAL CHECK ALL MIRRORS FOR DAMAGE, CRACKS AND CLEANLINESS.
 - A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
 - B. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
 - C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
 - D. MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN OR SECURE THE PART.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

10-SOAP BOTTLE HOLDER, TISSUE HOLDER AND SINK SCREEN

Job Description

10-SOAP BOTTLE HOLDER, TISSUE HOLDER AND SINK SCREEN



Task Card Title:

LAV CHECK



Task Card NO:


25-40-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP



- PERFORM GENERAL VISUAL CHECK SOAP BOTTLE HOLDER, TISSUE HOLDER AND SINK SCREEN FOR GENERAL CONDITION AND CLEANLINESS.
 - A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
 - B. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
 - C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
 - D. MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN OR SECURE THE PART.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

11-ATTENDANT CALL BUTTON

Job Description

11-ATTENDANT CALL BUTTON



Task Card Title:

LAV CHECK



Task Card NO:


25-40-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP



- PERFORM GENERAL VISUAL CHECK ATTENDANT CALL BUTTON FOR DAMAGE AND MAKE SURE IT WORKS NORMALLY.

- A. ATTENDANT CALL BUTTON SHOULD WORK NORMALLY.
- B. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
- C. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
- D. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
- E. MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
- F. WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN OR SECURE THE PART.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

12- FAUCET AND BIDET

Job Description

12- FAUCET AND BIDET



Task Card Title:

LAV CHECK



Task Card NO:

25-40-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP



- PERFORM GENERAL VISUAL CHECK AND OPERATE THE FAUCET AND BIDET. CHECK FOR HOT & COLD WATER. CHECK THAT WATER IS DRAINED IMMEDIATELY AND FAUCET IS NOT LEAKING.
- A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
- B. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
- C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
- D. MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
- E. WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.
- F. LEAKS ARE NOT ACCEPTABLE.

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN OR SECURE THE PART.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

13-FLUSH BUTTON

Job Description

13-FLUSH BUTTON



Task Card Title:

LAV CHECK



Task Card NO:


25-40-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP



- PERFORM GENERAL VISUAL CHECK AND CHECK FLUSH BUTTON FOR DAMAGE AND OPERATE IT TO CHECK THE FLUSH IS WORKING AND THERE ARE NO SIGNS OF BLOCKAGE IN THE WASTE LINES.

- A. FLUSH SYSTEM SHOULD WORK NORMALLY.
- B. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
- C. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
- D. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
- E. MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
- F. WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN OR SECURE THE PART.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

14-ASSIST HANDLES

Job Description

14-ASSIST HANDLES



Task Card Title:

LAV CHECK



Task Card NO:

25-40-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP



- PERFORM GENERAL VISUAL CHECK THE ASSIST HANDLES FOR GENERAL CONDITION, CLEANLINESS, DAMAGE OR LOOSENESS.
 - A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
 - B. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
 - C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
 - D. MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN OR SECURE THE PART.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

15- LAVATORY FLOOR PAN AND 16-LAVATORY NTF

Job Description

15- LAVATORY FLOOR PAN

- PERFORM GENERAL VISUAL CHECK THE LAVATORY FLOOR PAN FOR GENERAL CONDITION, CLEANLINESS AND DAMAGE.

16- LAVATORY NTF



MET.32721822

Task Card Title:

LAV CHECK



Task Card NO:


25-40-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP



- PERFORM GENERAL VISUAL CHECK THE LAVATORY NTF FOR GENERAL CONDITION, CLEANLINESS AND DAMAGE.


STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

17- LAVATORY DOOR, LATCH, HINGES, RETAINERS AND METAL TRIMS

Job Description

17- LAVATORY DOOR, LATCH, HINGES, RETAINERS AND METAL TRIMS





Task Card Title:

LAV CHECK



Task Card NO:

25-40-00-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- PERFORM GENERAL VISUAL CHECK AND OPERATE THE LAVATORY DOOR, LATCH, HINGES, RETAINERS AND METAL TRIMS GENERAL CONDITION, CLEANLINESS, DAMAGE OR LOOSENESS AND CHECK THAT IT CAN BE LOCKED AND OPENED FROM INSIDE/OUTSIDE.

- A. CRACK, DENT, OR DAMAGE ARE NOT ACCEPTABLE.
- B. SURFACE SCRATCHES ARE ACCEPTABLE. DEEP SCRATCHES THAT EXPOSE THE BASE MATERIAL, ARE NOT ACCEPTABLE.
- C. SURFACES ARE CLEAN AND FREE OF ANY STAINS OR MARKS.
- D. MISSING, BROKEN, DAMAGED, DISBONDED, OR LOOSE PARTS ARE NOT ACCEPTABLE.
- E. SHARP EDGES OR BURRS ARE NOT ACCEPTABLE.
- F. WORN OR CHIPPED PAINT AND FINISH NOT ACCEPTABLE.
- G. MISALIGNED PARTS AND GAPS ARE NOT ACCEPTABLE.
- H. LOOSE, MISSING OR BROKEN HINGES AND LATCHES ARE NOT ACCEPTABLE.

-IF ANY PARTS ARE IN UNACCEPTABLE CONDITION, CLEAN, POLISH, REAPPLY SURFACE FINISH, REPAIR OR PAINT DEFECTIVE PARTS AS APPLICABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

18- LAVATORY LIGHTS

Job Description

18-LAVATORY LIGHTS

- PERFORM GENERAL VISUAL CHECK AND CHECK THAT LIGHTS ARE WORKING (INCLUDING THE MIRROR LIGHTS).

A.LENS SHROUD IS FREE OF CRACKS, DAMAGES, OR DISCOLORATION.

B.LIGHT COLOR MISMATCH IS NOT ACCEPTABLE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

19- LAVATORY PLACARDS

Job Description

19-LAVATORY PLACARDS

- PERFORM GENERAL VISUAL CHECK ALL LAVATORY PLACARDS. THEY SHOULD BE CLEAN AND IN GOOD CONDITION, WITH NO MISALIGNMENT, CUTS, OR DAMAGES AND MAKE SURE FOR PRESENCE OF THE FOLLOWING:

(A) NO SMOKING PLACARDS.

(B) NO CIGARETTE DISPOSAL PLACARDS.

 MET.32721822	Task Card Title: LAV CHECK						
Task Card NO: 25-40-00-00-SVA	Work Package: ASP/H-26 C7-CHK	A/C Registration: HZ-ASP					
- IF THE PART IS DEFECTIVE OR MISSING, REPLACE THE DEFECTIVE PART WITH A NEW ONE.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			
-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to creat the finding Work Order on task card level. Remark's: _____ _____							
(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box) - Interruption No. 1 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 2 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 3 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 4 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 5 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____							
(2) Record any dimension or torque through the performed steps and sign-off as applicable:							
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____							
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____							
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____							
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____							
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____							
Task Completion Close Up And System Update				Station	Date	Signature	

 MET.29291075		Task Card Title: EMERGENCY EQUIPMENT IN C/A SEAT STOWAGE INSPECTI					
Task Card NO: 25-60-00-03-0-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,II		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 28	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: CHK		Special Code: INSP		MSG Code: 7, 4		Request:	
Phase: PRE INSP							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 200							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
DO		CAP# S25-11008					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTIONS							
Job Description							
A. CHECK EMERGENCY EQUIPMENT IN C/A SEAT STOWAGE FOR SECURITY AND CONDITION, MAKE SURE THAT: 1- THE FLASH LIGHT IS EXIST, SEAL SECURED AND RED LIGHT IS BLINKING. 2- LIFE VEST IS EXIST AND SECURED WITH THE RED STRAP.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day Month Year	
Mechanic/s			HRS				
Insp.	INSP/II		HRS				



MET.29291075

Task Card Title:

EMERGENCY EQUIPMENT IN C/A SEAT STOWAGE INSPECTI**ON**

Task Card NO:

25-60-00-03-0-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.29291049	Task Card Title: EMERGENCY EQUIP VALIDITY INSP			
Task Card NO: 25-65-00-01-0-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP
A/C Type: 321	Block Taskcard		Main Skill: INSP,II	PROD Final Acceptance:
Project No: 01BASPC72608	Related Task Card:	A/C Area: 05		
Internal Check:	Check Type:	Work Order NO: 31909295	Tally Sequence NO: 29	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐				
Type Code: CHK	Special Code: INSP	MSG Code: 4	Request:	Phase: PRE INSP
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.				
Zones: 200				
DOCUMENT REFERENCES:				
Doc Typ		Reference		
CAP		S05-C10003 APPROVED.pdf		
ACCESS PANELS:				
MATERIAL REQUIREMENTS:				
Part Number		Description		Qty.
No parts assigned to this Task Item				
TOOLING REQUIREMENTS:				
Part Number		Description		Qty.
No tools assigned to this Task Item				
TASK INSTRUCTIONS				
Job Description				
A. CHECK VALIDITY OF ALL LIFE LIMITED EMERGENCY EQUIPMENT ACCORDING TO THE AIRCRAFT EMERGENCY EQUIPMENT CHART: [TICK ☒ THE APPROPRIATE CHECK BOX, IF (Yes) CHECK BOX IS TICKED, RECORD P/N, S/N & EXPIRY DATE]				
* HALON FIRE EXTINGUISHERS. ☒ Yes / ☒ No P/N: _____ S/N: _____ EXPIRY DATE _____ P/N: _____ S/N: _____ EXPIRY DATE _____ P/N: _____ S/N: _____ EXPIRY DATE _____ P/N: _____ S/N: _____ EXPIRY DATE _____ P/N: _____ S/N: _____ EXPIRY DATE _____				
* WATER FIRE EXTINGUISHERS. ☒ Yes / ☒ No P/N: _____ S/N: _____ EXPIRY DATE _____				
* PORTABLE OXYGEN BOTTLES. ☒ Yes / ☒ No P/N: _____ S/N: _____ EXPIRY DATE _____				



Task Card Title:

EMERGENCY EQUIP VALIDITY INSP

Task Card NO:

25-65-00-01-0-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

* FLASH LIGHTS. ☐ Yes / ☐ No

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

NOTE: CHECK OPERATION, IF FOUND WEAK, BATTERIES MUST BE REPLACED.* EMERGENCY LOCATOR TRANSMITTERS. ☐ Yes / ☐ No

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

* LIFE RAFTS (IF INSTALLED). ☐ Yes / ☐ No

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

P/N: _____ S/N: _____ EXPIRY DATE _____

* DESCENT DEVICE. ☐ Yes / ☐ No

P/N: _____ S/N: _____ EXPIRY DATE _____

(1) IF THE EXPIRY DATE OF THE AIRCRAFT EMERGENCY EQUIPMENT IS WITHIN 80 DAYS, AND PART IS AVAILABLE, REPLACE AFFECTED PART.

(2) IF THE EXPIRY DATE OF THE THE AIRCRAFT EMERGENCY EQUIPMENT IS WITHIN 80 DAYS AND THE PART IS S/D, THE PRODUCTION

CONTROL PLANNING MUST GENERATE E-MAIL WITH ABOVE INFORMATION AND SEND TO THE FOLLOWING DEPARTMENTS:

- SV AMP SVHMP@saudia.com
- Line maintenance planning SVLMP@saudia.com



MET.29291049

Task Card Title:

EMERGENCY EQUIP VALIDITY INSP

Task Card NO:

25-65-00-01-0-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(PROD PLNR PRN: _____ SIGNATURE: _____.)

NOTE: OVER RIDE PROCESS MUST BE ACCOMPLISHED BY INSPECTION SUPERVISOR WHEN E-MAIL IS ISSUED.

B. CHECK VALIDITY OF MEGAPHONES ACCORDING TO THE AIRCRAFT EMERGENCY EQUIPMENT CHART:

[TICK ☒ THE APPROPRIATE CHECK BOX, IF (Yes) CHECK BOX IS TICKED, RECORD P/N, S/N & EXPIRY DATE]* MEGAPHONES. ☒ Yes / ☒ No

P/N: _____ S/N: _____ EXPIRY DATE _____.

P/N: _____ S/N: _____ EXPIRY DATE _____.

NOTE: CHECK OPERATION, IF FOUND WEAK, BATTERIES MUST BE REPLACED.**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s				HRS				
Insp.	INSP/II			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

_____, _____, _____, _____, _____, _____, _____, _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

_____, _____, _____, _____, _____, _____, _____, _____



MET.29291049

Task Card Title:

EMERGENCY EQUIP VALIDITY INSP

Task Card NO:

25-65-00-01-0-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722050		Task Card Title: FIRST AID MEDICAL SURVL KIT CHECK					
Task Card NO: 25-65-00-01-0-SVA-001		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: II,INSP		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 30	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: CHK		Special Code: INSP		MSG Code: 5, 4		Request: Phase: PRE INSP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 200							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
DO		CAP# I25X12002					
FAR		FAR 121.803					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTION							
Job Description							
A. CHECK FIRST AID KIT; DOCTORS MEDICAL KIT; & AED FOR CONDITION, EXPIRATION DATE AND ELIGIBILITY C PLACARDS.							
PN Description	Part No	Serial No	Expiry - DATE	Effectivity	Position	Production Rem:	
EXTERNAL DEFIBRILLATOR				ASH-ASW	AFT LH		
DOCTORS MEDICAL KIT				ASH-ASW	FWD LH		
FIRST AID KIT				ASH-ASW	FWD		



Task Card Title:

FIRST AID MEDICAL SURVL KIT CHECK

Task Card NO:

25-65-00-01-0-SVA-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

FIRST AID KIT					RH	
FIRST AID KIT				ASH-ASW		
FIRST AID KIT				ASH-ASW	AFT RH	

(1) IF THE ITEM IS EXPIRED, OR EXPIRY WITHIN 10 DAYS IT MUST BE REPLACED

(2) IF THE EXPIRATION DATE IS WITHIN 6M OR PART IS S/D, DO THE FOLLOWING:

- (a) INSPECTION MUST ISSUE A WORK ORDER WITH ABOVE INFORMATION FOR EACH COMPONENT.
- (b) PRODUCTION CONTROL PLANNING MUST GENERATE E-MAIL WITH ABOVE INFORMATION AND SEND TO FOLLOWING DEPARTMENTS:

- SV AMP SVAMP@SAUDIA.COM
- Line Maintenance Planning SVLMP@SAUDIA.COM

(PROD PLNR PRN: _____ SIGNATURE: _____.)

NOTE: OVER RIDE PROCESS MUST BE ACCOMPLISHED BY INSPECTION SUPERVISOR WHEN E-MAIL IS ISSUED.**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	II/INSP		HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

FIRST AID MEDICAL SURVL KIT CHECK

Task Card NO:

25-65-00-01-0-SVA-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722054		Task Card Title: INFLATABLE RESTRAINT SYSTEM-ELECTRONICS MODULE			
ASS.(EMA) BATTERY R/R					
Task Card NO: 252100-04-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP	
A/C Type: 321		Block Taskcard		Main Skill: II,INSP	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05	
Internal Check:		Check Type:		Work Order NO: 31909295	
				Tally Sequence NO: 31	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐					
Type Code: DIS		Special Code: INSP		MSG Code: MRB, 8	
				Request: Phase: TC/P	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.					
Zones: 200					
DOCUMENT REFERENCES:					
Doc Typ		Reference			
AMM		25-21-58-920-001-A			
AMM		252158-920-001			
CAP		S05-C10003 R02.pdf			
ACCESS PANELS:					
MATERIAL REQUIREMENTS:					
Part Number		Description			Qty.
508358-413		ELECTRONICS MODULE ASSEMBLY(EMA)			0.0
TOOLING REQUIREMENTS:					
Part Number		Description			Qty.
No tools assigned to this Task Item					
TASK INSTRUCTION					
Job Description					
A. CHECK ELECTRONICS MODULE ASSEMBLY (EMA) P/N: 508358-413 ON SEATS 31A, 31L, 44A AND 44L AS FOLLOWS: [TICK ☒ THE APPROPRIATE CHECK BOX: IF (Yes) CHECK BOX IS TICKED, RECORD P/N, S/N & EXPIRY DATE] ☒ Yes / ☒ No P/N: _____ S/N: _____ EXPIRY DATE _____ (1) CHECK THE DATE OF MANUFACTURE/AN EXPIRATION DATE AS FOLLOWS: (a) IF EMA APPROACHES 7 YEARS IN SERVICE FROM THE MANUFACTURE DATE AND REMAINING 180 DAYS, R/R EMA AND ROUTED IT TO THE AVIONIC SHOP FOR HANDLING. (b) IF EMA APPROACHES 14 YEARS IN SERVICE FROM THE MANUFACTURE DATE AND EXPIRE WITHIN 130 DAY, R/R EMA. (c) IF THE PART IS S/D DO THE FOLLOWING: (1) INSPECTION MUST ISSUE A WORK ORDER WITH APOVE INFORMATION. (2) PRODUCTION CONTROL PLANNING MUST GENERATE E-MAIL WITH ABOVE INFORMAION AND					



Task Card Title:

INFLATABLE RESTRAINT SYSTEM-ELECTRONICS MODULE**ASS.(EMA) BATTERY R/R**

Task Card NO:

252100-04-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

SEND TO FOLLOWING DEPARTMENTS:

SV MCC Line Maintenance Planning

SVMCCLAMP@SAUDIA.COM

SV AMP

SVAMP@SAUDIA.COM

(W/O #: _____ , PROD PLNR PRN: _____.)

NOTE: OVER RIDE PROCESS MUST BE ACCOMPLISHED BY INSPECTION SUPERVISOR WHEN E-MAIL IS ISSUED.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s				HRS			
Insp.	II/INSP			HRS			

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

 Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

 Remark's: _____



Task Card Title:

INFLATABLE RESTRAINT SYSTEM-ELECTRONICS MODULE**ASS.(EMA) BATTERY R/R**

Task Card NO:

252100-04-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722029		Task Card Title: INFLATABLE RESTRAINT SYS-GAS STORAGE AND SQUIB V				
VALIDITY CHECK						
Task Card NO: 252100-05-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP		
A/C Type: 321		Block Taskcard		Main Skill: INSP,II		PROD Final Acceptance:
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05		
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 32
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐						
Type Code: DIS		Special Code:		MSG Code: 7, 8, MRB		Request: Phase: PRE INSP
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.						
Zones: 200						
DOCUMENT REFERENCES:						
Doc Typ		Reference				
AMM		25-21-58-920-802-A				
AMM		252158-920-802				
CAP		S05-C10003 APPROVED.pdf				
ACCESS PANELS:						
MATERIAL REQUIREMENTS:						
Part Number		Description				Qty.
510183-401		INFLATOR ASSY				1.0
TOOLING REQUIREMENTS:						
Part Number		Description				Qty.
No tools assigned to this Task Item						
TASK INSTRUCTION						
Job Description						
A. CHECK THE INFLATOR ASSEMBLY P/N: 510183-401 ON SEATS 31A, 31L, 44A AND 44L AS FOLLOWS: [TICK ☒ THE APPROPRIATE CHECK BOX: IF (Yes) CHECK BOX IS TICKED, RECORD P/N, S/N & EXPIRY DATE] ☒ Yes / ☒ No P/N: _____ S/N: _____ EXPIRY DATE _____						
(1) CHECK THE DATE OF MANUFACTURE AND IF INFLATOR ASSEMBLY APPROACHES 10 YEARS IN SERVICE FROM THE MANUFACTURE DATE AND REMAINING 130 DAY, R/R INFLATOR ASSEMBLY. (2) IF THE PART IS S/D DO THE FOLLOWING: (a) INSPECTION MUST ISSUE A WORK ORDER WITH ABOVE INFORMATION. (b) PRODUCTION CONTROL PLANNING MUST GENERATE E-MAIL WITH ABOVE INFORMATION AND SEND TO FOLLOWING DEPARTMENTS:						
SV MCC Line Maintenance Planning SV AMP				SVMCCLAMP@SAUDIA.COM SVAMP@SAUDIA.COM		



Task Card Title:

INFLATABLE RESTRAINT SYS-GAS STORAGE AND SQUIB V**VALIDITY CHECK**

Task Card NO:

252100-05-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(W/O #: _____ PROD PLNR PRN: _____.)

NOTE: OVER RIDE PROCESS MUST BE ACCOMPLISHED BY INSPECTION SUPERVISOR WHEN E-MAIL IS ISSUED.**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s				HRS				
Insp.	INSP/II			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

INFLATABLE RESTRAINT SYS-GAS STORAGE AND SQUIB V**VALIDITY CHECK**

Task Card NO:

252100-05-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32721999		Task Card Title: GALLEY COOLING CLEANING					
Task Card NO: 253400-01-1.		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05			
Internal Check:		Check Type:		Work Order NO: 31909295			
				Tally Sequence NO: 33			
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: RST		Special Code: CAB		MSG Code: 9, LUR		Request: 	
Phase:							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 200							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		25-34-00-100-001-A					
AMM		253400-100-001					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
RTV 732		ADHESIVE SEALANT (WHITE)				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTIONS							
Job Description							
A. PERFORM CLEANING OF CHILLED AIR IN" AND "CHILLED AIR OUT" GRILLES FILTERS IN FORWARD GALLEY CABINET AS PER AMM TASK 253400-100-001-A.							
STEP COMPLETION SIGN OFF:							
Qualification / Skill		Number of employees		Duration		Number./Signature	
Date							
Day		Month		Year			
Mechanic/s		CAB/ACFT_TECH		HRS			
Insp.				HRS			
TASK INSTRUCTIONS							
Job Description							
B. PERFORM CLEANING OF CHILLED AIR IN" AND "CHILLED AIR OUT" GRILLES FILTERS IN AFT GALLEY CABINET AS PER AMM TASK 253400-100-001-A.							
STEP COMPLETION SIGN OFF:							

 MET.32721999	Task Card Title: GALLEY COOLING CLEANING							
Task Card NO: 253400-01-1.		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP				
Mechanic/s	Qualification / Skill	Number of employees	Duration		Number./Signature		Date	
				HRS			Day	Month
Insp.								
-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to creat the finding Work Order on task card level. Remark's: _____ _____								
(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box) - Interruption No. 1 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 2 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 3 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 4 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 5 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____								
(2) Record any dimension or torque through the performed steps and sign-off as applicable:								
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____								
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____								
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____								
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____								
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____								
Task Completion Close Up And System Update			Station		Date		Signature	

 MET.32722013		Task Card Title: AIRCHILLER CONDENSER AIR FLTR CLEANING					
Task Card NO: 253400-02-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 34	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: RST		Special Code: CAB		MSG Code: 9, MRB, LUR		Request: CLEAN-UP, JOB-CLOSEUP, JOB-CLOSEUP, JOB-CLOSEUP, LOSEUP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 200							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		25-34-00-100-002-A					
AMM		253400-100-002					
DO		CAP# S25-1108					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
NO PARTS ASSIGNED TO THIS TASK							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
VACUUM CLEANER		VACUUM CLEANER, ALFATEX				1.0	
PREPARATION							
Job Description							
A. PREPARE FOR FWD & AFT AIRCHILLER CONDENSER AIR FILTER CLEANING AS PER AMM TASK 25-34-00-100-002-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			
PREPARATION							
Job Description							
B. REMOVE FORWARD GALLEY AIR CHILLER UNIT AS PER AMM TASK 25-34-51-000-01-A							



MET.32722013

Task Card Title:

AIRCHILLER CONDENSER AIR FLTR CLEANING



Task Card NO:

253400-02-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

PREPARATION

Job Description

C. REMOVE AFT GALLEY AIR CHILLER UNIT AS PER AMM TASK 25-34-51-000-02-A

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

TASK INSTRUCTIONS

Job Description

A. CLEAN FWD AIR CHILLER UNIT CONDENSER AIR FILTER AS PER AMM TASK 25-34-00-100-002-A

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

TASK INSTRUCTION

Job Description

B. CLEAN AFT AIR CHILLER UNIT CONDENSER AIR FILTER AS PER AMM TASK 25-34-00-100-002-A

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

CLOSE UP

Job Description

A.INSTALL THE FWD GALLEY AIR CHILLER UNIT (REF. AMM TASK 25-34-51-400-001-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

CLOSE UP

Job Description



MET.32722013

Task Card Title:

AIRCHILLER CONDENSER AIR FLTR CLEANING

Task Card NO:

253400-02-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

B. INSTALL THE AFT GALLEY AIR CHILLER UNIT (REF. AMM TASK 25-34-51-400-002-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

CLOSE UP**Job Description**

C. RETURN THE AIRCRAFT BACK TO NORMAL CONFIGURATION AS AMM TASK 25-34-00-100-002-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



MET.32722013

Task Card Title:

AIRCHILLER CONDENSER AIR FLTR CLEANING

Task Card NO:

253400-02-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722006	Task Card Title: FWD CARGO COMP DIVIDER NETS INSP			
Task Card NO: 255000-16-1-001		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP
A/C Type: 321	Block Taskcard		Main Skill: INSP,II	PROD Final Acceptance:
Project No: 01BASPC72608	Related Task Card:	A/C Area: 09		
Internal Check:	Check Type:	Work Order NO: 31909295	Tally Sequence NO: 35	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐				
Type Code: DET	Special Code: INSP	MSG Code: 9, MRB, LUR	Request:	Phase: PRE INSP
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.				
Zones: 130				
DOCUMENT REFERENCES:				
Doc Typ		Reference		
AMM		25-50-00-200-025-A		
AMM		255000-200-025		
ACCESS PANELS:				
MATERIAL REQUIREMENTS:				
Part Number		Description		Qty.
No parts assigned to this Task Item				
TOOLING REQUIREMENTS:				
Part Number		Description		Qty.
No tools assigned to this Task Item				
TASK INSTRUCTIONS				
Job Description				
A. PERFORM DETAILED VISUAL INSPECTION OF FWD CARGO COMPARTMENTS DIVIDER NET, DOOR NET AND NET ATTACHMENT POINTS AS PER AMM TASK 25-50-00-200-025-A.				
STEP COMPLETION SIGN OFF:				
	Qualification / Skill	Number of employees	Duration	Number./Signature
Mechanic/s			HRS	
Insp.	INSP/II		HRS	
-Aircraft Maintenance Manual used: Revision No. _____ Dated._____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to create the finding Work Order on task card level. Remark's: _____ _____				



Task Card Title:

FWD CARGO COMP DIVIDER NETS INSP

Task Card NO:

255000-16-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722060	Task Card Title: AFT AND BULK CARGO COMP NETS INSP							
Task Card NO: 255000-16-1-002		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP				
A/C Type: 321	Block Taskcard		Main Skill: II,INSP	PROD Final Acceptance:				
Project No: 01BASPC72608	Related Task Card:	A/C Area: 09						
Internal Check:	Check Type:	Work Order NO: 31909295	Tally Sequence NO: 36					
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐								
Type Code: DET	Special Code: INSP	MSG Code: 9, MRB, LUR	Request:	Phase: PRE INSP				
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.								
Zones: 150,160								
DOCUMENT REFERENCES:								
Doc Typ		Reference						
AMM		25-50-00-200-025-A						
AMM		255000-200-025						
ACCESS PANELS:								
MATERIAL REQUIREMENTS:								
Part Number		Description		Qty.				
No parts assigned to this Task Item								
TOOLING REQUIREMENTS:								
Part Number		Description		Qty.				
No tools assigned to this Task Item								
TASK INSTRUCTIONS								
Job Description								
A. PERFORM DETAILED VISUAL INSPECTION OF AFT AND BULK CARGO COMPARTMENTS DIVIDER NET, DOOR NET AND NET ATTACHMENT POINTS AS PER AMM TASK 25-50-00-200-025-A.								
STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s				HRS				
Insp.	II/INSP			HRS				
-Aircraft Maintenance Manual used: Revision No. _____ Dated._____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to creat the finding Work Order on task card level. Remark's: _____ _____								



MET.32722060

Task Card Title:

AFT AND BULK CARGO COMP NETS INSP

Task Card NO:

255000-16-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32721817		Task Card Title: CABN DOORS GIRT BAR FITT STOP CLEAN					
Task Card NO: 256241-05-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,II,CAB,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 37	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: RST		Special Code: CAB		MSG Code: 9, MRB, LUR		Request: Phase: CLEAN-UP,CLEAN-UP, OPS/LK,OPS/LK	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 221,222,261,262							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		53-11-00-210-034-A					
AMM		531100-210-034					
ACCESS PANELS:							
831, 832, 841, 842							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
MILT81533		SOLVENT DEGREASER.				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK PREPARATION							
Job Description							
A. CLEAN THE L/H AND R/H FWD CABIN DOOR GIRT-BAR FITTING STOP-LEVERS AND ITS ADJACENT AREA WITH A VACUUM CLEANER TO REMOVE THE DIRT AND DUST AS PER AMM TASK 53-11-00-210-034-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day	Month
Mechanic/s	CAB/ACFT_TECH		HRS				Year
Insp.			HRS				
TASK PREPARATION							
Job Description							
B. CLEAN THE L/H AND R/H AFT CABIN DOOR GIRT-BAR FITTING STOP-LEVERS AND ITS ADJACENT AREA WITH A VACUUM CLEANER TO REMOVE THE DIRT AND DUST AS PER AMM TASK 53-11-00-210-034-A.							
STEP COMPLETION SIGN OFF:							



MET.32721817

Task Card Title:

CABN DOORS GIRT BAR FITT STOP CLEAN



Task Card NO:

256241-05-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

TASK INSTRUCTION

Job Description

A. PERFORM L/H AND R/H FWD CABIN DOOR GIRT-BAR FITTING STOP LEVERS OPERATIONAL TEST AS PER AMM TASK 53-11-00-210-034-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.	INSP/II		HRS				

TASK INSTRUCTION

Job Description

B. PERFORM L/H AND R/H AFT CABIN DOOR GIRT-BAR FITTING STOP LEVERS OPERATIONAL TEST AS PER AMM TASK 53-11-00-210-034-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.	II/INSP		HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____



MET.32721817

Task Card Title:

CABN DOORS GIRT BAR FITT STOP CLEAN

Task Card NO:

256241-05-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.29290983		Task Card Title: SUPPLEMENTAL LIFE/RAFT PRES CHK					
Task Card NO: 256600-02-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: IL,INSP,CAB,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 38	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: VCK		Special Code: CAB		MSG Code: MRB, 8		Request: Phase:	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 200							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		25-66-41-210-001-A					
AMM		256641-210-001					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
SUPPLEMENTAL LIFE RAFT PRESSURE CHECK							
Job Description							
A. PREPARE FOR SUPPLEMENTAL LIFE RAFT PRESSURE CHECK AS PER AMM TASK 25-66-41-210-001.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day	Month
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				
Job Description							
B. PERFORM A SUPPLEMENTAL LIFE RAFT PRESSURE GAGE READING CHECK (IF CONFIGURATION INCLUDES VISIBLE GAUGE) AS PER AMM TASK 25-66-41-210-001.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day	Month

 MET.29290983	Task Card Title: SUPPLEMENTAL LIFE/RAFT PRES CHK						
Task Card NO: 256600-02-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
Mechanic/s				HRS			
Insp.	II/INSP			HRS			
Job Description							
C. RETURN THE AIRCRAFT TO ITS NORMAL CONFIGURATION AS PER AMM TASK 25-66-41-210-001.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.	INSP/II		HRS				
-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____. Task card finding (Tick Applicable Box) [☐] Yes [☐] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to creat the finding Work Order on task card level. Remark's: _____ _____							



Task Card Title:

SUPPLEMENTAL LIFE/RAFT PRES CHK

Task Card NO:

256600-02-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722009		Task Card Title: ENG FIRE & OVERHEAT DETECTION TEST					
Task Card NO: 261200-01-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: AV,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 06			
Internal Check:		Check Type:		Work Order NO: 31909295			
				Tally Sequence NO: 39			
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: OPC		Special Code: AV		MSG Code: LUR, 8, MRB		Request: 	
						Phase: OPS/LK	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		26-12-00-710-001-A					
AMM		261200-710-001					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
Job Description							
ENGINE FIRE AND OVERHEAT DETECTION LOOP SQUIB OPERATIONAL CHECK A. PERFORM OPERATIONAL CHECK OF ENGINE FIRE AND OVERHEAT DETECTION LOOP / SQUIB AS PER AMM TASK 26-12-00-710-001-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day	Month
Mechanic/s	AV/ACFT_TECH		HRS				
Insp.			HRS				



MET.32722009

Task Card Title:

ENG FIRE & OVERHEAT DETECTION TEST

Task Card NO:

261200-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722020		Task Card Title: APU FIRE AND OVERHEAT DETECTION OPC						
Task Card NO: 261300-01-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP				
A/C Type: 321		Block Taskcard		Main Skill: AV,ACFT_TECH		PROD Final Acceptance:		
Project No: 01BASPC72608		Related Task Card:		A/C Area: 06				
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 40		
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐								
Type Code: OPC		Special Code: AV		MSG Code: LUR, 8, MRB		Request: 		
Phase: OPS/LK								
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.								
Zones: 210								
DOCUMENT REFERENCES:								
Doc Typ		Reference						
AMM		26-13-00-710-001-A						
AMM		261300-710-001						
ACCESS PANELS:								
MATERIAL REQUIREMENTS:								
Part Number		Description				Qty.		
No parts assigned to this Task Item								
TOOLING REQUIREMENTS:								
Part Number		Description				Qty.		
No tools assigned to this Task Item								
TASK INSTRUCTIONS								
Job Description								
A. PERFORM OPERATIONAL CHECK OF THE APU FIRE AND OVERHEAT DETECTION SYSTEM LOOP/SQUIB AS PER AMM TASK 26-13-00-710-001-A.								
STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AV/ACFT_TECH			HRS				
Insp.				HRS				
-Aircraft Maintenance Manual used: Revision No. _____ Dated._____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to creat the finding Work Order on task card level. Remark's: _____ _____								



Task Card Title:

APU FIRE AND OVERHEAT DETECTION OPC

Task Card NO:

261300-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722000	Task Card Title: CGO`S SMOKE DETECTION OPS CHK			
Task Card NO: 261600-03-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP
A/C Type: 321	Block Taskcard		Main Skill: INSP,II,AV,ACFT_TECH	PROD Final Acceptance:
Project No: 01BASPC72608	Related Task Card:	A/C Area: 06		
Internal Check:	Check Type:	Work Order NO: 31909295	Tally Sequence NO: 41	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐				
Type Code: OPC	Special Code: AV	MSG Code: 8, MRB, LUR	Request:	Phase: OPS/LK
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.				
Zones: 210				
DOCUMENT REFERENCES:				
Doc Typ		Reference		
AMM		26-16-00-710-001-A		
AMM		261600-710-001		
ACCESS PANELS:				
MATERIAL REQUIREMENTS:				
Part Number		Description		Qty.
No parts assigned to this Task Item				
TOOLING REQUIREMENTS:				
Part Number		Description		Qty.
No tools assigned to this Task Item				
TASK INSTRUCTIONS				
Job Description				
A. PERFORM CARGO COMPARTMENT SMOKE-DETECTION OPERATIONAL CHECK BY PTT AS PER AMM TASK 26-16-00-710-001-A.				
STEP COMPLETION SIGN OFF:				
	Qualification / Skill	Number of employees	Duration	Number./Signature
				Date
				Day
				Month
				Year
Mechanic/s	AV/ACFT_TECH		HRS	
Insp.	INSP/II		HRS	
-Aircraft Maintenance Manual used: Revision No. _____ Dated._____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to creat the finding Work Order on task card level. Remark's: _____ _____				



Task Card Title:

CGO`S SMOKE DETECTION OPS CHK

Task Card NO:

261600-03-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.31509606		Task Card Title: CGO SMOKE DETECTION OPS CHK					
Task Card NO: 261600-04-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,II,AV,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 06			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 42	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: OPC		Special Code: AV		MSG Code: MRB, 8		Request: 	
Phase: OPS/LK							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		26-16-00-710-003-A					
AMM		261600-710-003					
MRB		21.28.00/06					
MRB		26.16.00/02					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTIONS							
Job Description							
A. PERFORM CARGO COMPARTMENT SMOKE DETECTION OPERATIONAL CHECK AS PER AMM TASK 26-16-00-710-003-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	AV/ACFT_TECH			HRS			
Insp.	INSP/II			HRS			



MET.31509606

Task Card Title:

CGO SMOKE DETECTION OPS CHK

Task Card NO:

261600-04-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32478480		Task Card Title: CARGO COMPARTMENT SMOKE DETECTION					
Task Card NO: 261600-06-1		Work Package: ASP/H-26 C7-CHK			A/C Registration: HZ-ASP		
A/C Type: 321		Block Taskcard		Main Skill: AV,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area:			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 43	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: OPC		Special Code:		MSG Code: 8		Request:	
Phase:							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		26-16-00-710-803-A					
AMTOSS		261600-710-803					
MSI		26.16.00/06					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description					Qty.
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description					Qty.
No tools assigned to this Task Item							
1- JOB SET-UP							
Job Description							
A. PERFORM JOB SET UP AS PER AMM TASK 26-16-00-710-803-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day	Month
Mechanic/s	AV/ACFT_TECH			HRS			
Insp.				HRS			
2- TASK INSTRUCTION							
Job Description							
A. PERFORM READ CFDS FOR CLASS 3 FAULTS. AS PER AMM 26-16-00-710-803-A.							
STEP COMPLETION SIGN OFF:							



MET.32478480

Task Card Title:

CARGO COMPARTMENT SMOKE DETECTION

Task Card NO:

261600-06-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AV/ACFT_TECH			HRS				
Insp.				HRS				

3- TASK CLOSE UP**Job Description**

A. PERFORM JOB CLOSE UP AS PER AMM 26-16-00-710-803-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AV/ACFT_TECH			HRS				
Insp.				HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below
Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



MET.32478480

Task Card Title:

CARGO COMPARTMENT SMOKE DETECTION

Task Card NO:

261600-06-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32478490		Task Card Title: LAVATORY SMOKE DETECTION					
Task Card NO: 261700-06-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: AV,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area:			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 44	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: OPC		Special Code:		MSG Code: 9		Request:	
Phase:							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		26-17-00-710-003-A					
AMTOSS		261700-710-003					
MSI		26.17.00/05					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description					Qty.
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description					Qty.
No tools assigned to this Task Item							
1- JOB SET-UP							
Job Description							
A. PERFORM JOB SET UP AS PER AMM TASK 26-17-00-710-003-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	AV/ACFT_TECH			HRS			Year
Insp.				HRS			
2- TASK INSTRUCTION							
Job Description							
A. PERFORM PROCEDURE OF READ CFDS FOR CLASS 3 FAULTS. AS PER AMM 26-17-00-710-003-A.							
STEP COMPLETION SIGN OFF:							

 MET.32478490	Task Card Title: LAVATORY SMOKE DETECTION						
Task Card NO: 261700-06-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AV/ACFT_TECH			HRS				
Insp.				HRS				

3- TASK CLOSE UP

Job Description

A. PERFORM JOB CLOSE UP AS PER AMM 26-17-00-710-003-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AV/ACFT_TECH			HRS				
Insp.				HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

LAVATORY SMOKE DETECTION

Task Card NO:

261700-06-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

Copyright of Saudia Technic - Regeneration is not allowed without prior approval by Saudia Technic.



Task Card Title:

PORT FIRE EXT PRESS GAUGE CHK

Task Card NO:

262441-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.28379426		Task Card Title: CAPTAIN AND FIRST OFFICER RADIO PTT SWITCH REPLACEMENT									
Task Card NO: 27-92-00-01-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP							
A/C Type: 321		Block Taskcard		Main Skill: AV,ACFT_TECH		PROD Final Acceptance:					
Project No: 01BASPC72608		Related Task Card:		A/C Area:							
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 46					
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐											
Type Code: R/R		Special Code: CAB		MSG Code: 4		Request: Phase: JOB SETUP,CLEAN-UP, OPS/LK					
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.											
Zones: 800											
DOCUMENT REFERENCES:											
Doc Typ		Reference									
AMM		27-92-41-000-010-A									
AMM		27-92-41-400-010-A									
ACCESS PANELS:											
MATERIAL REQUIREMENTS:											
Part Number		Description				Qty.					
D2731009900000		SWITCH-TOGGLE				2.0					
D2731009900000		SWITCH-TOGGLE				1.0					
TOOLING REQUIREMENTS:											
Part Number		Description				Qty.					
98D27903500000		PIN-SIDE STICK LOCKING				1.0					
DMC519		ELECTRICIAN SERVICE TOOL KIT (TOOL/H				1.0					
98D27303001001		HOLDER SIDE STICK				1.0					
TASK INSTRUCTIONS											
Job Description											
A. GAIN ACCESS TO THE RADIO PTT SWITCH (REF. AMM 27-92-41) AND REMOVE & DISCARD THE CAPTAIN & FIRST OFFICER RADIO PTT SWITCH AS PER AMM TASK 27-92-41-000-010-A.											
STEP COMPLETION SIGN OFF:											
		Qualification / Skill		Number of employees		Duration		Number./Signature		Date	
Mechanic/s		AV/ACFT_TECH				HRS					
Insp.						HRS					
TASK INSTRUCTIONS											
Job Description											
B. INSTALL A BRAND NEW CAPTAIN & FIRST OFFICER RADIO PTT SWITCH AS PER AMM TASK 27-92-41-400-010-A.											



Task Card Title:
CAPTAIN AND FIRST OFFICER RADIO PTT SWITCH REPLACEMENT



Task Card NO:

27-92-00-01-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AV/ACFT_TECH		HRS				
Insp.			HRS				

TASK INSTRUCTIONS**Job Description**

C. RETURN ALL ITEMS DISTURBED PER THIS TASK TO SERVICEABLE CONDITION.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AV/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____



Task Card Title:

CAPTAIN AND FIRST OFFICER RADIO PTT SWITCH REPLAC**EMENT**

Task Card NO:

27-92-00-01-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722003		Task Card Title: ELEV DAMPING MEASUREMENT OPS TEST						
Task Card NO: 273400-01-1		Work Package: ASP/H-26 C7-CHK			A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,II,AF,ACFT_TECH		PROD Final Acceptance:		
Project No: 01BASPC72608		Related Task Card:		A/C Area: 06				
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 47		
ENCLOSURE: ☐ CMR: ☒ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐								
Type Code: OPC		Special Code: AF		MSG Code: 8, MRB, CMR **, LUR		Request: Phase: OPS/LK		
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.								
Zones: 210								
DOCUMENT REFERENCES:								
Doc Typ		Reference						
AMM		27-96-00-710-008-A						
CMR		273400-00001-1-C						
MRB		27.34.00/01						
ACCESS PANELS:								
MATERIAL REQUIREMENTS:								
Part Number		Description				Qty.		
No parts assigned to this Task Item								
TOOLING REQUIREMENTS:								
Part Number		Description				Qty.		
No tools assigned to this Task Item								
TASK INSTRUCTIONS								
Job Description								
A. PERFORM AN OPERATIONAL TEST OF THE ELEVATOR DAMPING MEASUREMENT AS PER AMM TASK 27-96-00-710-008-A.								
STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
				HRS		Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS				
Insp.	INSP/II			HRS				



MET.32722003

Task Card Title:

ELEV DAMPING MEASUREMENT OPS TEST

Task Card NO:

273400-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722057		Task Card Title: THS ACT OPS CHK (CMR)						
Task Card NO: 274000-02-1		Work Package: ASP/H-26 C7-CHK			A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: II,INSP,AF,ACFT_TECH		PROD Final Acceptance:		
Project No: 01BASPC72608		Related Task Card:		A/C Area: 06				
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 48		
ENCLOSURE: ☐ CMR: ☒ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐								
Type Code: OPC		Special Code: AF		MSG Code: 8, MRB, CMR *		Request: Phase: OPS/LK		
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.								
Zones: 210								
DOCUMENT REFERENCES:								
Doc Typ		Reference						
AMM		27-44-00-710-002-A						
AMM		274400-710-002						
AMTOSS		274400-710-002						
CMR		274000-00002-1-C						
MSI		27.40.00/01						
ACCESS PANELS:								
MATERIAL REQUIREMENTS:								
Part Number		Description				Qty.		
No parts assigned to this Task Item								
TOOLING REQUIREMENTS:								
Part Number		Description				Qty.		
No tools assigned to this Task Item								
TASK INSTRUCTIONS								
Job Description								
A. PERFORM AN OPERATIONAL CHECK OF (THS) ACTUATOR WITH INDIVIDUAL HYDRAULIC SYSTEMS AS AMM TASK 27-44-00-710-002-A.								
STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
				HRS		Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS				
Insp.	II/INSP			HRS				

 MET.32722057	Task Card Title: THS ACT OPS CHK (CMR)			
Task Card NO: 274000-02-1	Work Package: ASP/H-26 C7-CHK	A/C Registration: HZ-ASP		
-Aircraft Maintenance Manual used: Revision No. _____ Dated._____. Task card finding (Tick Applicable Box) [☐] Yes [☐] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to creat the finding Work Order on task card level. Remark's: _____ _____				
(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box) - Interruption No. 1 [☐] Task card [☐] AMM [☐] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 2 [☐] Task card [☐] AMM [☐] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 3 [☐] Task card [☐] AMM [☐] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 4 [☐] Task card [☐] AMM [☐] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 5 [☐] Task card [☐] AMM [☐] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____				
(2) Record any dimension or torque through the performed steps and sign-off as applicable: - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____ - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____ - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____ - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____ - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____				
Task Completion Close Up And System Update		Station 	Date 	Signature

 MET.32722041		Task Card Title: THS BALL SCREW NUT LUBRICATION						
Task Card NO: 274451-01-1		Work Package: ASP/H-26 C7-CHK			A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: AF,ACFT_TECH		PROD Final Acceptance:		
Project No: 01BASPC72608		Related Task Card:		A/C Area: 10				
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 49		
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐								
Type Code: LUB		Special Code: AF		MSG Code: 6, MRB, LUR		Request: 		
						Phase: TC/P		
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.								
Zones: 310								
DOCUMENT REFERENCES:								
Doc Typ		Reference						
AMM		12-22-27-640-003-A						
ACCESS PANELS:								
312AR								
MATERIAL REQUIREMENTS:								
Part Number		Description				Qty.		
MIL-PRF-23827		GRASE ROYCO27 S/L2Y (IF SD USE ASG7P				0.0		
TOOLING REQUIREMENTS:								
Part Number		Description				Qty.		
No tools assigned to this Task Item								
TASK INSTRUCTIONS								
Job Description								
A. LUBRICATE THE THS ACTUATOR BALL SCREW NUT AS PER AMM TASK 12-22-27-640-003-A.								
STEP COMPLETION SIGN OFF:								
		Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
						Day	Month	Year
Mechanic/s		AF/ACFT_TECH		HRS				
Insp.				HRS				
-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.								
Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below								
Work order No: _____								
Note: Make sure to creat the finding Work Order on task card level.								
Remark's: _____								



Task Card Title:

THS BALL SCREW NUT LUBRICATION

Task Card NO:

274451-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722004		Task Card Title: THS UPER ATTACH FOR SECOND LOAD INSP					
Task Card NO: 274451-11-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: IL,INSP,RII,AF,ACFT_TECH,AP		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 10			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 50	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☒ ALI: ☒							
Type Code: DET		Special Code: AF		MSG Code: SEMR		Request: IN,INSPECTION,INSP TION,INSPECTION,JOB -CLOSEUP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 310							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
SEMR		274000-00003-1-E					
ACCESS PANELS:							
312AR							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
08BAA9		NON AQUEOUS CLEANER - GENERAL				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
98D27403500000		PITCH TRIM CONTROL LOCKING (7616 99				0.0	
TASK PREPARATION							
Job Description							
NOTE : THIS TASK MUST BE PERFORMED INSPECTION PRIOR TO TASK 274451-05-1 (IF PLANNED AT THE SAME TIME) AND PRIOR TO ANY CLEANING.							
A. PREPARE JOB-SETUP FOR THSA UPPER ATTACHMENTS FOR PRIMARY AND SECONDARY LOAD PATH LOADING INSPECTION AS PER AMM 27-44-51-220-004-A.							
STEP COMPLETION SIGN OFF:							
Qualification / Skill		Number of employees		Duration		Number./Signature	
Date		Day		Month		Year	
Mechanic/s		AF/ACFT_TECH		HRS			
Insp.				HRS			
TASK INSTRUCTIONS							
Job Description							



MET.32722004

Task Card Title:

THS UPER ATTACH FOR SECOND LOAD INSP

Task Card NO:

274451-11-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

A. PERFORM GENERAL VISUAL INSPECTION OF THE THS ACTUATOR UPPER-GIMBAL AND THE NO-BACK HOUSING YOKE-STRUCTURE PER AMM 27-44-51-220-004-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.	II/INSP		HRS				

TASK INSTRUCTIONS**Job Description**

B. PERFORM DETAILED INSPECTION OF DETAILED INSPECTION OF THE TIE-ROD SPHERE PER AMM 27-44-51-220-004-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.	INSP/RII		HRS				

TASK INSTRUCTIONS**Job Description**

C. PERFORM DETAILED INSPECTION OF THE PRIMARY UPPER ATTACHMENT AS PER AMM 27-44-51-220-004-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.	INSP/RII		HRS				

TASK INSTRUCTIONS**Job Description**

D. PERFORM DETAILED INSPECTION OF THE SECONDARY UPPER ATTACHMENT AS PER AMM 27-44-51-220-004-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.	INSP/RII		HRS				

TASK CLOSE UP**Job Description**



Task Card Title:

THS UPER ATTACH FOR SECOND LOAD INSP

Task Card NO:

274451-11-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

A. RETURN THE AIRCRAFT TO ITS NORMAL CONFIGURATION AS PER AMM 27-44-51-220-004-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.	INSP/RII		HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722048		Task Card Title: L/H FLAP TRACKS LUBRICATION					
Task Card NO: 275446-01-1-001		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 07			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 51	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: LUB		Special Code: AF		MSG Code: 6, 9, MRB		Request: 	
Phase: TC/P,TC/P							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 530							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		12-22-27-640-004-A					
AMM		122227-640-004					
MRB		27.50.00/02					
MRB		27.50.01/02					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
MIL-PRF-23827TYPEI		GREASE, PLEASE USE PN: ASG33				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
98D27803000000		LOCKING TOOL-FLAP SLAT LEVER, IN (HM				1.0	
TASK INSTRUCTIONS							
Job Description							
A. PREPARE FOR WING FLAP TRACKS LUBRICATION AS PER AMM TASK 12-22-27-640-004-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day	Month
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				
TASK INSTRUCTIONS							
Job Description							
B. LUBRICATE ALL FLAP TRACK CARRIAGE-ROLLERS AND NO.1 TRACK LEVER ARM AS PER AMM TASK 12-22-27-640-004-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day	Month

 MET.32722048	Task Card Title: L/H FLAP TRACKS LUBRICATION						
Task Card NO: 275446-01-1-001	Work Package: ASP/H-26 C7-CHK	A/C Registration: HZ-ASP					
Mechanic/s	AF/ACFT_TECH			HRS			
Insp.				HRS			
-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to create the finding Work Order on task card level. Remark's: _____ _____							
(1) If Task card interrupted or performed by different personals updates the system and update the following accordingly (Tick Applicable Box) - Interruption No. 1 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 2 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 3 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 4 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 5 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____							
(2) Record any dimension or torque through the performed steps and sign-off as applicable: - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____ - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____ - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____ - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____ - Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____							
Task Completion Close Up And System Update				Station	Date	Signature	

 MET.32722031		Task Card Title: R/H FLAP TRACKS LUBRICATION					
Task Card NO: 275446-01-1-002		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 08			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 52	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: LUB		Special Code: AF		MSG Code: 6, 9, MRB		Request: 	
Phase: TC/P,TC/P							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 630							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		12-22-27-640-004-A					
AMM		122227-640-004					
MRB		27.50.00/02					
MRB		27.50.01/02					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
MIL-PRF-23827TYPEI		GREASE, PLEASE USE PN: ASG33				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
98D27803000000		LOCKING TOOL-FLAP SLAT LEVER, IN (HM				1.0	
TASK INSTRUCTIONS							
Job Description							
A. PREPARE FOR WING FLAP TRACKS LUBRICATION AS PER AMM TASK 12-22-27-640-004-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day	Month
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				
TASK INSTRUCTIONS							
Job Description							
B. LUBRICATE ALL FLAP TRACK CARRIAGE-ROLLERS AND NO.1 TRACK LEVER ARM AS PER AMM TASK 12-22-27-640-004-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day	Month

 MET.32722031	Task Card Title: R/H FLAP TRACKS LUBRICATION						
Task Card NO: 275446-01-1-002	Work Package: ASP/H-26 C7-CHK	A/C Registration: HZ-ASP					
Mechanic/s	AF/ACFT_TECH			HRS			
Insp.				HRS			
-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to creat the finding Work Order on task card level. Remark's: _____ _____							
(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box) - Interruption No. 1 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 2 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 3 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 4 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____ - Interruption No. 5 [] Task card [] AMM [] Other specify. _____ Performed by: _____ Page No. _____ Step From _____ To _____							
(2) Record any dimension or torque through the performed steps and sign-off as applicable:							
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____							
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____							
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____							
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____							
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____ Remark's: _____ _____							
Task Completion Close Up And System Update				Station	Date	Signature	

Copyright of Saudia Technic - Regeneration is not allowed without prior approval by Saudia Technic.



Task Card Title:

L/H SPOILER AND HYDR ACTUATION LUBR

Task Card NO:

276400-01-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

Copyright of Saudia Technic - Regeneration is not allowed without prior approval by Saudia Technic.



Task Card Title:

R/H SPOILER AND HYDR ACTUATION LUBR

Task Card NO:

276400-01-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722026		Task Card Title: TANKS WATER DRAIN								
Task Card NO: 281100-02-1		Work Package: ASP/H-26 C7-CHK			A/C Registration: HZ-ASP					
A/C Type: 321		Block Taskcard		Main Skill: INSP,II,AF,ACFT_TECH		PROD Final Acceptance:				
Project No: 01BASPC72608		Related Task Card:		A/C Area: 09						
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 55				
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐										
Type Code: OPC		Special Code: AF		MSG Code: LUR, 9, MRB		Request: Phase: OPS/LK				
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.										
Zones: 196										
DOCUMENT REFERENCES:										
Doc Typ		Reference								
AMM		28-11-00-200-002-A								
AMM		281100-200-002								
MRB		28.11.00/02								
MRB		28.11.03/02								
ACCESS PANELS:										
MATERIAL REQUIREMENTS:										
Part Number		Description				Qty.				
No parts assigned to this task										
TOOLING REQUIREMENTS:										
Part Number		Description				Qty.				
98A28104000000		PURGER WATER DRAIN (HMS TOOL)				1.0				
TASK INSTRUCTIONS										
Job Description										
A. CHECK LEAK MONITOR FOR EVIDENCE OF FUEL LEAKAGE AND CORRECT CLOSURE OF THE VALVE AS PER AMM TASK 28-11-00-200-002-A.										
STEP COMPLETION SIGN OFF:										
		Qualification / Skill	Number of employees	Duration		Number./Signature		Date		
								Day	Month	Year
Mechanic/s		AF/ACFT_TECH		HRS						
Insp.		INSP/II		HRS						



MET.32722026

Task Card Title:

TANKS WATER DRAIN

Task Card NO:

281100-02-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722022		Task Card Title: GENERAL VISUAL INSPECTION OF FUEL TANKS FOR MINOR EXTERNAL LEAKS							
Task Card NO: 281100-05-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP					
A/C Type: 321		Block Taskcard		Main Skill: INSP,IL,AF,ACFT_TECH		PROD Final Acceptance:			
Project No: 01BASPC72608		Related Task Card:		A/C Area:					
Internal Check:		Check Type:		Work Order NO: 31909295, 31956352		Tally Sequence NO: 56			
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐									
Type Code: GVI		Special Code: AF		MSG Code: MRB, 9		Request: Phase: JOB SETUP, INSPECTION, JOB-CLOSEUP			
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.									
Zones: 210									
DOCUMENT REFERENCES:									
Doc Typ		Reference							
AMM		28-11-00-210-801-A							
AMM		281100-210-801							
MRB		28.11.00/07							
ACCESS PANELS:									
MATERIAL REQUIREMENTS:									
Part Number		Description				Qty.			
No parts assigned to this Task Item									
TOOLING REQUIREMENTS:									
Part Number		Description				Qty.			
No tools assigned to this Task Item									
Job Description									
1. JOB SET-UP:									
A. PERFORM A JOB SET-UP FOR GENERAL VISUAL INSPECTION OF FUEL TANKS FOR MINOR EXTERNAL LEAKS PER AMM TASK 28-11-00-210-801-A.									
STEP COMPLETION SIGN OFF:									
		Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
							Day	Month	Year
Mechanic/s		AF/ACFT_TECH		HRS					
Insp.				HRS					
Job Description									
2. TASK INSTRUCTIONS:									



Task Card Title:

GENERAL VISUAL INSPECTION OF FUEL TANKS FOR MINO**R EXTERNAL LEAKS**

Task Card NO:

281100-05-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

A. PERFORM GENERAL VISUAL INSPECTION OF FUEL TANKS FOR MINOR EXTERNAL LEAKS PER AMM TASK 28-11-00-210-801-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s				HRS				
Insp.	INSP/II			HRS				

Job Description

3. CLOSE UP:

A. PERFORM AIRCRAFT CLOSE UP PER AMM TASK 28-11-00-210-801-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS				
Insp.				HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____



Task Card Title:

GENERAL VISUAL INSPECTION OF FUEL TANKS FOR MINO**R-EXTERNAL LEAKS**

Task Card NO:

281100-05-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722015		Task Card Title: OPERATIONAL CHECK OF WATER DRAIN VALVES					
Task Card NO: 281100-06-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: IL,INSP,AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area:			
Internal Check:		Check Type:		Work Order NO: 31956352, 31909295		Tally Sequence NO: 57	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: OPC		Special Code: AF		MSG Code: 9, MRB		Request: Phase: JOB-SETUP,OPS/LK	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 190,500,600							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		12-32-28-281-804-A					
AMTOSS		AMT 123228-281-804					
MRB		28.11.00/01					
ACCESS PANELS:							
195BB, 196BB							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
NO parts assigned to this task							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
98D27803500001		LOCK				1.0	
98A28101000000		ADAPTING PIPE-WATER DRAINING FROM FU				1.0	
98A28104000000		PURGER WATER DRAIN (HMS TOOL)				1.0	
98A28104000002		PURGING TOOL-WATER DRAIN				1.0	
98D28104000000		PIPE ADAPTING WATER DRAINING				1.0	
TASK PREPARATION							
Job Description							
A. PERFORM JOB SETUP AND OBEY THE SAFETY PROCEDURES AS PER AMM TASK 12-32-28-281-804-A.							
STEP COMPLETION SIGN OFF:							
Qualification / Skill		Number of employees		Duration		Number./Signature	
Date							
Day Month Year							
Mechanic/s		AF/ACFT_TECH		HRS			
Insp.				HRS			
TASK INSTRUCTION							
Job Description							



Task Card Title:

OPERATIONAL CHECK OF WATER DRAIN VALVES

Task Card NO:

281100-06-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

A. PERFORM OPERATIONAL CHECK OF ALL WATER DRAIN VALVES AS PER AMM TASK TASK 12-32-28-281-804-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS			
Insp.	II/INSP			HRS			

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722058		Task Card Title: L/H WING SURGE TANK BURST DISC INSP								
Task Card NO: 281200-01-1-001		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP						
A/C Type: 321		Block Taskcard		Main Skill: IL,INSP,AF,ACFT_TECH		PROD Final Acceptance:				
Project No: 01BASPC72608		Related Task Card:		A/C Area: 07						
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 58				
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐										
Type Code: VCK		Special Code: AF		MSG Code: LUR, 9, MRB		Request: Phase: JOB SETUP,INSPECTIO N,JOB-CLOSEUP				
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.										
Zones: 500										
DOCUMENT REFERENCES:										
Doc Typ		Reference								
AMM		28-12-00-210-001-A								
AMM		281200-210-001								
MRB		28.12.00/02								
ACCESS PANELS:										
550CB										
MATERIAL REQUIREMENTS:										
Part Number		Description				Qty.				
No parts assigned to this task										
TOOLING REQUIREMENTS:										
Part Number		Description				Qty.				
98D27803500001		LOCK				1.0				
TASK PREPARATION										
Job Description										
A. PREPARE SURGE TANK BURST DISC FOR INSPECTION AS FOLLOWS: (1) INSTALL THE FLAP SLAT CTL LEVER ZERO LOCKING TOOL ON THE FLAP/SLAT CONTROL LEVER. (2) ATTACH WARNING NOTICES IN THE COCKPIT, NOT TO OPERATE THE FLAPS OR SLATS.										
STEP COMPLETION SIGN OFF:										
		Qualification / Skill	Number of employees	Duration		Number./Signature		Date		
								Day	Month	Year
Mechanic/s		AF/ACFT_TECH		HRS						
Insp.				HRS						
TASK INSTRUCTIONS										
Job Description										
A. PERFORM EXTERNAL GENERAL VISUAL INSPECTION OF THE VENT SURGE TANK AS PER AMM TASK 28-12-00-210-001-A.										



Task Card Title:

L/H WING SURGE TANK BURST DISC INSP

Task Card NO:

281200-01-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	II/INSP		HRS				

CLOSE UP**Job Description**

A. REMOVE THE LOCKING TOOL & WARNING NOTICES INSTALLED IN COCKPIT.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

L/H WING SURGE TANK BURST DISC INSP

Task Card NO:

281200-01-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722046		Task Card Title: R/H WING SURGE TANK BURST DISC INSP					
Task Card NO: 281200-01-1-002		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: IL,INSP,AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 08			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 59	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: VCK		Special Code: AF		MSG Code: 9, MRB, LUR		Request: Phase: JOB SETUP, INSPECTION, JOB-CLOSEUP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 600							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		28-12-00-210-001-A					
AMM		281200-210-001					
MRB		28.12.00/02					
ACCESS PANELS:							
650CB							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
NO parts assigned to this task							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
98D27803500001		LOCK				1.0	
TASK PREPARATION							
Job Description							
A. PREPARE SURGE TANK BURST DISC FOR INSPECTION AS FOLLOWS: (1) INSTALL THE FLAP SLAT CTL LEVER ZERO LOCKING TOOL ON THE FLAP/SLAT CONTROL LEVER. (2) ATTACH WARNING NOTICES IN THE COCKPIT, NOT TO OPERATE THE FLAPS OR SLATS.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	AF/ACFT_TECH			HRS			
Insp.				HRS			
TASK INSTRUCTIONS							
Job Description							
A. PERFORM EXTERNAL GENERAL VISUAL INSPECTION OF THE VENT SURGE TANK AS PER AMM TASK 28-12-00-210-001-A.							



Task Card Title:

R/H WING SURGE TANK BURST DISC INSP

Task Card NO:

281200-01-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	II/INSP		HRS				

CLOSE UP**Job Description**

A. REMOVE THE LOCKING TOOL & WARNING NOTICES INSTALLED IN COCKPIT.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

R/H WING SURGE TANK BURST DISC INSP

Task Card NO:

281200-01-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32721998		Task Card Title: HYDRAULIC SYSTEM FILTERS CLOGGING INDICATORS CH			
ECK					
Task Card NO: 290000-05-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP	
A/C Type: 321		Block Taskcard		Main Skill: AF,ACFT_TECH	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 09	
Internal Check:		Check Type:		Work Order NO: 31909295	
				Tally Sequence NO: 60	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐					
Type Code: VCK		Special Code: AF		MSG Code: LUR, MRB, 9	
				Request:	
				Phase: OPS/LK	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.					
Zones: 100					
DOCUMENT REFERENCES:					
Doc Typ		Reference			
AMM		29-10-00-210-002-A			
AMM		291000-210-002			
MRB		29.10.00/28			
ACCESS PANELS:					
195BB, 196BB, 197CB, 197FB, 734					
MATERIAL REQUIREMENTS:					
Part Number		Description			Qty.
No parts assigned to this Task Item					
TOOLING REQUIREMENTS:					
Part Number		Description			Qty.
No tools assigned to this Task Item					
Job Description					
HYDRAULIC SYSTEM FILTERS CLOGGING INDICATORS CHECK					
A. CHECK THE FOLLOWING HYDRAULIC SYSTEM FILTERS CLOGGING INDICATORS PER AMM TASK 29-10-00-210-002.					
(1) HIGH PRESSURE DELIVERY FILTERS (1048GM, 2048GM AND 3048GM).					
(2) GROUND SERVICING (RESERVOIR FILLING) FILTER (1132GM).					
(3) RETURN (LOW PRESSURE) FILTERS (1002GM, 2002GM AND 3002GM).					
(4) BLUE HYDRAULIC SYSTEM ELECTRICAL PUMP CASE DRAIN FILTER (2084GM).					
(5) RESERVOIR PRESSURIZATION FILTER (1360GM).					
(6) WATER SEPARATOR FILTER (1360GM).					
(7) HIGH PRESSURE BLEED AIR.					
(8) LOW PRESSURE BLEED AIR.					
STEP COMPLETION SIGN OFF:					



Task Card Title:

HYDRAULIC SYSTEM FILTERS CLOGGING INDICATORS CH**ECK**

Task Card NO:

290000-05-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722025		Task Card Title: HYD RESERVOIRS FLUID LEVEL CHECK					
Task Card NO: 291000-01-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 09			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 61	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: DET		Special Code:		MSG Code: 6, MRB, LUR		Request: 	
Phase: TC/P							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 100							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		29-10-00-200-001-A					
MRB		29.10.00/01					
ACCESS PANELS:							
196BB							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTION							
Job Description							
A. PERFORM GREEN, BLUE AND YELLOW HYDRAULIC RESERVOIRS FLUID LEVEL CHECK AS PER AMM TASK 29-10-00-200-001-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	AF/ACFT_TECH			HRS			
Insp.				HRS			
-Aircraft Maintenance Manual used: Revision No. _____ Dated._____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to creat the finding Work Order on task card level. Remark's: _____ _____							



Task Card Title:

HYD RESERVOIRS FLUID LEVEL CHECK

Task Card NO:

291000-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722038		Task Card Title: MAIN HYDRAULIC POWER SERVICING					
Task Card NO: 291000-05-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 09			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 62	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: SVC		Special Code: AF		MSG Code: LUR, 9, MRB		Request: 	
						Phase: TC/P	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 195							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		29-14-00-680-001-A					
MRB		29.10.00/13					
ACCESS PANELS:							
195BB							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTIONS							
Job Description							
A. DRAIN THE RESERVOIR PRESSURIZATION UNIT WATER SEPARATOR AS PER AMM TASK 29-14-00-680-001-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	AF/ACFT_TECH			HRS			
Insp.				HRS			
-Aircraft Maintenance Manual used: Revision No. _____ Dated._____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to creat the finding Work Order on task card level. Remark's: _____ _____							



Task Card Title:

MAIN HYDRAULIC POWER SERVICING

Task Card NO:

291000-05-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722052		Task Card Title: HYDRAULIC RECOVERY TANK DRAINAGE							
Task Card NO: 291000-18-1		Work Package: ASP/H-26 C7-CHK			A/C Registration: HZ-ASP				
A/C Type: 321		Block Taskcard		Main Skill: AF,ACFT_TECH		PROD Final Acceptance:			
Project No: 01BASPC72608		Related Task Card:		A/C Area: 09					
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 63			
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐									
Type Code: SVC		Special Code: AF		MSG Code: LUR, 9, MRB		Request: Phase: TC/P			
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.									
Zones: 148									
DOCUMENT REFERENCES:									
Doc Typ		Reference							
AMM		29-17-00-680-001-A							
MRB		29.10.00/32							
ACCESS PANELS:									
196BB									
MATERIAL REQUIREMENTS:									
Part Number		Description				Qty.			
No parts assigned to this Task Item									
TOOLING REQUIREMENTS:									
Part Number		Description				Qty.			
No tools assigned to this Task Item									
TASK INSTRUCTIONS									
Job Description									
A. PREFORM THE RECOVERY TANK DRAINAGE AS PER AMM TASK 29-17-00-680-001									
STEP COMPLETION SIGN OFF:									
		Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
							Day	Month	Year
Mechanic/s		AF/ACFT_TECH		HRS					



Task Card Title:

HYDRAULIC RECOVERY TANK DRAINAGE

Task Card NO:

291000-18-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

Insp.

HRS

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

_____, _____, _____, _____, _____, _____, _____, _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.29291011		Task Card Title: COCKPIT AND AVIONICS COMPARTMENT AREA AND EQUIPMENT'S CLEANING.				
Task Card NO: 31-63-00-01-SVA-001		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP		
A/C Type: 321		Block Taskcard		Main Skill: AV,ACFT_TECH		
Project No: 01BASPC72608		Related Task Card:		A/C Area: 06		
Internal Check:		Check Type:		Work Order NO: 31909295		
				Tally Sequence NO: 64		
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐						
Type Code: CLN		Special Code: AVN		MSG Code: 4		
				Request:		
				Phase: CLEAN-UP		
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.						
Zones: 127,128,200,210,211						
DOCUMENT REFERENCES:						
Doc Typ		Reference				
AMM		31-63-22-100-001-A				
AMM		12-21-13-100-001-A				
AMM		31-63-22-000-001-A				
AMM		31-63-22-400-001-A				
ACCESS PANELS:						
MATERIAL REQUIREMENTS:						
Part Number		Description			Qty.	
TT-I-735 GRADE A		ISPOROPYL ALCOHOL S/L1YR PN:TT-I-735			1.0	
TOOLING REQUIREMENTS:						
Part Number		Description			Qty.	
No tools assigned to this Task Item						
TASK INSTRUCTION						
Job Description						
A. PERFORM THE FOLLOWING AS REQUIRED: (1) CLEAN ALL COCKPIT LCD DISPLAY UNITS AS PER AMM TASK 31-63-22-100-001-A USING "ANTISTATIC WIPE". (2) USE WITH VACUUM CLEANER AND BRUSH CLEAN PEDESTAL CONTROL PANELS AREA SURROUNDING. (3) USE COTTON TEXTILE AND BRUSH, LIFT PANELS UP ONE BY ONE AND CLEAN EACH PANEL AND AREA BELOW. (4) USE VACUUM CLEANER AND BRUSH CLEAN AVIONICS COMPARTMENT AREA ELECTRONICS AND COMPUTERS SURFACES SURROUNDING AREA, REMOVE AND REINSTALL - ON WING - ONLY FOR THE FOLLOWING SPECIFIC COMPONENTS (REF AMM TASK 12-21-13-100-001-A): (a) AVIONICS EQUIPMENT VENTILATION COMPUTER (AEVC). (b) SEC-SPOILR ELEVTR COMPUTER (SEC). (c) ELAC HARDWARE (ELAC). (d) COMPUTER - FUEL QUANTITY IND (FQIC). (e) CNTRL-INTRFACE UNT, LG (LGCIU). (f) BRAKING/STEERING CONTROL UNIT (BSCU).						



Task Card Title:

COCKPIT AND AVIONICS COMPARTMENT AREA AND EQUIPMENT'S CLEANING.

Task Card NO:

31-63-00-01-SVA-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(g) BLEED MONITORING COMPUTER (BMC).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AV/ACFT_TECH			HRS			
Insp.				HRS			

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

 MET.29291011	Task Card Title: COCKPIT AND AVIONICS COMPARTMENT AREA AND EQUIPMENT'S CLEANING.			
Task Card NO: 31-63-00-01-SVA-001	Work Package: ASP/H-26 C7-CHK	A/C Registration: HZ-ASP		
Task Completion Close Up And System Update	Station	Date	Signature	

Copyright of Saudia Technic - Regeneration is not allowed without prior approval by Saudia Technic.

COPIED

 MET.32722010		Task Card Title: CLASS 3 FAULTS READING CHECK					
Task Card NO: 313000-01-1		Work Package: ASP/H-26 C7-CHK			A/C Registration: HZ-ASP		
A/C Type: 321		Block Taskcard		Main Skill: AV,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 06			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 65	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: OPC		Special Code: AV		MSG Code: 8, MRB, LUR		Request: Phase: PRE HGR	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		31-32-00-869-002-A					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTIONS							
Job Description							
A. PERFORM CLASS 3 FAULTS READING CHECK AS PER AMM TASK 31-32-00-869-002-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day Month Year	
Mechanic/s	AV/ACFT_TECH			HRS			
Insp.				HRS			
-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to create the finding Work Order on task card level. Remark's: _____ _____							



MET.32722010

Task Card Title:

CLASS 3 FAULTS READING CHECK

Task Card NO:

313000-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.25495763		Task Card Title: BRAKE TEMPRETURE SENSOR CLEANING					
Task Card NO: 32-47-00-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area:			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 66	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: CLN		Special Code: AF		MSG Code: 4		Request: JOB SETUP, TC/P, CLOSE-UP, CLOSE-UP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones:							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		32-47-15					
CAP		CAP S32-C10005.pdf					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
LINTFREECOTTONCLO*		LINT-FREE COTTON CLOTH				1.0	
ISOPROPYL-ALCOHOL-99		ISOPROPANOL 99.9%				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
JOB SET-UP							
Job Description							
A. GET ACCESS TO THE BRAKE TEMPERATURE SENSOR AS PER AMM 32-47-15.							
STEP COMPLETION SIGN OFF:							
Qualification / Skill		Number of employees		Duration		Number./Signature	
Date							
Day Month Year							
Mechanic/s		AF/ACFT_TECH		HRS			
Insp.				HRS			
TASK INSTRUCTION							
Job Description							
A. REMOVE THE BRAKE TEMPERATURE SENSOR AS PER AMM 32-47-15.							
STEP COMPLETION SIGN OFF:							



Task Card Title:

BRAKE TEMPRETURE SENSOR CLEANING

Task Card NO:

32-47-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

WORK INSTRUCTION**Job Description**

B. CLEAN THE BRAKE TEMPERATURE SENSOR AS FOLLOWS:

- CLEAN ALL THE EXTERNAL PARTS INCLUDING THE CONNECTOR USING CLEAN AND SOFT LINT-FREE CLOTH DAMPED (PN LINTFREECOTTONCLO*) WITH CLEANING PRODUCT (PN: ISOPROPYL-ALCOHOL-99).
- REMOVE DUST AND UNWANTED MATERIALS FROM SURFACES USING CLEANING PRODUCTS AND A SOFT NYLON BRUSH.
- DRY ALL THE PARTS WITH COMPRESSED AIR OR WITH A CLEAN AND SOFT LINT-FREE CLOTH (PN: LINTFREECOTTONCLO*)

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

CLOSE-UP**Job Description**

A. INSTALL THE BRAKE TEMPERATURE SENSOR AS PER AMM 32-47-15

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

CLOSE-UP**Job Description**

B. RETURN ALL DISTURBED ITEMS TO ITS SERVICEABLE CONDITION.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				



MET.25495763

Task Card Title:

BRAKE TEMPRETURE SENSOR CLEANING

Task Card NO:

32-47-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722011	Task Card Title: (NLG) DOWNLOCK SPRING & ATTACHMENT							
Task Card NO: 323000-01-1-001		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP				
A/C Type: 321	Block Taskcard		Main Skill: INSP,II	PROD Final Acceptance:				
Project No: 01BASPC72608	Related Task Card:	A/C Area: 09						
Internal Check:	Check Type:	Work Order NO: 31909295	Tally Sequence NO: 67					
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐								
Type Code: VCK	Special Code: INSP	MSG Code: 8, MRB	Request:	Phase: PRE INSP				
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.								
Zones: 711								
DOCUMENT REFERENCES:								
Doc Typ		Reference						
AMM		32-30-00-200-002-A						
AMM		323000-200-002						
ACCESS PANELS:								
MATERIAL REQUIREMENTS:								
Part Number		Description		Qty.				
No parts assigned to this Task Item								
TOOLING REQUIREMENTS:								
Part Number		Description		Qty.				
No tools assigned to this Task Item								
NOSE LANDING GEAR (NLG) DOWNLOCK SPRING AND ATTACHMENTS INSPECTION								
Job Description								
A. PERFORM GENERAL VISUAL OF THE NLG DOWNLOCK SPRING AND ATTACHMENTS AS PER AMM TASK 32-30-00-200-002A.								
STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s				HRS				
Insp.	INSP/II			HRS				
-Aircraft Maintenance Manual used: Revision No. _____ Dated._____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to create the finding Work Order on task card level. Remark's: _____ _____								



MET.32722011

Task Card Title:

(NLG) DOWNLOCK SPRING & ATTACHMENT

Task Card NO:

323000-01-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722045		Task Card Title: LH(MLG)DOWNLOCK SPRING & ATTACHMENT					
Task Card NO: 323000-01-1-002		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,II		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 07			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 68	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: VCK		Special Code: INSP		MSG Code: MRB, 8		Request: 	
Phase: PRE INSP							
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 731							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		32-30-00-200-002-A					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
Job Description							
A.INSPECTION : (1) PERFORM GENERAL VISUAL INSPECTION OF THE L/H MAIN LANDING GEAR DOWNLOCK SPRING AND ATTACHMENTS AS PER AMM TASK 32-30-00-200-002.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s				HRS			
Insp.	INSP/II			HRS			



MET.32722045

Task Card Title:

LH(MLG)DOWNLOCK SPRING & ATTACHMENT

Task Card NO:

323000-01-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722002		Task Card Title: RH(MLG)DOWNLOCK SPRING & ATTACHMENT								
Task Card NO: 323000-01-1-003		Work Package: ASP/H-26 C7-CHK			A/C Registration: HZ-ASP					
A/C Type: 321		Block Taskcard		Main Skill: II,INSP		PROD Final Acceptance:				
Project No: 01BASPC72608		Related Task Card:		A/C Area: 08						
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 69				
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐										
Type Code: VCK		Special Code: INSP		MSG Code: MRB, 8		Request: Phase: PRE INSP				
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.										
Zones: 741										
DOCUMENT REFERENCES:										
Doc Typ		Reference								
AMM		32-30-00-200-002-A								
AMM		323000-200-002								
ACCESS PANELS:										
MATERIAL REQUIREMENTS:										
Part Number		Description				Qty.				
No parts assigned to this Task Item										
TOOLING REQUIREMENTS:										
Part Number		Description				Qty.				
No tools assigned to this Task Item										
Job Description										
A.INSPECTION : (1) PERFORM GENERAL VISUAL INSPECTION OF THE R/H MAIN LANDING GEAR DOWNLOCK SPRING AND ATTACHMENTS AS PER AMM TASK 32-30-00-200-002.										
STEP COMPLETION SIGN OFF:										
		Qualification / Skill	Number of employees	Duration		Number./Signature		Date		
								Day	Month	Year
Mechanic/s				HRS						
Insp.		II/INSP		HRS						



MET.32722002

Task Card Title:

RH(MLG)DOWINLOCK SPRING & ATTACHMENT

Task Card NO:

323000-01-1-003

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

Copyright of Saudia Technic - Regeneration is not allowed without prior approval by Saudia Technic.



Task Card Title:

(LG) EXT AND RETR COMPONENTS INSP



Task Card NO:

323000-19-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

CLOTH PER AMM TASK 32-31-00-210-002.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

TASK INSTRUCTIONS

Job Description

A. PERFORM A GENERAL VISUAL INSPECTION OF THE COMPONENTS LOCATED IN THE NLG BAY (ZONE 123) FOR SIGNS OF CORROSION, CRACKS, LEAKS OR DAMAGE AND CORRECT ATTACHING OF THE WIRING, DUCTING AND PIPING AS PER AMM TASK 32-31-00-210-002.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	INSP/II		HRS				

TASK INSTRUCTIONS

Job Description

B. PERFORM A GENERAL VISUAL INSPECTION OF THE COMPONENTS LOCATED IN THE MLG BAY (ZONE 734 / 744) FOR SIGNS OF CORROSION, CRACKS, LEAKS OR DAMAGE AND CORRECT ATTACHING OF THE WIRING, DUCTING AND PIPING AS PER AMM TASK 32-31-00-210-002.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	INSP/II		HRS				

TASK INSTRUCTIONS

Job Description

C. PERFORM A GENERAL VISUAL INSPECTION OF THE COMPONENTS LOCATED IN THE LH MLG BAY (ZONE 731) FOR SIGNS OF CORROSION, CRACKS, LEAKS OR DAMAGE AND CORRECT ATTACHING OF THE WIRING, DUCTING AND PIPING AS PER AMM TASK 32-31-00-210-002.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	INSP/II		HRS				

TASK INSTRUCTIONS

Job Description

D. PERFORM A GENERAL VISUAL INSPECTION OF THE COMPONENTS LOCATED IN THE RH MLG BAY (ZONE 741) FOR

 MET.32722024	Task Card Title: (LG) EXT AND RETR COMPONENTS INSP						
Task Card NO: 323000-19-1	Work Package: ASP/H-26 C7-CHK	A/C Registration: HZ-ASP					
SIGNS OF CORROSION, CRACKS, LEAKS OR DAMAGE AND CORRECT ATTACHING OF THE WIRING, DUCTING AND PIPING AS PER AMM TASK 32-31-00-210-002.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s				HRS			
Insp.	INSP/II			HRS			
TASK CLOSE UP							
Job Description							
A. RETURN THE AIRCRAFT TO ITS NORMAL CONFIGURATION AS PER AMM TASK 32-31-00-210-002.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS			
Insp.				HRS			
-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____. Task card finding (Tick Applicable Box) [☐] Yes [☐] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to creat the finding Work Order on task card level. Remark's: _____ _____							



MET.32722024

Task Card Title:

(LG) EXT AND RETR COMPONENTS INSP



Task Card NO:

323000-19-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station

Date

Signature

 MET.33220977		Task Card Title: BRAKE ACCUMULATOR					
Task Card NO: 324411-01-2		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 09			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 71	
ENCLOSURE: ☐ CMR: ☒ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: FNC		Special Code: AF		MSG Code: 6, 8, MRB, CMR *		Request: Phase: TC/P	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 148,210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		32-44-11-200-001-A					
AMM		324411-200-001					
CMR		324000-00003-1-C (XLR ONLY)					
MRB		32.40.00/05					
ACCESS PANELS:							
744							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
MIL-PRF-25567ETY1		LEAK DETECTOR, MIL-L-25567D TYPE 1				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTIONS							
Job Description							
A. PERFORM PARKING/EMERGENCY ACCUMULATOR PRESSURE CHECK AS PER AMM TASK 32-44-11-200-001-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day Month Year	
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				



MET.33220977

Task Card Title:

BRAKE ACCUMULATOR

Task Card NO:

324411-01-2

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722056		Task Card Title: ANNUNCIATOR LIGHTS OPERATIONAL CHECK					
Task Card NO: 331400-01-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: AV,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 00			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 72	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: OPC		Special Code: AV		MSG Code: 9, MRB, LUR		Request: 	
						Phase: OPS/LK	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		33-14-00-710-001-A					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTION							
Job Description							
A. PERFORM OPERATIONAL CHECK OF THE ANNUNCIATOR LIGHT AS PER AMM TASK 33-14-00-710-001-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	AV/ACFT_TECH			HRS			
Insp.				HRS			
-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.							
Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below							
Work order No: _____							
Note: Make sure to create the finding Work Order on task card level.							
Remark's: _____							



MET.32722056

Task Card Title:

ANNUNCIATOR LIGHTS OPERATIONAL CHECK

Task Card NO:

331400-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722012		Task Card Title: RADIO ALTIMETER & ANTENNA CLEANING									
Task Card NO: 344200-03-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP							
A/C Type: 321		Block Taskcard		Main Skill: AV,ACFT_TECH		PROD Final Acceptance:					
Project No: 01BASPC72608		Related Task Card:		A/C Area: 09							
Internal Check:		Check Type:		Work Order NO: 31909295, 31956352		Tally Sequence NO: 73					
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐											
Type Code: RST		Special Code: AVN		MSG Code: 6, MRB		Request: Phase: CLEAN-UP					
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.											
Zones: 150											
DOCUMENT REFERENCES:											
Doc Typ		Reference									
AMM		34-42-11-615-001-A									
AMM		344211-615-001									
MRB		34.42.00/02									
ACCESS PANELS:											
MATERIAL REQUIREMENTS:											
Part Number		Description				Qty.					
ISO PROPYL		ALCOHOL ISOPROPYL S/L 3 YRS(5 LTR CA				1.0					
TOOLING REQUIREMENTS:											
Part Number		Description				Qty.					
No tools assigned to this Task Item											
TASK INSTRUCTION											
Job Description											
A. CLEAN THE EXTERNAL SURFACES OF THE RADIO ALTIMETER ANTENNAS 5SA1, 5SA2, 6SA1 AND 6SA2 AND THE ADJACENT AREAS WITH CLEANING AGENT (ISOPROPYL ALCOHOL) AND COTTON CLOTH AS PER AMM TASK 34-42-11-615-001-A.											
STEP COMPLETION SIGN OFF:											
		Qualification / Skill		Number of employees		Duration		Number./Signature		Date	
		Skill		employees		HRS		Signature		Day Month Year	
Mechanic/s		AV/ACFT_TECH				HRS					
Insp.						HRS					



MET.32722012

Task Card Title:

RADIO ALTIMETER & ANTENNA CLEANING

Task Card NO:

344200-03-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722008		Task Card Title: PORTABLE OXYGEN CYLINDERS OPC				
Task Card NO: 353000-01-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP		
A/C Type: 321		Block Taskcard		Main Skill: INSP,II,CAB,ACFT_TECH		
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05		
Internal Check:		Check Type:		Work Order NO: 31909295, 31956352		
				Tally Sequence NO: 74		
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐						
Type Code: VCK		Special Code: CAB		MSG Code: SOEE, 8, MRB		
Request:		Phase: JOB-SETUP,INSPECTIO N,JOB-CLOSEUP				
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.						
Zones: 200						
DOCUMENT REFERENCES:						
Doc Typ		Reference				
AMM		35-32-42-210-002-A				
AMM		353242-210-002				
DO		SOEE TR SA00ME2302736				
ACCESS PANELS:						
MATERIAL REQUIREMENTS:						
Part Number		Description			Qty.	
No parts assigned to this Task Item						
TOOLING REQUIREMENTS:						
Part Number		Description			Qty.	
No tools assigned to this Task Item						
Job Description						
A. PREPERATION: (1) PERFORM JOB SET UP AS PER AMM 35-32-42-210-002						
STEP COMPLETION SIGN OFF:						



MET.32722008

Task Card Title:

PORTABLE OXYGEN CYLINDERS OPC

Task Card NO:

353000-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

Job Description**B. INSTRUCTION:**

(1) PERFORM A GENERAL VISUAL INSPECTION OF THE PORTABLE OXYGEN CYLINDERS CONNECTING HOSE, MASK AND PRESSURE ON CYLINDER PRESSURE GAUGE.
AS PER AMM TASK 35-32-42-210-002

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s				HRS				
Insp.	INSP/II			HRS				

Job Description**C. CLOSE UP**

(1) RETURN THE AIRCRAFT TO NORMAL CONFIGURATION AS PER AMM TASK 35-32-42-210-002

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS				
Insp.				HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) ☐ Yes ☐ No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____



Task Card Title:

PORTABLE OXYGEN CYLINDERS OPC

Task Card NO:

353000-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722019		Task Card Title: CABIN PBE INSP					
Task Card NO: 353000-05-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,II,CAB,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05			
Internal Check:		Check Type:		Work Order NO: 31909295, 31956352		Tally Sequence NO: 75	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: VCK		Special Code: INSP		MSG Code: 8, MRB, SOEE		Request: PRE INSP, PRE INSP, PRE INSP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 200							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		353000-210-006					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
Job Description							
A. PREPARE THE AIRCRAFT FOR TASK ACCOMPLISHMENT AS PER AMM TASK 35-30-00-210-006-A							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			
Job Description							
B. PERFORM A GENERAL VISUAL INSPECTION OF THE SMOKE HOOD CONTAINER AND OF THE VACUUM SEALED BAG AS PER AMM TASK 35-30-00-210-006-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s				HRS			

 MET.32722019	Task Card Title: CABIN PBE INSP						
Task Card NO: 353000-05-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
Insp.	INSP/II			HRS			
Job Description							
C. RETURN THE AIRCRAFT TO ITS NORMAL CONFIGURATION AS PER AMM TASK 35-30-00-210-006-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH			HRS			
Insp.				HRS			
-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____. Task card finding (Tick Applicable Box) [☐] Yes [☐] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to creat the finding Work Order on task card level. Remark's: _____ _____							



MET.32722019

Task Card Title:

CABIN PBE INSP

Task Card NO:

353000-05-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.31510167	Task Card Title: NO. 1 ENGINE BLEED AIR SYSTEM (EBAS) HEALTH CHECK			
PREVENTIVE MAINTENANCE PROGRAM				
Task Card NO: 36-11-00-SVA-02-001		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP
A/C Type: 321	Block Taskcard	Main Skill: IL,INSP,ACFT_TECH,AP	PROD Final Acceptance:	
Project No: 01BASPC72608	Related Task Card:	A/C Area: 00		
Internal Check:	Check Type:	Work Order NO: 31909295	Tally Sequence NO: 76	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐				
Type Code: CHK	Special Code: AP	MSG Code: 4	Request:	Phase: JOB-SETUP, JOB-CLOSEUP, JOB-CLOSEUP, JOB-CLOSEUP, LOSEUP
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.				
Zones: 450				
DOCUMENT REFERENCES:				
Doc Typ	Reference			
AMM	36-11-00-720-806-A			
AMM	36-11-00-720-806-A01			
AMM	36-11-00-720-804-A			
AMM	36-11-00-720-804-A01			
AMM	- AMM 36-11-00-720-806-A (Health Check Procedure - Pressure Control Function)			
AMM	- AMM 36-11-00-720-806-A01 (Health Check Procedure - Pressure Control Function with the Bleed Test Set P/N 98L36103002000)			
AMM	AMM 36-11-00-720-804-A (Health Check Procedure - Pressure Regulation Function)			
AMM	AMM 36-11-00-720-804-A01 (Health Check Procedure - Pressure Regulation Function with the Bleed Test Set P/N 98L36103002000)			
CAP	S36-C10004			
ACCESS PANELS:				
437AL, 438AR, 451AL, 452AR				
MATERIAL REQUIREMENTS:				
Part Number	Description	Qty.		
14QFB1	WIRE DIA: 0.8 MM, USE PN: AMS5687	1.0		
TOOLING REQUIREMENTS:				
Part Number	Description	Qty.		
98L36103002000	TEST SET ENGINE BLEED SYS (HMS TOOL)	1.0		
SBE2213	KIT TOOL-TESTER SENSE LINE	1.0		
99127231	KIT SINGLE AISLE A318/319/320	1.0		
1.TASK PREPARATION				
Job Description				
1. A. PERFORM JOB SET-UP FOR HEALTH CHECK TEST OF PRESSURE CONTROL FUNCTION AS PER AMM TASK 36-11-00-720-806-A (IF USING TOOL PN 99127B03) OR AMM TASK 36-11-00-720-806-A01 (IF USING TOOL PN 98L36103002000) AND PERFORM THE FOLLOWING:				



Task Card Title:

NO. 1 ENGINE BLEED AIR SYSTEM (EBAS) HEALTH CHECK**PREVENTIVE MAINTENANCE PROGRAM**

Task Card NO:

36-11-00-SVA-02-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) OPEN THE ACCESS DOOR 191MB

1. B. PERFORM JOB SET-UP FOR HEALTH CHECK TEST OF PRESSURE REGULATION FUNCTION FOR NO. 1 ENG AS PER AMM TASK 36-11-00-720-804-A (IF USING TOOL PN 99127B03) OR AMM TASK 36-11-00-720-804-A01 (IF USING TOOL PN 98L36103002000).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	ACFT_TECH/AP			HRS				
Insp.				HRS				

2.TASK INSTRUCTIONS**Job Description**

2. A. PERFORM HEALTH CHECK TEST OF PRESSURE CONTROL FUNCTION FOR NO. 1 ENG AS PER AMM TASK 36-11-00-720-806-A (IF USING TOOL PN 99127B03) OR AMM TASK 36-11-00-720-806-A01 (IF USING TOOL PN 98L36103002000).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	ACFT_TECH/AP			HRS				
Insp.	II/INSP			HRS				

2.TASK INSTRUCTIONS**Job Description**

2.B. PERFORM HEALTH CHECK TEST OF PRESSURE REGULATION FUNCTION FOR NO. 1 ENG AS PER AMM TASK 36-11-00-720-804-A (IF USING TOOL PN 99127B03) OR AMM TASK 36-11-00-720-804-A01 (IF USING TOOL PN 98L36103002000).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	ACFT_TECH/AP			HRS				
Insp.	II/INSP			HRS				

3.TASK CLOSE UP**Job Description**

3.
A. REMOVE OF THE TOOLS AS PER AMM 36-11-00-720-804.



Task Card Title:

NO. 1 ENGINE BLEED AIR SYSTEM (EBAS) HEALTH CHECK**PREVENTIVE MAINTENANCE PROGRAM**

Task Card NO:

36-11-00-SVA-02-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.	II/INSP		HRS				

3.TASK CLOSE UP**Job Description**

3.
B. OK TO CLOSE:
(1) THE ACCESS DOOR 191MB.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	INSP/II		HRS				

3.TASK CLOSE UP**Job Description**

- 3.TASK CLOSE UP
C. (A) PERFORM JOB-CLOSEUP FOR HEALTH CHECK TEST OF PRESSURE CONTROL FUNCTION AS PER AMM TASK 36-11-00-720-806-A (IF USING TOOL PN 99127B03) OR AMM TASK 36-11-00-720-806-A01 (IF USING TOOL PN 98L36103002000) AND PERFORM THE FOLLOWING:

(1) CLOSE THE ACCESS DOOR 191MB.

C. (B) PERFORM JOB SET-UP FOR HEALTH CHECK TEST OF PRESSURE REGULATION FUNCTION FOR NO. 1 ENG AS PER AMM TASK 36-11-00-720-804-A (IF USING TOOL PN 99127B03) OR AMM TASK 36-11-00-720-804-A01 (IF USING TOOL PN 98L36103002000) AND RETURN THE AIRCRAFT BACK TO NORMAL CONFIGURATION.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.	II/INSP		HRS				



Task Card Title:

NO. 1 ENGINE BLEED AIR SYSTEM (EBAS) HEALTH CHECK**PREVENTIVE MAINTENANCE PROGRAM**

Task Card NO:

36-11-00-SVA-02-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.29291009		Task Card Title: NO. 1 ENGINE HIGH PRESSURE DUCT INSPECTION					
Task Card NO: 361100-08-2-001-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,IL,NDT_INSP,ACFT_TECH, AP		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 01			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 77	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: DVI		Special Code: AP, INSP		MSG Code: 4		Request: JOB-SETUP,INSPECTION,INSPECTION,JOEUP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones:							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		36-11-49-200-041-A					
AMM		36-11-49-200-041					
CAP		S36-C10003					
DO		VSB RA32036-13					
IPC		36-11-49-01A					
IPC		36-11-49-01A					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK SET UP							
Job Description							
A. PERFORM JOB SET UP FOR VISUAL INSPECTION OF THE PNEUMATIC SYSTEM HOSES, TUBES AND DUCTS AS PER AMM 36-11-49-200-041-A. (REF. AMM TASK 78-30-00-081-041-B)							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day	Month
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.			HRS				
UPPER 9TH STAGE HP DUCT AND DUCT SUPPORT LINK DETAIL INSPECTION							
Job Description							



Task Card Title:

NO. 1 ENGINE HIGH PRESSURE DUCT INSPECTION

Task Card NO:

361100-08-2-001-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**! NOTE**

The required parts may need replacement in case of findings.

All PNs are mentioned in the work template instructions and should be requested upon findings.

- PN 642-5508-505 >>> 9 STG HP PNEUMATIC DUCT
- PN P40560 >>> SUPPORT LINK OF HP DUCT
- PN P40570 >>> SUPPORT LINK OF HP DUCT

A. USE THE FOLLOWING INSTRUCTIONS FOR UPPER 9TH STAGE HP DUCTS INSTALLED ON AN AIRCRAFT.

1. OPEN FAN COWL DOORS. REFER TO AIRBUS A318/A319/A320/A321 AIRCRAFT MAINTENANCE MANUAL CHAPTER 71-13-00.
2. MAKE THE THRUST REVERSER UNSERVICEABLE FOR MAINTENANCE. REFER TO AIRBUS A318/A319 /A320/A321 AIRCRAFT MAINTENANCE MANUAL CHAPTER 78-30-00.
3. OPEN THE THRUST REVERSER HALVES. REFER TO AIRBUS A318/A319/A320/A321 AIRCRAFT MAINTENANCE MANUAL CHAPTER 78-36-00.
4. VERIFY THE **UPPER 9TH STAGE HIGH PRESSURE DUCT (HP) PN & SN** THAT IS INSTALLED IN THIS AIRCRAFT FIRSTLY. USE ATTACHED FIGURE 1 & 2 & IPC FIGURE 36-11-49-01A AS REFERENCE. PLEASE RECORD THE PN & SN BELOW AND ATTACH CLEAR PHOTO IN THE WO

PN:.....

SN:.....

5. PERFORM A DETAILED VISUAL INSPECTION OF THE UPPER 9TH STAGE HP DUCT BEND AREA **PN 642 5508-503 OR PN 642-5508-505**(ADJACENT TO ENGINE INTERFACE) FOR CRACKS. REFER TO (ATTACHED FIGURE 1) FOR INSPECTION AREA.

PN: 9th stage HP duct	Quantity	Remark
642-5508-505	1	This PN might be needed for re findings. please request upon 1

- a. USE SUFFICIENT LIGHTING AND A 10-POWER MAGNIFICATION FOR THE INSPECTION.
- b. INSPECT THE ELBOW AND CIRCUMFERENTIAL WELDS AT EACH END FOR CRACKS.



Task Card Title:

NO. 1 ENGINE HIGH PRESSURE DUCT INSPECTION

Task Card NO:

361100-08-2-001-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

INSPECT THE EXTERNAL SURFACES ALL THE WAY AROUND THE UPPER 9TH STAGE HP DUCT'S ELBOW.

- c. IF A CRACK IS FOUND, REPLACE THE UPPER 9TH STAGE HP DUCT PER SB RA32036-12.
IF THERE ARE NO CRACKS, PROCEED TO NEXT PARAGRAPH A.6.

6. PERFORM A DETAILED VISUAL INSPECTION OF THE UPPER 9TH STAGE HP DUCT WHERE IT ATTACHES TO THE LINK(S) FOR CRACKS. REFER TO (ATTACHED FIGURE 2) FOR INSPECTION AREA.

- a. USE SUFFICIENT LIGHTING AND A 10-POWER MAGNIFICATION FOR THE INSPECTION
b. INSPECT THE CIRCUMFERENTIAL WELDS AT EACH END FOR CRACKS. INSPECT THE EXTERNAL SURFACES ALL THE WAY AROUND THE UPPER 9TH STAGE HP DUCT AT THE ATTACHMENT POINT.
c. IF A CRACK IS FOUND, REPLACE THE UPPER 9TH STAGE HP DUCT PER SB RA32036-12.
IF THERE ARE NO CRACKS, PROCEED TO NEXT PARAGRAPH A.7.

7. VERIFY IF THE INSTALLED SUPPORT LINK ATTACHED TO THE UPPER 9TH STAGE HP DUCT IS 1-LINK OR 2-LINK CONFIGURATION. USE ATTACHED FIGURE 2 & FIGURE 4 AS REFERENCES. RECORD IT BELOW AND ATTACH CLEAR PHOTO IN THE WO

TYPE OF SUPPORT LINK CONFIGURATION (1-LINK OR 2-LINK CONFIGURATION):

ALSO, WHETHER IT IS 1-LINK OR 2-LINK CONFIGURATION, PLEASE VERIFY THE SUPPORT LINK PN (USE FIGURE 2 AS REFERENCE TO LOCATE THE SAME PN AS SHOWN IN THE FIGURES) AND RECORD IT BELOW IF IT IS MARKED ON THE SUPPORT LINK ITSELF. IF NOT MARKED, PUT IT AS N/A AND GO TO THE NEXT STEP A.8

IF IT IS 1-LINK CONFIGURATION

SUPPORT LINK PN:

IF IT IS 2-LINK CONFIGURATION

SUPPORT LINK PN:

SUPPORT LINK PN:

8. INSPECT THE SUPPORT LINK **PN P40570** (AND **PN P40560** IF 2-LINK CONFIGURATION IS INSTALLED) FOR WEAR OR EXCESSIVE PLAY IN THE AXIAL OR RADIAL DIRECTION (SEE FIGURE 2). IF THERE IS FREE PLAY BETWEEN THE BALL AND RACE, COMPLETE RA32036-12, PART B. AS FOLLOW;

AS PER SB RA32036-12 PART B:

- a. INSPECT THE SUPPORT LINK PN P40570 FOR WEAR OR EXCESSIVE PLAY IN THE AXIAL OR RADIAL



Task Card Title:

NO. 1 ENGINE HIGH PRESSURE DUCT INSPECTION

Task Card NO:

361100-08-2-001-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

DIRECTION (SEE FIGURE 1). IF THERE IS FREE PLAY BETWEEN THE BALL AND RACE, CHANGE THE BALL AND/OR FULL LINK ASSEMBLY AS REQUIRED. FOLLOW AMM INSTRUCTIONS IN CHAPTER 36-11-49, TASK 36-11-49-400-046A. FOR INSTALLATION OF THE HP DUCT & AFT LINK AND TASK 36-11-49-000-046A FOR THE REMOVAL.

- b. WRITE IN THE ENGINE LOG AND/OR OTHER APPLICABLE RECORDS THAT SERVICE BULLETIN RA32036-12, REV. 3 PART B HAS BEEN INCORPORATED.

PN: Support Link for HP Duct	Quantity	Remark
P40560	1	This PN might require replacement. Please request.
P40570	1	This PN might require replacement. Please request.

9. CLOSE THE THRUST REVERSER HALVES. REFER TO AIRBUS A318/A319/A320/A321 AIRCRAFT MAINTENANCE MANUAL CHAPTER 78-36-00, TASK 78-36-00-410-040-B.
10. Make the thrust reverser serviceable for maintenance. Refer to Airbus A318/A319/A320/A321 Aircraft Maintenance Manual Chapter 78-30-00.
11. Close Fan Cowl doors. Refer to Airbus A318/A319/A320/A321 Aircraft Maintenance Manual Chapter 71-13-00.
12. Write in the engine log and/or other records that Goodrich Service bulletin RA32036-13 has been incorporated.
13. Re-inspect the upper 9th stage HP duct per the inspection interval listed in the Compliance section on the Summary page.

B. Report Inspection Results

1. Report to Goodrich the inspection results including no findings, cracks, or worn links and actions taken. Include aircraft/engine serial numbers, hours, and cycles, and upper 9th stage HP duct serial number information.
2. Use the reporting sheet (see Attached Figure 3) at the end of this bulletin to transmit inspection results.





Task Card Title:

NO. 1 ENGINE HIGH PRESSURE DUCT INSPECTION

Task Card NO:

361100-08-2-001-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

Please when you fill the reporting sheet, attach it in the work order and The Engineering will collect all these reporting sheets and provide it to Goodrich

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP			HRS			
Insp.	INSP/II			HRS			

DYE PENETRANT TEST (NDT) ON THE 9TH STAGE UPPER HP DUCT:**Job Description**

(1) PERFORM THE DYE PENETRANT TEST AS PER REFERENCE NTM 51-80-00 ON THE 9TH STAGE UPPER HP DUCT ITEM 190 (AT THE DUCT BEND / ELBOW AREA) FOR THE SUBJECT ENGINE.

(2) IF YOU FIND DURING THE TEST ANY FINDINGS, OBSERVATIONS, CRACKS, LEAKS, ETC., PLEASE RECORD IT IN THIS WO OR SEND A QUERY TO ENG-CON-SYS GROUP (NOTE: TQ IS ONLY NECESSARY IF THERE ARE FINDINGS DURING THE INSPECTION PROCESS).

(3) IN CASE OF FINDING THAT REQUIRE REPLACEMENT OF THE AFFECTED PARTS, PLEASE DO THE NECESSARY ACTION FOR THE REPLACEMENT OF THE AFFECTED PARTS AS PER REFERENCE AMM 36-11-49.

(4) ENSURE YOU CLEAN THE TESTED / INSPECTED AREA AFTER COMPLETING THE TEST.

NOTES:

- ◆ THE FOLLOWING ARE THE SUSPECTED/AFFECTED PARTS THAT MIGHT NEED REPLACEMENT ONLY IN CASE OF FINDINGS.
- ◆ PN: 642-5508-505 OR 642-5508-503 >>> 9 STAGE UPPER HP DUCT ITEM 190.
- ◆ THE ABOVE PARTS SHOULD BE REQUESTED ONLY UPON FINDINGS.
- ◆ PLEASE REFER TO ATTACHMENTS FOR 9TH STAGE UPPER HP DUCT ITEM 190 (DUCT BEND / ELBOW AREA) FOR YOUR REFERENCE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP			HRS			



Task Card Title:
NO. 1 ENGINE HIGH PRESSURE DUCT INSPECTION



Task Card NO:

361100-08-2-001-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

Insp.

II/NDT_INSP

HRS

LOWER HP DUCT DETAILED INSPECTION**Job Description**

- (1) Get access to the LOWER HIGH-PRESSURE DUCT (HP). Use attached IPC Figure 36-11-49-01A item 180 as reference.
- (2) Perform a detailed visual inspection of the lower HP duct (adjacent to engine interface) for cracks. As per the following steps:
- a) Use sufficient lighting and a 10-power magnification for the inspection.
 - b) Inspect the elbow/bend, circumferential welds and all the external surfaces all the way around the lower HP duct's areas.
 - c) If findings are found during the inspection please do the necessary action as per AMM 36-11-49.

NOTE: refer to AMM 36-11-49-200-041-A for possible findings that you might find on the lower HP duct (table item# 6 in section# 4 procedure).

PN	QTY	Remarks
642-5510-501 Lower HP duct	1	This PN might be needed for replacement in case of findings. please request upon finding only

- (3) Please raise a technical query to ENG-CON-SYS group for the inspection results (Note: TQ is only necessary if there are findings during the inspection process).

The time required to perform this job is 30 mins for ACFT_TECH and 15 mins INSP.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	II/ACFT_TECH/AP			HRS			
Insp.	INSP			HRS			

DYE PENETRANT TEST (NDT) ON THE LOWER HP DUCT:**Job Description**

- (1) PERFORM THE DYE PENETRANT TEST AS PER REFERENCE NTM 51-80-00 ON THE LOWER HP DUCT ITEM 180 (AT THE BEND AREA) FOR THE SUBJECT ENGINE.
- (2) IF YOU FIND DURING THE TEST ANY FINDINGS, OBSERVATIONS, CRACKS, LEAKS, ETC., PLEASE RECORD IT IN THIS WO OR SEND A QUERY TO ENG-CON-SYS GROUP (NOTE: TQ IS ONLY NECESSARY IF THERE ARE FINDINGS DURING THE INSPECTION PROCESS).



Task Card Title:

NO. 1 ENGINE HIGH PRESSURE DUCT INSPECTION

Task Card NO:

361100-08-2-001-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(3) IN CASE OF FINDINGS THAT REQUIRE REPLACEMENT OF THE AFFECTED PARTS, PLEASE DO THE NECESSARY ACTION FOR THE REPLACEMENT OF THE AFFECTED PARTS AS PER REFERENCE AMM 36-11-49 .

(4) ENSURE YOU CLEAN THE TESTED / INSPECTED AREA AFTER COMPLETING THE TEST.

NOTES :

- ❖ THE FOLLOWING IS THE SUSPECTED/AFFECTED PART THAT MIGHT NEED REPLACEMENT ONLY IN CASE OF FINDINGS.
- ❖ PN 642-5510-501 >>> LOWER HP DUCT ITEM 180.
- ❖ THE ABOVE PART SHOULD BE REQUESTED ONLY UPON FINDINGS.
- ❖ PLEASE REFER TO ATTACHMENTS FOR LOWER HP DUCT ITEM 180 (BEND AREA) FOR YOUR REFERENCE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.	II/NDT_INSP		HRS				

VISUAL INSPECTION OF THE PNEUMATIC SYSTEM**Job Description**

1. Perform visual Inspection of the Pneumatic System Hoses, Tubes and Ducts AS PER AMM 36-11-49-200-041-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	II/INSP		HRS				

TASK CLOSE UP**Job Description**

A. PERFORM JOB-CLOSEUP AND RETURN AIRCRAFT TO NORMAL CONFIGURATION AS PER AMM TASK 36-11-49-200-041-A. (REF. AMM TASK 78-30-00-081-041-B)

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.			HRS				



MET.29291009

Task Card Title:

NO. 1 ENGINE HIGH PRESSURE DUCT INSPECTION

Task Card NO:

361100-08-2-001-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.29291060		Task Card Title: NO. 2 ENGINE HIGH PRESSURE DUCT INSPECTION					
Task Card NO: 361100-08-2-002-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,IL,NDT_INSP,ACFT_TECH, AP		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 02			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 78	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: DVI		Special Code: AP, INSP		MSG Code: 4		Request: JOB-SETUP,INSPECTION,INSPECTION,JOEUP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones:							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		36-11-49-200-041-A					
AMM		36-11-49-200-041					
CAP		S36-C10003					
DO		VSB RA32036-13					
IPC		36-11-49-01A					
IPC		36-11-49-01A					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK SET UP							
Job Description							
A. PERFORM JOB SET UP FOR VISUAL INSPECTION OF THE PNEUMATIC SYSTEM HOSES, TUBES AND DUCTS AS PER AMM 36-11-49-200-041-A. (REF. AMM TASK 78-30-00-081-041-B)							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	ACFT_TECH/AP			HRS			
Insp.				HRS			
UPPER 9TH STAGE HP DUCT AND DUCT SUPPORT LINK DETAIL INSPECTION							
Job Description							



Task Card Title:

NO. 2 ENGINE HIGH PRESSURE DUCT INSPECTION

Task Card NO:

361100-08-2-002-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**UPPER 9TH STAGE HP DUCT AND DUCT SUPPORT LINK DETAIL INSPECTION****! NOTE**

The required parts may need replacement in case of findings.

All PNs are mentioned in the work template instructions and should be requested upon findings.

- PN 642-5508-505 >>> 9 STG HP PNEUMATIC DUCT
- PN P40560 >>> SUPPORT LINK OF HP DUCT
- PN P40570 >>> SUPPORT LINK OF HP DUCT

A. USE THE FOLLOWING INSTRUCTIONS FOR UPPER 9TH STAGE HP DUCTS INSTALLED ON AN AIRCRAFT.

1. OPEN FAN COWL DOORS. REFER TO AIRBUS A318/A319/A320/A321 AIRCRAFT MAINTENANCE MANUAL CHAPTER 71-13-00.
2. MAKE THE THRUST REVERSER UNSERVICEABLE FOR MAINTENANCE. REFER TO AIRBUS A318/A319 /A320/A321 AIRCRAFT MAINTENANCE MANUAL CHAPTER 78-30-00.
3. OPEN THE THRUST REVERSER HALVES. REFER TO AIRBUS A318/A319/A320/A321 AIRCRAFT MAINTENANCE MANUAL CHAPTER 78-36-00.
4. VERIFY THE **UPPER 9TH STAGE HIGH PRESSURE DUCT (HP) PN & SN** THAT IS INSTALLED IN THIS AIRCRAFT FIRSTLY. USE ATTACHED FIGURE 1 & 2 & IPC FIGURE 36-11-49-01A AS REFERENCE. PLEASE RECORD THE PN & SN BELOW AND ATTACH CLEAR PHOTO IN THE WO

PN:..... SN:.....

5. PERFORM A DETAILED VISUAL INSPECTION OF THE UPPER 9TH STAGE HP DUCT BEND AREA **PN 642 5508-503 OR PN 642-5508-505**(ADJACENT TO ENGINE INTERFACE) FOR CRACKS. REFER TO (ATTACHED FIGURE 1) FOR INSPECTION AREA.

PN: 9th stage HP duct	Quantity	Remark
642-5508-505	1	This PN might be needed for re findings. please request upon 1

a. USE SUFFICIENT LIGHTING AND A 10-POWER MAGNIFICATION FOR THE INSPECTION.



Task Card Title:

NO. 2 ENGINE HIGH PRESSURE DUCT INSPECTION

Task Card NO:

361100-08-2-002-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- b. INSPECT THE ELBOW AND CIRCUMFERENTIAL WELDS AT EACH END FOR CRACKS. INSPECT THE EXTERNAL SURFACES ALL THE WAY AROUND THE UPPER 9TH STAGE HP DUCT'S ELBOW.
- c. IF A CRACK IS FOUND, REPLACE THE UPPER 9TH STAGE HP DUCT PER SB RA32036-12. IF THERE ARE NO CRACKS, PROCEED TO NEXT PARAGRAPH A.6.

6. PERFORM A DETAILED VISUAL INSPECTION OF THE UPPER 9TH STAGE HP DUCT WHERE IT ATTACHES TO THE LINK(S) FOR CRACKS. REFER TO (ATTACHED FIGURE 2) FOR INSPECTION AREA.

- a. USE SUFFICIENT LIGHTING AND A 10-POWER MAGNIFICATION FOR THE INSPECTION
- b. INSPECT THE CIRCUMFERENTIAL WELDS AT EACH END FOR CRACKS. INSPECT THE EXTERNAL SURFACES ALL THE WAY AROUND THE UPPER 9TH STAGE HP DUCT AT THE ATTACHMENT POINT.
- c. IF A CRACK IS FOUND, REPLACE THE UPPER 9TH STAGE HP DUCT PER SB RA32036-12. IF THERE ARE NO CRACKS, PROCEED TO NEXT PARAGRAPH A.7.

7. VERIFY IF THE INSTALLED SUPPORT LINK ATTACHED TO THE UPPER 9TH STAGE HP DUCT IS 1-LINK OR 2-LINK CONFIGURATION. USE ATTACHED FIGURE 2 & FIGURE 4 AS REFERENCES. RECORD IT BELOW AND ATTACH CLEAR PHOTO IN THE WO

TYPE OF SUPPORT LINK CONFIGURATION (1-LINK OR 2-LINK CONFIGURATION):

ALSO, WHETHER IT IS 1-LINK OR 2-LINK CONFIGURATION, PLEASE VERIFY THE SUPPORT LINK PN (USE FIGURE 2 AS REFERENCE TO LOCATE THE SAME PN AS SHOWN IN THE FIGURES) AND RECORD IT BELOW IF IT IS MARKED ON THE SUPPORT LINK ITSELF. IF NOT MARKED, PUT IT AS N/A AND GO TO THE NEXT STEP A.8

IF IT IS 1-LINK CONFIGURATION

SUPPORT LINK PN:

IF IT IS 2-LINK CONFIGURATION

SUPPORT LINK PN:

SUPPORT LINK PN:

8. INSPECT THE SUPPORT LINK **PN P40570** (AND **PN P40560** IF 2-LINK CONFIGURATION IS INSTALLED) FOR WEAR OR EXCESSIVE PLAY IN THE AXIAL OR RADIAL DIRECTION (SEE FIGURE 2). IF THERE IS FREE PLAY BETWEEN THE BALL AND RACE, COMPLETE RA32036-12, PART B. AS FOLLOW;

AS PER SB RA32036-12 PART B:



Task Card Title:

NO. 2 ENGINE HIGH PRESSURE DUCT INSPECTION

Task Card NO:

361100-08-2-002-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- a. INSPECT THE SUPPORT LINK PN P40570 FOR WEAR OR EXCESSIVE PLAY IN THE AXIAL OR RADIAL DIRECTION (SEE FIGURE 1). IF THERE IS FREE PLAY BETWEEN THE BALL AND RACE, CHANGE THE BALL AND/OR FULL LINK ASSEMBLY AS REQUIRED. FOLLOW AMM INSTRUCTIONS IN CHAPTER 36-11-49, TASK 36-11-49-400-046A. FOR INSTALLATION OF THE HP DUCT & AFT LINK AND TASK 36-11-49-000-046A FOR THE REMOVAL.
- b. WRITE IN THE ENGINE LOG AND/OR OTHER APPLICABLE RECORDS THAT SERVICE BULLETIN RA32036-12, REV. 3 PART B HAS BEEN INCORPORATED.

PN: Support Link for HP Duct	Quantity	Remark
P40560	1	This PN might be replaced. Please request.
P40570	1	This PN might be replaced. Please request.

9. CLOSE THE THRUST REVERSER HALVES. REFER TO AIRBUS A318/A319/A320/A321 AIRCRAFT MAINTENANCE MANUAL CHAPTER 78-36-00, TASK 78-36-00-410-040-B.
10. Make the thrust reverser serviceable for maintenance. Refer to Airbus A318/A319/A320/A321 Aircraft Maintenance Manual Chapter 78-30-00.
11. Close Fan Cowl doors. Refer to Airbus A318/A319/A320/A321 Aircraft Maintenance Manual Chapter 71-13-00.
12. Write in the engine log and/or other records that Goodrich Service bulletin RA32036-13 has been incorporated.
13. Re-inspect the upper 9th stage HP duct per the inspection interval listed in the Compliance section on the Summary page.

B. Report Inspection Results

- Report to Goodrich the inspection results including no findings, cracks, or worn links and actions taken. Include aircraft/engine serial numbers, hours, and cycles, and upper 9th stage HP duct serial number information.
- Use the reporting sheet (see Attached Figure 3) at the end of this bulletin to transmit inspection results.



Task Card Title:

NO. 2 ENGINE HIGH PRESSURE DUCT INSPECTION

Task Card NO:

361100-08-2-002-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**NOTE**

Please when you fill the reporting sheet, attach it in the work order and The Engineering will collect all these reporting sheets and provide it to Goodrich

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.	INSP/II		HRS				

DYE PENETRANT TEST (NDT) ON THE 9TH STAGE UPPER HP DUCT:**Job Description**

(1) PERFORM THE DYE PENETRANT TEST AS PER REFERENCE NTM 51-80-00 ON THE 9TH STAGE UPPER HP DUCT ITEM 190 (AT THE DUCT BEND / ELBOW AREA) FOR THE SUBJECT ENGINE.

(2) IF YOU FIND DURING THE TEST ANY FINDINGS, OBSERVATIONS, CRACKS, LEAKS, ETC., PLEASE RECORD IT IN THIS WO OR SEND A QUERY TO ENG-CON-SYS GROUP.

NOTE: TQ IS ONLY NECESSARY IF THERE ARE FINDINGS DURING THE INSPECTION PROCESS.

(3) IN CASE OF FINDING THAT REQUIRE REPLACEMENT OF THE AFFECTED PARTS, PLEASE DO THE NECESSARY ACTION FOR THE REPLACEMENT OF THE AFFECTED PARTS AS PER REFERENCE AMM 36-11-49.

(4) ENSURE YOU CLEAN THE TESTED / INSPECTED AREA AFTER COMPLETING THE TEST.

NOTES:

- ◆ THE FOLLOWING ARE THE SUSPECTED/AFFECTED PARTS THAT MIGHT NEED REPLACEMENT ONLY IN CASE OF FINDINGS.
- ◆ PN: 642-5508-505 OR 642-5508-503 >>> 9 STAGE UPPER HP DUCT ITEM 190.
- ◆ THE ABOVE PARTS SHOULD BE REQUESTED ONLY UPON FINDINGS.
- ◆ PLEASE REFER TO ATTACHMENTS FOR 9TH STAGE UPPER HP DUCT ITEM 190 (DUCT BEND / ELBOW AREA) FOR YOUR REFERENCE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				



Task Card Title:
NO. 2 ENGINE HIGH PRESSURE DUCT INSPECTION



Task Card NO:

361100-08-2-002-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

Insp.

II/NDT_INSP

HRS

LOWER HP DUCT DETAILED INSPECTION**Job Description**

- (1) Get access to the LOWER HIGH-PRESSURE DUCT (HP). Use attached IPC Figure 36-11-49-01A item 180 as reference.
- (2) Perform a detailed visual inspection of the lower HP duct (adjacent to engine interface) for cracks. As per the following steps:
- a) Use sufficient lighting and a 10-power magnification for the inspection.
 - b) Inspect the elbow/bend, circumferential welds and all the external surfaces all the way around the lower HP duct's areas.
 - c) If findings are found during the inspection please do the necessary action as per AMM 36-11-49.

NOTE: refer to AMM 36-11-49-200-041-A for possible findings that you might find on the lower HP duct (table item# 6 in section# 4 procedure).

PN	QTY	Remarks
642-5510-501 Lower HP duct	1	This PN might be needed for replacement in case of findings. please request upon finding only

- (3) Please raise a technical query to ENG-CON-SYS group for the inspection results.
Note: TQ is only necessary if there are findings during the inspection process.

The time required to perform this job is 30 mins for ACFT_TECH and 15 mins INSP.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	II/ACFT_TECH/AP			HRS			
Insp.	INSP			HRS			

DYE PENETRANT TEST (NDT) ON THE LOWER HP DUCT:**Job Description**

- (1) PERFORM THE DYE PENETRANT TEST AS PER REFERENCE NTM 51-80-00 ON THE LOWER HP DUCT ITEM 180 (AT THE BEND AREA) FOR THE SUBJECT ENGINE.
- (2) IF YOU FIND DURING THE TEST ANY FINDINGS, OBSERVATIONS, CRACKS, LEAKS, ETC., PLEASE RECORD IT IN THIS WO OR SEND A QUERY TO ENG-CON-SYS GROUP.



Task Card Title:

NO. 2 ENGINE HIGH PRESSURE DUCT INSPECTION

Task Card NO:

361100-08-2-002-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASPNOTE:

TQ IS ONLY NECESSARY IF THERE ARE FINDINGS DURING THE INSPECTION PROCESS.

(3) IN CASE OF FINDINGS THAT REQUIRE REPLACEMENT OF THE AFFECTED PARTS, PLEASE DO THE NECESSARY ACTION FOR THE REPLACEMENT OF THE AFFECTED PARTS AS PER REFERENCE AMM 36-11-49 .

(4) ENSURE YOU CLEAN THE TESTED / INSPECTED AREA AFTER COMPLETING THE TEST.

NOTES :

- ❖ THE FOLLOWING IS THE SUSPECTED/AFFECTED PART THAT MIGHT NEED REPLACEMENT ONLY IN CASE OF FINDINGS.
- ❖ PN 642-5510-501 >>> LOWER HP DUCT ITEM 180.
- ❖ THE ABOVE PART SHOULD BE REQUESTED ONLY UPON FINDINGS.
- ❖ PLEASE REFER TO ATTACHMENTS FOR LOWER HP DUCT ITEM 180 (BEND AREA) FOR YOUR REFERENCE.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.	II/NDT_INSP		HRS				

VISUAL INSPECTION OF THE PNEUMATIC SYSTEM**Job Description**

1. Perform visual Inspection of the Pneumatic System Hoses, Tubes and Ducts AS PER AMM 36-11-49-200-041-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	II/INSP		HRS				

TASK CLOSE UP**Job Description**

A. PERFORM JOB-CLOSEUP AND RETURN AIRCRAFT TO NORMAL CONFIGURATION AS PER AMM TASK 36-11-49-200-041-A. (REF. AMM TASK 78-30-00-081-041-B)

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.			HRS				



Task Card Title:

NO. 2 ENGINE HIGH PRESSURE DUCT INSPECTION

Task Card NO:

361100-08-2-002-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32721821		Task Card Title: DECALCIFICATION OF THE POTABLE WATER TANK AND DISTRIBUTION SYSTEM										
Task Card NO: 38-10-00-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP								
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH		PROD Final Acceptance:						
Project No: 01BASPC72608		Related Task Card:		A/C Area:								
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 79						
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐												
Type Code:		Special Code: CAB		MSG Code: 4		Request: Phase: JOB SETUP, JOB-CLOSE UP						
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.												
Zones: 130,170,190,200												
DOCUMENT REFERENCES:												
Doc Typ		Reference										
AMM		38-10-00-670-802-A										
MPC		Approved MPC S38-C10000.pdf										
ACCESS PANELS:												
133AL, 171AL												
MATERIAL REQUIREMENTS:												
Part Number		Description				Qty.						
SWGSNG5=C3		GLYCO-SAN POTABEL WATER CLEANER 5GAL				0.0						
TOOLING REQUIREMENTS:												
Part Number		Description				Qty.						
98D38108002000		ADAPTER DRAIN MAST				1.0						
1. JOBSETUP												
Job Description												
A. PERFORM JOB-SETUP OF DECALCIFICATION OF THE WATER TANK AND THE DISTRIBUTION SYSTEM AS PER AMM 38-10-00-670-802-A.												
STEP COMPLETION SIGN OFF:												
		Qualification / Skill		Number of employees		Duration		Number./Signature		Date		
Mechanic/s		CAB/ACFT_TECH				HRS						
Insp.						HRS						
2. PROCEDURE												
Job Description												



MET.32721821

Task Card Title:

DECALCIFICATION OF THE POTABLE WATER TANK AND DISTRIBUTION SYSTEM



Task Card NO:

38-10-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

A. PERFORM DECALCIFICATION OF THE WATER TANK AND THE DISTRIBUTION SYSTEM AS PER AMM 38-10-00-670-802-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

3. CLOSE-UP

Job Description

A. PERFORM JOB-CLOSEUP AND RETURN AIRCRAFT TO NORMAL CONFIGURATION AS PER AMM 38-10-00-670-802-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

DECALCIFICATION OF THE POTABLE WATER TANK AND DISTRIBUTION SYSTEM



Task Card NO:

38-10-00-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722044		Task Card Title: WASHBASIN FILTER ELEMENT CLEANING					
Task Card NO: 383200-01-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: CAB,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 05			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 80	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: RST		Special Code: CAB		MSG Code: LUR, 7, MRB		Request: Phase: CLEAN-UP, CLEAN-UP, CLEAN-UP LEAN-UP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 200							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		38-32-00-100-002-A					
AMM		383200-100-002					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
7600763		FILTER ASSY-USE PN 7600763SD				3.0	
7750041-113		PACKING				3.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
T060040		ASSEMBLY TOOL				1.0	
TASK INSTRUCTION							
Job Description							
A. PERFROM WASHBASIN DRAIN VALVES FILTER ELEMENTS CLEANING OF THE FORWARD LAVATORY AS PER AMM TASK 38-32-00-100-002.							
STEP COMPLETION SIGN OFF:							
Qualification / Skill		Number of employees		Duration		Number./Signature	
Date							
Day Month Year							
Mechanic/s		CAB/ACFT_TECH		HRS			
Insp.				HRS			
TASK INSTRUCTION							



Task Card Title:

WASHBASIN FILTER ELEMENT CLEANING

Task Card NO:

383200-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**Job Description**

B. PERFROM WASHBASIN DRAIN VALVES FILTER ELEMENTS CLEANING OF THE AFT LEFT LAVATORY AS PER AMM TASK 38-32-00-100-002.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

TASK INSTRUCTION**Job Description**

C. PERFROM WASHBASIN DRAIN VALVES FILTER ELEMENTS CLEANING OF THE AFT RIGHT LAVATORY AS PER AMM TASK 38-32-00-100-002.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

WASHBASIN FILTER ELEMENT CLEANING

Task Card NO:

383200-01-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.31510223		Task Card Title: APU OIL COOLER CLEANING					
Task Card NO: 49-90-00-01-1-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: ACFT_TECH,AP		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 11			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 81	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: CLN		Special Code: AP		MSG Code: 4		Request: JOB-SETUP, CLEAN-UP, JOB-CLOSEUP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 315							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		49-91-44-100-003-A					
ACCESS PANELS:							
315AL, 316AR							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
08AJA9		AQUEOUS CLEANER, USE PN: TC-100				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
PREPARATION							
Job Description							
A. PERFORM JOB-SETUP FOR REMOVE AIR/OIL COOLER FOR CLEANING (131-9(A)) PER AMM 49-91-44-100-003-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	ACFT_TECH/AP			HRS			
Insp.				HRS			
WORK INSTRUCTION							
Job Description							
B. PERFORM REMOVE AIR/OIL COOLER FOR CLEANING (131-9(A)) PER AMM TASK 49-91-44-100-003-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	ACFT_TECH/AP			HRS			
Insp.				HRS			



Task Card Title:

APU OIL COOLER CLEANING



Task Card NO:

49-90-00-01-1-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

TASK CLOSE UP

Job Description

C. PERFORM JOB-CLOSEUP AND RETURN THE AIRCRAFT BACK TO NORMAL CONFIGURATION PER AMM TASK 49-91-44-100-003-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below
Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____

 MET.31510223	Task Card Title: APU OIL COOLER CLEANING			
Task Card NO: 49-90-00-01-1-SVA	Work Package: ASP/H-26 C7-CHK	A/C Registration: HZ-ASP		
Task Completion Close Up And System Update	Station	Date	Signature	

Copyright of Saudia Technic - Regeneration is not allowed without prior approval by Saudia Technic.

COPIED

 MET.32722030		Task Card Title: GVI OF APU SUSPENSION SYSTEM FOR CONDITION AND SECURITY.										
Task Card NO: 491200-B2-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP								
A/C Type: 321		Block Taskcard		Main Skill: INSP,IL,ACFT_TECH,AP		PROD Final Acceptance:						
Project No: 01BASPC72608		Related Task Card:		A/C Area:								
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 82						
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐												
Type Code: GVI		Special Code: AP		MSG Code: MRB, 9		Request: JOB-SETUP,CLEAN-UP,INSPECTION,JOB-CLOSURE EUP						
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.												
Zones: 315,316												
DOCUMENT REFERENCES:												
Doc Typ		Reference										
AMM		49-12-00-210-804-A										
AMM		491200-210-804										
ACCESS PANELS:												
315AL, 316AR												
MATERIAL REQUIREMENTS:												
Part Number		Description				Qty.						
No parts assigned to this Task Item												
TOOLING REQUIREMENTS:												
Part Number		Description				Qty.						
No tools assigned to this Task Item												
Job Description												
1. JOB SET-UP: A. PERFORM A JOB SET UP FOR GENERAL VISUAL INSPECTION OF APU SUSPENSION SYSTEM FOR CONDITION AND SECURITY (131-9(A)) PER AMM TASK 49-12-00-210-804-A.												
STEP COMPLETION SIGN OFF:												
		Qualification / Skill		Number of employees		Duration		Number./Signature		Date		
Mechanic/s		ACFT_TECH/AP				HRS						



Task Card Title:
GVI OF APU SUSPENSION SYSTEM FOR CONDITION AND SECURITY.



Task Card NO:

491200-B2-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

Insp.

HRS

Job Description

1. JOB SET-UP:

B. PERFORM CLEANING FOR GENERAL VISUAL INSPECTION OF APU SUSPENSION SYSTEM FOR CONDITION AND SECURITY (131-9(A))
PER AMM 49-12-00-210-804-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.			HRS				

Job Description

2. INSPECTION:

A. PERFORM A GENERAL VISUAL INSPECTION OF APU SUSPENSION SYSTEM FOR CONDITION AND SECURITY (131-9(A)) PER
AMM TASK 49-12-00-210-804-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	INSP/II		HRS				

Job Description

3. CLOSE UP:

A. PERFORM AIRCRAFT CLOSE UP PER AMM TASK 49-12-00-210-804-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year



Task Card Title:

GVI OF APU SUSPENSION SYSTEM FOR CONDITION AND SECURITY.


Task Card NO:

491200-B2-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

Mechanic/s	ACFT_TECH/AP			HRS				
Insp.				HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different personals updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
Remark's: _____

Task Completion Close Up And System Update	Station	Date	Signature

 MET.29290988		Task Card Title: FWD CARGO COMPARTMENT DOOR PROXIMITY (28WV & 30WV) SWITCH AND TARGET CLEANING					
Task Card NO: 52-31-00-01-0-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: ACFT_TECH,AP		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area:			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 83	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: CLN		Special Code: AP, AV		MSG Code: 4		Request: Phase: JOB-SETUP,	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 821							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
DO		20-55-10.pdf					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
TT-I-735		ISOPROPYL ALCOHOL				1.0	
MIL-PRF-7870		OIL LOW FREEZING*HAZMAT*IF SD U SV729				1.0	
LOTOXANE		NON-AQUEOUS CLEANER				1.0	
MIL-PRF-680		NON AQUEOUS CLEANER- PETROLEUM BASED				1.0	
14SBA1		TEXTILE - LINT FREE COTTON AMS3819				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTIONS							
Job Description							
A. CLEAN FWD CARGO DOOR PROXIMITY SENSORS (28WV & 30WV) AND TARGETS AS PER ESPM 20-55-10-02.							
(1) CLEAN THE PROXIMITY-SENSOR ELECTRICAL COMPONENTS.							
(2) CLEAN THE PROXIMITY-SENSOR TARGETS AND THE BRACKETS							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s	ACFT_TECH/AP			HRS			
Insp.				HRS			
B.							
Job Description							
B. MEASURE AND RECORD THE CLEARANCE J1 BETWEEN THE TARGET AND THE							



Task Card Title:

FWD CARGO COMPARTMENT DOOR PROXIMITY (28WV & 3**0WV) SWITCH AND TARGET CLEANING**

Task Card NO:

52-31-00-01-0-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

RELATED PROXIMITY SWITCH (30WV) AS PER AMM TASK 52-71-00-820-003 –A:

RECORD THE CLEARANCE J1 VALUE BEFORE ADJUSTMENT: -----

NOTE: MAKE SURE THAT CLEARANCE J1 IS BETWEEN 1.0 MM (0.0394 IN.) AND 1.8 MM (0.0709 IN.)

IT IS RECOMMENDED THAT YOU KEEP A MINIMUM DISTANCE OF 1.2 MM (0.0472 IN.) BETWEEN THE SENSOR AND THE TARGET TO PREVENT THE FALSE OPEN-DOOR INDICATION.

* IF THE CLEARANCE J1 IS NOT IN THE TOLERANCES, ADJUST AS PER
AMM TASK 52-71-00-820-003 –A.

RECORD THE CLEARANCE J1 VALUE AFTER ADJUSTMENT: -----

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.			HRS				

C.**Job Description**C. MEASURE AND RECORD THE CLEARANCE J2 BETWEEN THE TARGET AND THE
RELATED PROXIMITY SWITCH 28WV AS PER AMM TASK 52-71-00-820-004 –A:

RECORD THE CLEARANCE J2 VALUE BEFORE ADJUSTMENT: -----

NOTE: MAKE SURE THAT CLEARANCE J2 IS BETWEEN 1.60 MM (0.0630 IN.) AND 2.00 MM (0.0787 IN.)

* IF THE CLEARANCE J2 IS NOT IN THE TOLERANCES, ADJUST AS PER AMM TASK 52-71-00-820-004 –A.

RECORD THE CLEARANCE J2 VALUE AFTER ADJUSTMENT: -----

* IF NEEDED DO THE LUBRICATION OF THE FORWARD CARGO-COMPARTMENT DOOR-HANDLE REF.
AMM 12-22-52-640-009.**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.			HRS				

D&E**Job Description**D. DO AN OPERATIONAL TEST OF THE DOOR WARNING SYSTEM RELATED TO
THE CARGO DOORS AS PER AMM TASK 52-71-00-710-001-A.

E. RAISE TQ TO ENG-CON-STR WITH RECORDED MEASUREMENT.

STEP COMPLETION SIGN OFF:



Task Card Title:

FWD CARGO COMPARTMENT DOOR PROXIMITY (28WV & 3**0WV) SWITCH AND TARGET CLEANING**

Task Card NO:

52-31-00-01-0-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.29290996		Task Card Title: AFT CARGO COMPARTMENT DOOR PROXIMITY SWITCH A							
ND TARGET CLEANING									
Task Card NO: 52-32-00-01-0-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP					
A/C Type: 321		Block Taskcard		Main Skill: AV,ACFT_TECH,AP		PROD Final Acceptance:			
Project No: 01BASPC72608		Related Task Card:		A/C Area:					
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 84			
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐									
Type Code: CLN		Special Code: AP		MSG Code: 4		Request: Phase: CLEAN-UP,TC/P,TC/P,J OB-CLOSEUP			
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.									
Zones:									
DOCUMENT REFERENCES:									
Doc Typ		Reference							
DO		20-55-10.pdf							
ACCESS PANELS:									
MATERIAL REQUIREMENTS:									
Part Number		Description				Qty.			
No parts assigned to this Task Item									
TOOLING REQUIREMENTS:									
Part Number		Description				Qty.			
No tools assigned to this Task Item									
A. CLEAN									
Job Description									
A. CLEAN FWD CARGO DOOR PROXIMITY SENSORS (32WV & 34WV) AND TARGETS AS PER ESPM 20-55-10-02.									
(1) CLEAN THE PROXIMITY-SENSOR ELECTRICAL COMPONENTS.									
(2) CLEAN THE PROXIMITY-SENSOR TARGETS AND THE BRACKETS									
STEP COMPLETION SIGN OFF:									
		Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
							Day	Month	Year
Mechanic/s		ACFT_TECH/AP		HRS					
Insp.				HRS					
MEASURE AND RECORD									



Task Card Title:

AFT CARGO COMPARTMENT DOOR PROXIMITY SWITCH A**ND TARGET CLEANING**

Task Card NO:

52-32-00-01-0-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**Job Description**

B. MEASURE AND RECORD THE CLEARANCE J1 BETWEEN THE TARGET AND THE RELATED PROXIMITY SWITCH (32WV) AS PER AMM TASK 52-71-00-820-003 –A:

RECORD THE CLEARANCE J1 VALUE BEFORE ADJUSTMENT: -----

NOTE: MAKE SURE THAT CLEARANCE J1 IS BETWEEN 1.0 MM (0.0394 IN.) AND 1.8 MM (0.0709 IN.)

IT IS RECOMMENDED THAT YOU KEEP A MINIMUM DISTANCE OF 1.2 MM (0.0472 IN.) BETWEEN THE SENSOR AND THE TARGET TO PREVENT THE FALSE OPEN-DOOR INDICATION.

◆ IF THE CLEARANCE J1 IS NOT IN THE TOLERANCES, ADJUST AS PER AMM TASK 52-71-00-820-003 –A.

RECORD THE CLEARANCE J1 VALUE AFTER ADJUSTMENT: -----

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AV/ACFT_TECH			HRS			
Insp.				HRS			

MEASURE AND RECORD THE CLEARANCE J2**Job Description**

C. MEASURE AND RECORD THE CLEARANCE J2 BETWEEN THE TARGET AND THE RELATED PROXIMITY SWITCH (34WV) AS PER AMM TASK 52-71-00-820-004 –A:

RECORD THE CLEARANCE J2 VALUE BEFORE ADJUSTMENT: -----

NOTE: MAKE SURE THAT CLEARANCE J2 IS BETWEEN 1.60 MM (0.0630 IN.) AND 2.00 MM (0.0787 IN.)

◆ IF THE CLEARANCE J2 IS NOT IN THE TOLERANCES, ADJUST AS PER AMM TASK 52-71-00-820-004 –A.

RECORD THE CLEARANCE J2 VALUE AFTER ADJUSTMENT: -----

◆ IF NEEDED DO THE LUBRICATION OF THE AFT CARGO-COMPARTMENT DOOR-HANDLE REF. AMM 12-22-52-640-009.



Task Card Title:

AFT CARGO COMPARTMENT DOOR PROXIMITY SWITCH A**ND TARGET CLEANING**

Task Card NO:

52-32-00-01-0-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AV/ACFT_TECH		HRS				
Insp.			HRS				

OPERATIONAL TEST AND RAISE TO**Job Description**

D. DO AN OPERATIONAL TEST OF THE DOOR WARNING SYSTEM RELATED TO THE CARGO DOORS AS PER AMM TASK 52-71-00-710-001-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.			HRS				

RAISE TQ ENGG**Job Description**

E. RAISE TQ TO ENG-CON-STR WITH RECORDED MEASUREMENT.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	ACFT_TECH/AP		HRS				
Insp.			HRS				



Task Card Title:

AFT CARGO COMPARTMENT DOOR PROXIMITY SWITCH A**ND TARGET CLEANING**

Task Card NO:

52-32-00-01-0-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722018		Task Card Title: FORWARD CARGO DOOR LUBRICATION					
Task Card NO: 523000-01-1-001		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,IL,AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 09			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 85	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: LUB		Special Code: AF		MSG Code: MRB, 6, 9		Request: JOB-SETUP,IC/P,IC/P,I C/P,JOB-CLOSEUP,JOB-CLOSEUP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 825							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		12-22-52-640-002-A					
CAP		S52-C10004					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
MIL-PRF-23827		GRASE ROYCO27 S/L2Y (IF SD USE ASG7P				1.0	
14SBA1		TEXTILE - LINT FREE COTTON AMS3819				1.0	
MOLYKOTE 55M		GREASE MOLYKOTE M-55 S/L 4 YRS				1.0	
MOBILGREASE 33		GREASE				1.0	
MIL-PRF-7870		OIL LOW FREZING*HAZMAT*IF SD U SV729				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK PREPARATION							
Job Description							
A. PREPARE FOR CARGO DOOR LUBRICATION PER AMM TASK 12-22-52-640-002-A.							
STEP COMPLETION SIGN OFF:							
Qualification / Skill		Number of employees		Duration		Number./Signature	
Date							
Day Month Year							
Mechanic/s		AF/ACFT_TECH		HRS			
Insp.				HRS			
TASK PREPARATION							
Job Description							
B. REMOVE CARGO DOOR LINING (REF AMM TASK 52-32-13-000-001).							
STEP COMPLETION SIGN OFF:							



Task Card Title:

FORWARD CARGO DOOR LUBRICATION

Task Card NO:

523000-01-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

TASK INSTRUCTION**Job Description**

A. LUBRICATE CARGO DOOR AND MECHANISM PER AMM TASK 12-22-52-640-002-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

TASK INSTRUCTION**Job Description**

B. OK TO INSTAL CARGO DOOR LINING.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	INSP/II		HRS				

TASK INSTRUCTION**Job Description**

C. INSTAL CARGO DOOR LINING (REF. AMM TASK 52-32-13-400-001).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.	II/INSP		HRS				

TASK CLOSE UP**Job Description**

A. RETURN THE AIRCRAFT BACK TO NORMAL CONFIGURATION PER AMM 12-22-52-640-002-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				



MET.32722018

Task Card Title:

FORWARD CARGO DOOR LUBRICATION

Task Card NO:

523000-01-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update****Station****Date****Signature**

 MET.32722055		Task Card Title: AFT CARGO DOOR LUBRICATION					
Task Card NO: 523000-01-1-002		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,IL,AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 09			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 86	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: LUB		Special Code: AF		MSG Code: MRB, 6, 9		Request: Phase:	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 826							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		12-22-52-640-002-A					
CAP		S52-C10004.pdf					
CAP		S52-C10004					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
MIL-PRF-23827		GRASE ROYCO27 S/L2Y (IF SD USE ASG7P				1.0	
MOLYKOTE 55M		GREASE MOLYKOTE M-55 S/L 4 YRS				1.0	
14SBA1		TEXTILE - LINT FREE COTTON AMS3819				1.0	
MOBILGREASE 33		GREASE				1.0	
MIL-PRF-7870		OIL LOW FREZING*HAZMAT*IF SD U SV729				1.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK PREPARATION							
Job Description							
A. PREPARE FOR CARGO DOOR LUBRICATION PER AMM TASK 12-22-52-640-002-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				
TASK PREPARATION							
Job Description							
B. REMOVE CARGO DOOR LINING (REF AMM TASK 52-32-13-000-001).							



MET.32722055

Task Card Title:

AFT CARGO DOOR LUBRICATION



Task Card NO:

523000-01-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

TASK INSTRUCTION

Job Description

A. LUBRICATE CARGO DOOR AND MECHANISM PER AMM TASK 12-22-52-640-002-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

TASK INSTRUCTION

Job Description

B. OK TO INSTAL CARGO DOOR LINING.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	INSP/II		HRS				

TASK INSTRUCTION

Job Description

C. INSTAL CARGO DOOR LINING (REF. AMM TASK 52-32-13-400-001).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.	II/INSP		HRS				

TASK CLOSE UP

Job Description

A. RETURN THE AIRCRAFT BACK TO NORMAL CONFIGURATION PER AMM 12-22-52-640-002-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				



Task Card Title:

AFT CARGO DOOR LUBRICATION

Task Card NO:

523000-01-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____

(1) If Task card interrupted or performed by different persons updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 2 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 3 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 4 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

- Interruption No. 5 [] Task card [] AMM [] Other specify. _____

Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____

Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722053		Task Card Title: FWD CARGO DOOR HANDLE LUBRICATION					
Task Card NO: 523000-03-1-001		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,IL,AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 09			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 87	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: LUB		Special Code: AF		MSG Code: 6, 9, MRB		Request: Phase:	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 825							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		12-22-52-640-009-A					
CAP		S52-C10004					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
A-A-59173		MEDIUM GREASE MOLYKOTE33M				0.0	
AMS3819		CLEAN LINT-FREE CLOTH				0.0	
MIL-PRF-23827		GRASE ROYCO27 S/L2Y (IF SD USE ASG7P				0.0	
MIL-PRF-7870		OIL LOW FREZING*HAZMAT*IF SD U SV729				0.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK PREPARATION							
Job Description							
A. PREPARE FOR CARGO DOOR HANDLE LUBRICATION PER AMM TASK 12-22-52-640-009-A							
STEP COMPLETION SIGN OFF:							
Qualification / Skill		Number of employees		Duration		Number./Signature	
Date							
Day Month Year							
Mechanic/s		AF/ACFT_TECH		HRS			
Insp.				HRS			
TASK INSTRUCTION							
Job Description							
A. LUBRICATE CARGO DOOR HANDLE PER PER AMM TASK 12-22-52-640-009-A							
STEP COMPLETION SIGN OFF:							



Task Card Title:

FWD CARGO DOOR HANDLE LUBRICATION

Task Card NO:

523000-03-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

TASK INSTRUCTION**Job Description**

B. OBTAIN OK TO INSTALL THE ACCESS COVER , INSULATION AND DOOR LINING PER AMM TASK 12-22-52-640-009-A

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	INSP/II		HRS				

TASK CLOSE UP**Job Description**

A. INSTALL THE ACCESS COVER , INSULATION AND DOOR LINING PER AMM TASK 12-22-52-640-009-A .

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.	INSP/II		HRS				

TASK CLOSE UP**Job Description**

B. REMOVE DOOR ACTUATOR SAFETY LOCK PER AMM TASK 12-22-52-640-009-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

FWD CARGO DOOR HANDLE LUBRICATION

Task Card NO:

523000-03-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722016		Task Card Title: AFT CARGO DOOR HANDLE LUBRICATION					
Task Card NO: 523000-03-1-002		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,IL,AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 09			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 88	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: LUB		Special Code: AF		MSG Code: 6, 9		Request: Phase:	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 826							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		12-22-52-640-009-A					
CAP		S52-C10004					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
A-A-59173		MEDIUM GREASE MOLYKOTE33M				0.0	
AMS3819		CLEAN LINT-FREE CLOTH				0.0	
MIL-PRF-23827		GRASE ROYCO27 S/L2Y (IF SD USE ASG7P				0.0	
MIL-PRF-7870		OIL LOW FREZING*HAZMAT*IF SD U SV729				0.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK PREPARATION							
Job Description							
A. PREPARE FOR CARGO DOOR HANDLE LUBRICATION PER AMM TASK 12-22-52-640-009-A							
STEP COMPLETION SIGN OFF:							
Qualification / Skill		Number of employees		Duration		Number./Signature	
Date							
Day Month Year							
Mechanic/s		AF/ACFT_TECH		HRS			
Insp.				HRS			
TASK INSTRUCTION							
Job Description							
A. LUBRICATE CARGO DOOR HANDLE PER PER AMM TASK 12-22-52-640-009-A							
STEP COMPLETION SIGN OFF:							



Task Card Title:

AFT CARGO DOOR HANDLE LUBRICATION

Task Card NO:

523000-03-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

TASK INSTRUCTION**Job Description**

B. OBTAIN OK TO INSTALL THE ACCESS COVER , INSULATION AND DOOR LINING PER AMM TASK 12-22-52-640-009-A

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	INSP/II		HRS				

TASK CLOSE UP**Job Description**

A. INSTALL THE ACCESS COVER , INSULATION AND DOOR LINING PER AMM TASK 12-22-52-640-009-A .

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.	INSP/II		HRS				

TASK CLOSE UP**Job Description**

B. REMOVE DOOR ACTUATOR SAFETY LOCK PER AMM TASK 12-22-52-640-009-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated._____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

AFT CARGO DOOR HANDLE LUBRICATION

Task Card NO:

523000-03-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32722049		Task Card Title: FUNCTIONAL CHECK OF THE CORRECT ADJUSTMENT OF THE COCKPIT DOOR, ELECTRICAL RELEASE STRIKES AND LATCH MECHANISM					
Task Card NO: 525111-06-2		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,II,CAB,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 06			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 89	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: FNC		Special Code: CAB		MSG Code: 6, MRB		Request: Phase: JOB SETUP, OPS/LK, JOB -CLOSEUP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 220							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		52-51-00-720-003-A					
AMM		525100-720-003					
MRB		52.51.11/06					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
D2527494800000		TAPE-FOAM				4.0	
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK PREPARATION							
Job Description							
A. PERFORM A JOB SET UP AS PER AMM TASK 52-51-00-720-003-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
						Day	Month
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				
TASK INSTRUCTIONS							
Job Description							
A. PERFORM A VISUAL INSPECTION OF THE SELF-ADHESIVE FOAM TAPES AND FUNCTIONAL CHECK OF THE CORRECT ADJUSTMENT OF THE COCKPIT DOOR, ELECTRICAL RELEASE STRIKES AND LATCH MECHANISM AS PER AMM TASK 52-51-00-720-003-A.							
NOTE: MAKE SURE THAT THE SELF-ADHESIVE FOAM TAPES (24) ARE INSTALLED AND IN THE CORRECT CONDITION.							
STEP COMPLETION SIGN OFF:							



Task Card Title:

FUNCTIONAL CHECK OF THE CORRECT ADJUSTMENT OF THE COCKPIT DOOR, ELECTRICAL RELEASE STRIKES AND LATCH MECHANISM


Task Card NO:

525111-06-2

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.	INSP/II		HRS				

TASK CLOSE UP**Job Description**

A. PERFORM AIRCRAFT CLOSE UP PER AMM TASK 52-51-00-720-003-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	CAB/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

 Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

 Remark's: _____



Task Card Title:

FUNCTIONAL CHECK OF THE CORRECT ADJUSTMENT OF THE COCKPIT DOOR, ELECTRICAL RELEASE STRIKES AND LATCH MECHANISM



Task Card NO:

525111-06-2

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station

Date

Signature

Copyright of Saudia Technic - Regeneration is not allowed without prior approval by Saudia Technic.

 MET.28388283		Task Card Title: MLG ACT FITTINGS KEEL BEAM INSP				
Task Card NO: 533154-05-1-A		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP		
A/C Type: 321		Block Taskcard		Main Skill: INSP,II,NDT_INSP,AF,ACFT_TEC H,NDT		
Project No: 01BASPC72608		Related Task Card:		A/C Area:		
Internal Check:		Check Type:		Work Order NO: 31909295		
				Tally Sequence NO: 90		
ENCLOSURE: ☒ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☒ ALI: ☐						
Type Code: DET		Special Code: NDT		MSG Code: A		
		Request:		Phase: X-RAY/NDT,INSPECTI ON,		
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.						
Zones: 147,148						
DOCUMENT REFERENCES:						
Doc Typ		Reference				
DO		SB_53-1195-13_ENV.pdf				
DO		ISB 53-1195				
EASA		AD2012-0118				
EASA		AD 2024-0097R2				
EO.		EO 531680				
EO.		EO531681				
FAA		AD2009-20-05				
ACCESS PANELS:						
MATERIAL REQUIREMENTS:						
Part Number		Description			Qty.	
08BAA9		NON AQUEOUS CLEANER - GENERAL			1.0	
14SBA1		TEXTILE - LINT FREE COTTON AMS3819			1.0	
D5337261321600		FITTING			1.0	
D5337261321700		FITTING			1.0	
D5337076420400		BUSHING			1.0	
D5337076420200		BUSHING			1.0	
LOTOXANE		NON-AQUEOUS CLEANER			1.0	
14SBA1		TEXTILE - LINT FREE COTTON AMS3819			1.0	
D5337261321600		FITTING			1.0	
D5337261321700		FITTING			1.0	
D5337076420400		BUSHING			1.0	
D5337076420200		BUSHING			1.0	
R5307111620000		BUSHING			2.0	
R5307111620200		BUSHING, SHOP REQ (FAD)			2.0	
98D53308002000		KIT LUG REPAIR REAMER			1.0	
R5307111620400		BUSH			1.0	
R5307111620600		BUSH			2.0	
NAS1149C1016R		WASHER U/O B747			1.0	

 MET.28388283	Task Card Title: MLG ACT FITTINGS KEEL BEAM INSP							
Task Card NO: 533154-05-1-A		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP				
MS24665-300		* PIN-COTTER * ALSO USED ON L1011/				1.0		
TOOLING REQUIREMENTS:								
Part Number		Description				Qty.		
98D53308001000		KIT LUG REPAIR REAMER				1.0		
INSTRUCTIONS								
Job Description								
A. PERFORM TASK SET A320-A-53-XX-1195-01000-93BA-A (A320-A-53-XX-1195-01ZZZ-93BZ-A)								
STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS				
Insp.				HRS				
TASK PREPARATION								
Job Description								
B. PERFORM TASK A320-A-53-XX-1195-01001-540A-A (A320-A-53-XX-1195-01ZZZ-540Z-A)								
STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS				
Insp.				HRS				
TASK PREPARATION								
Job Description								
C. DISCONNECT THE MLG DOOR ACTUATOR FROM ACTUATOR FITTING ON LH AND RH SIDES. PERFORM TASK A320-A-53-XX-1195-02001-540A-A (A320-A-53-XX-1195-02ZZZ-540Z-A).								
STEP COMPLETION SIGN OFF:								
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS				
Insp.				HRS				
TASK INSTRUCTIONS								
Job Description								
D. PERFORM A SPECIAL DETAILED INSPECTION OF THE KEEL BEAM MLG DOOR ACTUATOR FITTINGS LH AND RH. PERFORM TASK A320-A-53-XX-1195-01001-300A-A (A320-A-53-XX-1195-01ZZZ-300Z-A),								
- FILL NDT REPORT (ATTACHED)								
- PLEASE RAISE TQ TO (ENG-CON-STR) WITH NDT REPORT (ATTACHED AFTER FILL) .								



MET.28388283

Task Card Title:

MLG ACT FITTINGS KEEL BEAM INSP

Task Card NO:

533154-05-1-A

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS				
Insp.	NDT_INSP/NDT			HRS				

Job Description

E. PERFORM INSPECTION OF THE KEEL BEAM MLG DOOR ACTUATOR FITTINGS LH AND RH.

PERFORM TASK A320-A-53-XX-1195-01001-300A-A (A320-A-53-XX-1195-01ZZZ-300Z-A),

- FILL INSPECTION REPORT (ATTACHED)

- PLEASE RAISE TQ TO (ENG-CON-STR) WITH INSPECTION REPORT (ATTACHED AFTER FILL) .

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s				HRS				
Insp.	INSP/II			HRS				

TASK INSTRUCTIONS**Job Description**

E. DEPENDING ON FINDING, REPLACE THE MLG DOOR ACTUATOR FITTING ON LH AND RH SIDES.

PERFORM TASK A320-A-53-XX-1195-01001-920A-A (A320-A-53-XX-1195-01ZZZ-920Z-A)

IF ACTUATOR FITTING REPLACED , PLEASE RAISE TQ TO (ENG-CON-STR).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS				
Insp.	INSP/II			HRS				

TASK INSTRUCTIONS**Job Description**

F. DEPENDING ON THE FINDING, REPAIR THE PLAIN BUSH MIGRATION ON LH AND RH SIDES.

PERFORM TASK A320-A-53-XX-1195-01001-690A-A (A320-A-53-XX-1195-01ZZZ-690Z-A).

IF PERFORMED THE REPAIR , PLEASE RAISE TQ TO (ENG-CON-STR).

STEP COMPLETION SIGN OFF:



MET.28388283

Task Card Title:

MLG ACT FITTINGS KEEL BEAM INSP

Task Card NO:

533154-05-1-A

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS				
Insp.	II/INSP			HRS				

TASK INSTRUCTIONS**Job Description**

G. DEPENDING ON FINDING, REPAIR THE FLANGED BUSH AXIAL LOOSE ON LH AND RH SIDES.
PERFORM TASK A320-A-53-XX-1195-02001-690A-A (A320-A-53-XX-1195-02ZZZ-690Z-A).

IF PERFORMED THE REPAIR , PLEASE RAISE TQ TO (ENG-CON-STR).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS				
Insp.	INSP/II			HRS				

TASK INSTRUCTIONS**Job Description**

H. DEPENDING ON FINDING , REPAIR THE WEAR MARKS UNDERNEATH BOLT HEAD ON LH AND RH SIDES
PERFORM TASK A320-A-53-XX-1195-03001-690A-A (A320-A-53-XX-1195-03ZZZ-690Z-A)

IF PERFORMED THE REPAIR , PLEASE RAISE TQ TO (ENG-CON-STR).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS				
Insp.	INSP/II			HRS				

TASK INSTRUCTIONS**Job Description**

I. DEPENDING ON THE FINDING, REPAIR THE OTHER DAMAGES ON LH AND RH SIDES
PERFORM TASK A320-A-53-XX-1195-04001-690A-A (A320-A-53-XX-1195-04ZZZ-690Z-A)

IF PERFORMED THE REPAIR , PLEASE RAISE TQ TO (ENG-CON-STR).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS				
Insp.	INSP/II			HRS				

PREPARATION FOR TEST**Job Description**



MET.28388283

Task Card Title:

MLG ACT FITTINGS KEEL BEAM INSP



Task Card NO:

533154-05-1-A

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

J. PERFORM TASK A320-A-53-XX-1195-01001-331A-A (A320-A-53-XX-1195-01ZZZ-331Z-A).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.	INSP/II		HRS				

TEST

Job Description

K. PERFORM TASK A320-A-53-XX-1195-01001-390A-A (A320-A-53-XX-1195-01ZZZ-390Z-A)

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.	INSP/II		HRS				

CLOSE-UP

Job Description

L. PERFORM TASK A320-A-53-XX-1195-02001-740A-A (A320-A-53-XX-1195-02ZZZ-740Z-A)

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH		HRS				
Insp.	INSP/II		HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

MLG ACT FITTINGS KEEL BEAM INSP

Task Card NO:

533154-05-1-A

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.29291089		Task Card Title: COCKPIT WINDOWS INSPECTION					
Task Card NO: 561000-01-1-SVA		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: II,INSP,STR,AF,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 06			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 92	
ENCLOSURE: ☒ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: DVI		Special Code: INSP		MSG Code: 8		Request: PRE HGR,INSPECTION, INSPECTION,JOB-CLOS EUP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		56-11-11-200-001-A					
AMM		56-11-12-200-001-A					
AMM		56-12-11-200-001-A					
CAP		CAP S56-C10001 escalation to match new A-CHK interval.pdf					
CAP		S56-C10001					
CAP		S56-C10001.pdf					
DO		SIL 56-017					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this Task Item							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
No tools assigned to this Task Item							
TASK INSTRUCTIONS							
Job Description							
A. PREPARE FOR THE COCKPIT WINDOWS INSPECTIONS AS PER THE FOLLOWING:							
(1) THE WINDSHIELDS (REF. AMM TASK 56-11-11-200-001). (2) THE FIXED WINDOWS (REF. AMM TASK 56-11-12-200-001). (3) THE SLIDING WINDOWS (REF. AMM TASK 56-12-11-200-001).							
STEP COMPLETION SIGN OFF:							
		Qualification / Skill AF/ACFT_TECH	Number of employees	Duration HRS	Number./Signature	Date	
						Day	Month
Mechanic/s							



Task Card Title:

COCKPIT WINDOWS INSPECTION

Task Card NO:

561000-01-1-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

Insp.

HRS

TASK INSTRUCTIONS**Job Description**

B. PERFORM A DETAILED VISUAL INSPECTION OF THE FOLLOWING COCKPIT WINDOWS (FROM INSIDE).

- (1) THE WINDSHIELDS (REF. AMM TASK 56-11-11-200-001).
- (2) THE FIXED WINDOWS (REF. AMM TASK 56-11-12-200-001).
- (3) THE SLIDING WINDOWS (REF. AMM TASK 56-12-11-200-001).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	II/INSP		HRS				

TASK INSTRUCTIONS**Job Description**

C. IF DELAMINATION , INTERLAYER MICROFLAKES ,BUS BAR BURN SPOT FOUND WITHIN ALLOWABLE DAMAGE LIMITATION IN THE APPLICABLE AMM ON FLIGHT COMPARTMENT NO.1, NO.2 AND NO.3 WINDOWS ,THEN REFER TO THE FOLLOWING INSTRUCTION FOR DAMAGE MONITORING AND CONTROLLING:

- a. DELAMINATION AND/OR INTERLAYER MICROFLAKES: IF DELAMINATION AND/OR INTERLAYER MICROFLAKES IS FOUND WITHIN APPLICABLE AMM LIMITATION, THEN PERFORM THE FOLLOWINGS:
 1. RECORD SIZE AND LOCATION OF DELAMINATION AND/OR INTERLAYER MICROFLAKES IN LOG BOOK WO ,
 2. CHECK THE WEATHER SEAL (MOISTURE SEAL) FROM OUTSIDE, REPAIR AS REQUIRED PER APPLICABLE AMM AT NEXT R.O.N.
 3. PERFORM REPETITIVE INSPECTION AS FOLLOWING:
 - CHECK THE AFFECTED AREA FOR ANY SIGNS OF DAMAGE PROPAGATION EVERY 7-DAYS.
 - UPDATE THE DELAMINATION DIMENSION EVERY REPEAT INSPECTION IN THE RELATED WORK ORDER.
 - IF DELAMINATED AREA AND/OR INTERLAYER MICROFLAKES HAS REACHED MAX ALLOWABLE LIMITATION IN APPLICABLE AMM, R/R THE AFFECTED WINDOW WITHIN 7 DAYS. CHECK THE AFFECTED AREA FOR ANY SIGNS OF DAMAGE PROPAGATION EVERY DAY. IN CASE OF ANY DELAMINATION PROPAGATION EXCEED MAX ALLOWABLE LIMITATION IN APPLICABLE AMM DURING THE 7 DAYS PERIOD, THE AFFECTED WINDOW MUST BE REPLACED BEFORE NEXT FLIGHT.
 4. REPLACE THE AFFECTED WINDOW DURING NEXT C-CHECK.

b- BUS BAR BURN SPOT:

IF BURN SPOT AT THE BUS BAR AREA IS FOUND BROWN AND WITHIN APPLICABLE AMM LIMITATION, THEN PERFORM THE FOLLOWING:

1. RECORD SIZE AND LOCATION OF DEFECTED AREA IN LOGBOOK WO.
2. PERFORM REPETITIVE INSPECTION AS FOLLOWING:
 - CHECK THE AFFECTED AREA FOR ANY SIGNS OF DAMAGE PROPAGATION EVERY 7-DAYS.
 - UPDATE THE BUS BAR BURN SPOT DIMENSION EVERY REPEAT INSPECTION IN THE RELATED WORK ORDER.
 - IF BUS BAR BROWN BURN SPOT PROPAGATION EXCEED APPLICABLE AMM LIMITATION OR BLACK SPOTS APPEARED ON BUS BAR OR AT THE EDGE OF THE BUS BAR, REPLACE WINDOW BEFORE FURTHER FLIGHT.
3. REPLACE THE THE AFFECTED WINDOW DURING NEXT C-CHECK.



MET.29291089

Task Card Title:

COCKPIT WINDOWS INSPECTION



Task Card NO:

561000-01-1-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	STR/ACFT_TECH			HRS			
Insp.	INSP/II			HRS			

TASK INSTRUCTIONS

Job Description

D. RETURN AIRCRAFT TO NORMAL AS PER THE FOLLOWING:

- (1) THE WINDSHIELDS (REF. AMM TASK 56-11-11-200-001).
- (2) THE FIXED WINDOWS (REF. AMM TASK 56-11-12-200-001).
- (3) THE SLIDING WINDOWS (REF. AMM TASK 56-12-11-200-001)

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	AF/ACFT_TECH			HRS			
Insp.				HRS			

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

COCKPIT WINDOWS INSPECTION

Task Card NO:

561000-01-1-SVA

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.32721996		Task Card Title: DETAILED INSPECTION OF ALL COCKPIT WINDOWS FROM OUTSIDE INCLUDING SEALS.					
Task Card NO: 561000-02-1		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: INSP,II		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area:			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 93	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: DET		Special Code: INSP		MSG Code: MRB, 6		Request: Phase:	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 210							
DOCUMENT REFERENCES:							
Doc Typ		Reference					
AMM		56-10-00-200-005-A					
AMM		561000-200-005					
ACCESS PANELS:							
MATERIAL REQUIREMENTS:							
Part Number		Description				Qty.	
No parts assigned to this task							
TOOLING REQUIREMENTS:							
Part Number		Description				Qty.	
98L12003001000		HARNESS, SAFETY (TOOL/HZ-HMS)				1.0	
COCKPIT WINDOWS EXTERIOR INSPECTION							
Job Description							
A. PERFORM COCKPIT WINDOWS EXTERIOR INSPECTION AS PER AMM TASK 56-10-00-200-005-A.							
STEP COMPLETION SIGN OFF:							
	Qualification / Skill	Number of employees	Duration		Number./Signature	Date	
				HRS		Day	Month
Mechanic/s				HRS			
Insp.	INSP/II			HRS			
-Aircraft Maintenance Manual used: Revision No. _____ Dated._____. Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below Work order No: _____ _____ Note: Make sure to create the finding Work Order on task card level. Remark's: _____ _____							



Task Card Title:

DETAILED INSPECTION OF ALL COCKPIT WINDOWS FROM OUTSIDE INCLUDING SEALS.



Task Card NO:

561000-02-1

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station

Date

Signature

 MET.25439539		Task Card Title: NO. 1 ENG FAN COWL LOCKING DEVICE INSP					
Task Card NO: 711300-C2-1-001		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: PP,II,INSP,ACFT_TECH		PROD Final Acceptance:	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 01			
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 94	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐							
Type Code: DET		Special Code: INSP		MSG Code: 8, MRB, LUR		Request: JOB-SETUP,INSPECTION,INSPECTION,JOEUP	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.							
Zones: 430							
DOCUMENT REFERENCES:							
Doc Typ AMM		Reference 71-13-13-220-041-B					
ACCESS PANELS:							
437AL, 438AR							
MATERIAL REQUIREMENTS:							
Part Number No parts assigned to this Task Item		Description				Qty.	
TOOLING REQUIREMENTS:							
Part Number No tools assigned to this Task Item		Description				Qty.	
TASK PREPARATION							
Job Description							
A. PREPARE FOR THE TASK ACCOMPLISHMENT PER AMM TASK 71-13-13-220-041-B.							
STEP COMPLETION SIGN OFF:							
Qualification / Skill Mechanic/s PP/ACFT_TECH Insp.		Number of employees		Duration HRS		Number./Signature 	
Date Day Month Year							
TASK INSTRUCTION							
Job Description							
A. PERFORM A DETAILED VISUAL INSPECTION OF THE ADJUSTA KEEPERS OF THE RIGHT HANDFAN COWL AS PER AMM TASK 71-13-13-220-041-B.							



Task Card Title:

NO. 1 ENG FAN COWL LOCKING DEVICE INSP



Task Card NO:

711300-C2-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	II/INSP		HRS				

TASK INSTRUCTION

Job Description

B. PERFORM A DETAILED VISUAL INSPECTION OF THE RESTRAINERS OF THE RIGHT HAND FAN COWL AS PER AMM TASK 71-13-13-220-041-B.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	INSP/II		HRS				

TASK CLOSE UP

Job Description

A. PERFORM JOB CLOSE-UP PER AMM TASK 71-13-13-220-041-B.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

NO. 1 ENG FAN COWL LOCKING DEVICE INSP

Task Card NO:

711300-C2-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accordingly (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.25495693		Task Card Title: NO. 2 ENG FAN COWL LOCKING DEVICE INSP									
Task Card NO: 711300-C2-1-002		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP							
A/C Type: 321		Block Taskcard		Main Skill: PP,INSP,II,ACFT_TECH		PROD Final Acceptance:					
Project No: 01BASPC72608		Related Task Card:		A/C Area: 02							
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 95					
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐											
Type Code: DET		Special Code: INSP		MSG Code: LUR, 8, MRB		Request: JOB-SETUP,INSPECTION,INSPECTION,JOEUP					
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRIED OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.											
Zones: 440											
DOCUMENT REFERENCES:											
Doc Typ AMM		Reference 71-13-13-220-041-B									
ACCESS PANELS:											
447AL, 448AR											
MATERIAL REQUIREMENTS:											
Part Number No parts assigned to this Task Item		Description				Qty.					
TOOLING REQUIREMENTS:											
Part Number No tools assigned to this Task Item		Description				Qty.					
TASK PREPARATION											
Job Description											
A. PREPARE FOR THE TASK ACCOMPLISHMENT PER AMM TASK 71-13-13-220-041-B.											
STEP COMPLETION SIGN OFF:											
		Qualification / Skill		Number of employees		Duration		Number./Signature		Date	
Mechanic/s		PP/ACFT_TECH				HRS				Day Month Year	
Insp.						HRS					
TASK INSTRUCTION											
Job Description											
A. PERFORM A DETAILED VISUAL INSPECTION OF THE ADJUSTA KEEPERS OF THE RIGHT HAND FAN COWL AS PER AMM TASK 71-13-13-220-041-B.											



Task Card Title:

NO. 2 ENG FAN COWL LOCKING DEVICE INSP



Task Card NO:

711300-C2-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	INSP/II		HRS				

TASK INSTRUCTION

Job Description

B. PERFORM A DETAILED VISUAL INSPECTION OF THE RESTRAINERS OF THE RIGHT HAND FAN COWL AS PER AMM TASK 71-13-13-220-041-B.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	INSP/II		HRS				

TASK CLOSE UP

Job Description

A. PERFORM JOB CLOSE-UP PER AMM TASK 71-13-13-220-041-B.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



MET.25495693

Task Card Title:

NO. 2 ENG FAN COWL LOCKING DEVICE INSP



Task Card NO:

711300-C2-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station

Date

Signature

Copyright of Saudia Technic - Regeneration is not allowed without prior approval by Saudia Technic.



Task Card Title:

NO. 1 ENGINE COMPRESSOR WASH

Task Card NO:

72-00-00-01-0-SVA-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

Insp.

HRS

Job Description**2. COMPRESSOR CLEANING:**

NOTE: WHILE ACCOMPLISHING THIS FUEL CONSERVATION CARDS, ENSURE THAT AUTO SPEED BRAKE SYSTEM **TOLERANCES** PROVIDED IN THE AMM ARE MAINTAINED IN THE **OPTIMUM** RANGE.

- A. PERFORM ENGINE COMPRESSOR WASH USING ECOPOWER [P&W EA# 09IZ001] (PREFERRED) OR THE ALTERNATIVE EQUIPMENT PER AMM TASK 72-00-00-100-026-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

Job Description**3. EQUIPMENT REMOVAL:**

- A. REMOVE THE ECOPOWER EQUIPMENT AND RECONNECT THE DICONNECTED ITEMS DURING PREPARATION PER AMM TASK 72-00-00-100-026-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.	INSP/RII		HRS				

Job Description**4. LINES INSTALLATION:**

- A. INSTALL PS3 AND P25 LINES (IF INSTALLED) TO THE ECU AS FOLLOWS:

CAUTION: DO NOT BLOW COMPRESSED AIR OR NITROGEN INTO THE ECU AS DAMAGE TO THE ECU CAN OCCUR.

- (1) REMOVE THE PLUGS FROM THE PS3 AND P25 (IF INSTALLED) LINES AND FROM THE ECU.

CAUTION: DURING INSTALLATION, MAKE SURE THAT THE PS3 LINE DOES NOT TOUCH THE LOWER STARTER DUCT OR OTHER PARTS IN THIS AREA. IF IT DOES, CHAFING OF THE PS3 HOSE CAN OCCUR.

- (2) BLOW PS3 AND P25 LINES CLEAR OF WATER USING 20 PSI COMPRESSED AIR OR NITROGEN.

- (3) CONNECT PS3 LINE TO ECU, TORQUE TO BETWEEN 270 AND 300 LBF.IN (3.05 AND 3.39 M.DAN) AND SAFETY WITH LOCKWIRE.

- (4) CONNECT P25 (IF INSTALLED) LINE TO ECU, TORQUE TO BETWEEN 180 AND 200 LBF.IN (2.03 AND 2.26 M.DAN) AND SAFETY WITH LOCKWIRE.

- (5) REMOVE THE STANDARD PROTECTIVE COVER FROM THE NACELLE ANTI-ICE LINE PORT



Task Card Title:

NO. 1 ENGINE COMPRESSOR WASH

Task Card NO:

72-00-00-01-0-SVA-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

OF THE NAI VALVE.

- (6) CONNECT THE RIGID ANTI-ICE SERVO PRESSURE LINE (25) TO NACELLE ANTI-ICE VALVE (4000 DN). TORQUE THE FORWARD HOSE NUT TO BETWEEN 135 AND 150 LBF.IN (1.52 AND 1.69 M.DAN).
- (7) MAKE SURE THAT THE WORK AREA IS CLEAN AND CLEAR OF TOOLS.
- (8) CLOSE THE FAN COWLS 437AL, 438AR (REF. AMM TASK 71-13-00-410-040).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.	INSP/RII		HRS				

Job Description

5. POST ENGINE WASH TEST:
- A. FOR AMM TASK 72-00-00-100-026, PERFORM POST ENGINE WASH TEST USING PURE WATER.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

5. POST ENGINE WASH TEST:
- B. FOR ECOPOWER PERFORM POST ENGINE WASH TEST AS FOLLOWS:
- (1) ON THE AIR COND PANEL 30VU, MAKE SURE THAT THE CROSSBLEED VALVE SELECTOR SWITCH IS IN THE OPEN POSITION.
- (2) START THE ENGINE WITHIN 2 HOURS (OR 30 MINUTES IN ICING CONDITION) OF THE LAST WASH CYCLE TO PURGE THE LUBE/SUMP SYSTEM OF ANY WATER INGESTION.
(REF. AMM TASK 71-00-00-710-003)
- NOTE: APU BLEED VALVE MUST BE CLOSED (THE ON LEGEND OF APU PUSHBUTTON SWITCH IS OFF) AFTER ENGINE START, TO AVOID THE SUPPLY OF THE AIR TO THE WING-ANTI-ICE SYSTEMS FROM APU.
- THIS ENGINE RUN IS DONE TO ENSURE THAT THE BLEED SYSTEM IS FREE FROM CONTAMINANT. SMOKE/SMELL IN CABIN CAN RESULT IF CONTAMINANT ENTERS IN THE BLEED SYSTEM.
- CORROSION PREVENTIVE PRODUCTS SHOULD BE USED. IF NONE OF THE CORROSION



MET.29291014

Task Card Title:

NO. 1 ENGINE COMPRESSOR WASH

Task Card NO:

72-00-00-01-0-SVA-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

PREVENTIVE PRODUCTS SPECIFIED ABOVE IS AVAILABLE, THE AIRCRAFT MUST RESUME REVENUE SERVICE OPERATION WITHIN 24 HOURS FOLLOWING THIS POST WASH TEST. DO NOT ACTUATE WAI SYSTEMS BEFORE THE 5-MINUTE PERIOD AT IDLE IS OVER IN ORDER TO AVOID WAI SYSTEMS OVERHEAT.

(3) LET THE ENGINE RUN AT IDLE FOR 5 MINUTES.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

Job Description**5. POST ENGINE WASH TEST:****B. CONTINUE POST ENGINE WASH TEST FOR ECOPOWER AS FOLLOWS:**

(4) AFTER 5 MINUTES FROM ENGINE START, PERFORM THE FOLLOWING:

- (a) PRESS THE ENG 1 BLEED PUSHBUTTON SWITCH TO OPERATE THE ENGINE BLEED SYSTEM.
- (b) MAKE SURE THAT THE OFF LEGEND OF THE ENG1 BLEED PUSHBUTTON SWITCH GOES OFF WHEN THE ENGINE BLEED SYSTEM OPERATES.
- (c) PRESS THE ANTL-ICE/WING PUSHBUTTON SWITCH TO OPERATE THE WING ANTI-ICE SYSTEM.
NOTE: THE AIM IS TO PURGE WATER POTENTIALLY TRAPPED IN HIGH PRESSURE (HP) BLEED DUCTS AND HP ENGINE BLEED CHAMBERS.

(d) MAKE SURE THAT THE ON LEGEND OF THE ANTI ICE/WING PUSHBUTTON SWITCH GOES ON WHEN THE WING ANTI-ICE SYSTEM OPERATES.

NOTE: THE WING ANTI-ICE (WAI) VALVES WILL AUTOMATICALLY CLOSE 30 SECONDS AFTER THE WING ANTI-ICE SYSTEM IS SELECTED ON. THIS IS TO PREVENT WING SLATS OVERHEAT. HOWEVER, THE ON LEGEND REMAINS ILLUMINATED UNTIL THE SWITCH IS DESELECTED.

(e) MAKE SURE THAT PRESSURE REGULATING VALVE (PRV) AND HIGH PRESSURE VALVE (HPV) ARE OPEN ON ECAM BLEED PAGE WITH ENGINE RUNNING AT THIS SPEED WHILE WAI VALVE IS OPEN.

(f) ONCE WAI VALVE IS CLOSED, LET THE ENGINE RUN AT IDLE FOR 5 MINUTES WHILE DOING THE FOLLOWING STEPS:

NOTE: DO NOT ACTUATE WAI SYSTEMS BEFORE THE 5-MINUTE PERIOD AT IDLE IS OVER IN ORDER TO AVOID WAI SYSTEMS OVERHEAT.

- 1) PRESS THE ANTI ICE/WING PUSHBUTTON SWITCH AND MAKE SURE THAT THE ON LEGEND OF THE ANTI ICE/WING PUSHBUTTON SWITCH GOES OFF.
- 2) TURN THE CROSSBLEED VALVE SELECTOR SWITCH TO THE AUTO POSITION.
- 3) PRESS THE PACK 1 PUSHBUTTON SWITCH TO OPERATE THE AIR CONDITIONING PACK.
- 4) MAKE SURE THAT THE OFF LEGEND OF THE PACK 1 PUSHBUTTON GOES OFF.



MET.29291014

Task Card Title:

NO. 1 ENGINE COMPRESSOR WASH

Task Card NO:

72-00-00-01-0-SVA-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

5. POST ENGINE WASH TEST:

B. CONTINUE POST ENGINE WASH TEST FOR ECOPOWER AS FOLLOWS:

(5) AFTER 10 MINUTES OF ENGINE RUNNING, CHECK FOR EVIDENCE OF ODOR/SMOKE IN THE CABIN.

(a) IF NO EVIDENCE IS FOUND, SHUT DOWN THE ENGINE. (REF. AMM TASK 71-00-00-710-028)

(b) IF EVIDENCE IS FOUND, CONTINUE TO OPERATE THE ENGINE AT IDLE UNTIL NO ODOR/SMOKE REMAINS IN THE CABIN.

(c) AFTER 10 MINUTES ENGINE RUNNING, IF CONTINUOUS ODOR/SMOKE REMAINS IN THE CABIN, SHUT DOWN THE ENGINE (REF. AMM TASK 71-00-00-710-028) AND DECONTAMINATE THE ENVIRONMENTAL CONTROL SYSTEM (ECS). NOTE THAT THE APU BLEED VALVE MUST BE OPEN BEFORE ENGINE SHUTDOWN.

1) WHEN AMBIENT AIR TEMPERATURE IS BELOW 75.2°F (24°C).

(REF. AMM TASK 21-00-00-615-003)

2) WHEN AMBIENT AIR TEMPERATURE IS ABOVE 75.2°F (24°C).

(REF. AMM TASK 21-00-00-615-004)

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

5. POST ENGINE WASH TEST:

B. CONTINUE POST ENGINE WASH TEST FOR ECOPOWER AS FOLLOWS:

WARNING: OIL WILL BE HOT. PERSONNEL MUST WEAR PROPER PERSONAL PROTECTIVE EQUIPMENT WHILE TAKING THE OIL SAMPLE. WEAR NYTRILE OR RUBBER GLOVES TO PROTECT HANDS FROM EXPOSURE TO ENGINE OILS.

(6) PERFORM AN OIL WATER CONTENT TEST AS FOLLOWS:

(a) OBTAIN AN ENGINE OIL SAMPLE OF APPROXIMATELY 2 OUNCES (60 ML).

(b) REINSTALL THE MAIN OIL TANK CAP AND ENSURE IT IS PROPERLY LOCKED IN POSITION.

NOTE: IT IS PERMISSIBLE TO USE THE THIN FILM CAPACITIVE POLYMER (TFCP) TESTER, PALL METER (WS04 WATER SENSOR) TESTER OR EQUIVALENT.

(c) FOR THE TFCP OIL WATER CONTENT TESTER, PERFORM THE FOLLOWING:

NOTE: IT IS PERMISSIBLE TO INSERT THE TFCP TESTER DIRECTLY INTO THE MAIN OIL TANK FILL FOR THE TFCP OIL WATER CONTENT TESTER (TFCP) TEST.

1) SET OIL WATER CONTENT TESTER TO MIL-L-23699 OIL, OR EQUIVALENT.



MET.29291014

Task Card Title:

NO. 1 ENGINE COMPRESSOR WASH

Task Card NO:

72-00-00-01-0-SVA-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- 2) STIR THE PROBE IN THE OIL UNTIL THE UNIT HAS REACHED THE STEADY STATE LEVEL OF WATER CONCENTRATION FOR 20 SECONDS. THIS NORMALLY TAKES AT LEAST TWO MINUTES OF STIRRING TO COMPLETE.
- (d) FOR PALL METER (WS04 WATER SENSOR) TESTER, THE PROBE SHOULD BE INSERT INTO THE TEST FLUID SO THAT THE PROBE TIP IS COMPLETELY IMMersed IN THE FLUID. ALLOW ABOUT THREE MINUTES FOR THE READING TO STABILIZE BEFORE TAKING THE MEASUREMENT.
- NOTE:** PLEASE NOTE THAT THE SENSOR IN THE PROBE IS SENSITIVE TO LIGHT. DO NOT USE WHERE LIGHT MAY SHINE DIRECTLY ON THE SENSOR.

(e) ENGINE OIL/WATER CONTENT LIMITS:

- 1) THE WATER CONTENT IN THE OIL MUST BE BELOW 1000 PARTS PER MILLION (PPM) BY WEIGHT OR BY VOLUME.
- 2) IF THE OIL EXCEEDS 1000 PPM BY WEIGHT OR BY VOLUME, PERFORM ONE OF THE FOLLOWING:
 - a) DRAIN AND SERVICE OIL TANK WITH FRESH OIL.
(REF. AMM, 72-00-00, SERVICING).
 - b) RE-RUN AT IDLE AND TEST AGAIN FOR OIL/WATER CONTENT.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

5. ENGINE WASH DATA SHEET:
C. FILL THE ENGINE WASH DATA TABLE.

A/C Registration	
A/C Type	
Engine Position	
Engine Serial #	
Date	
Station	
TDS (PPM) Cycle 1	
TDS (PPM) Cycle 2	
TDS (PPM) Cycle 3	
TDS (PPM) Cycle 4	
TDS (PPM) Cycle 5	
Oil PPM	



MET.29291014

Task Card Title:

NO. 1 ENGINE COMPRESSOR WASH

Task Card NO:

72-00-00-01-0-SVA-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

Oil Temp

Oil % Saturation

OAT (° F)

IPA %

Note:**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	PP/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

6. ENGINE WASH DATA SHEET DELIVERY:

D. DELIVER OR E-MAIL A COPY OF THE ENGINE WASH DATA TO SV AIRCRAFT MAINTENANCE PLANNING AND CONTROL DEPARTMENT CC# 873
E-MAIL: svamp@saudia.com.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	PROD/PLANNER			HRS				
Insp.				HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below
Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



MET.29291014

Task Card Title:

NO. 1 ENGINE COMPRESSOR WASH

Task Card NO:

72-00-00-01-0-SVA-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.29291013		Task Card Title: NO. 2 ENGINE COMPRESSOR WASH						
Task Card NO: 72-00-00-01-0-SVA-002		Work Package: ASP/H-26 C7-CHK			A/C Registration: HZ-ASP			
A/C Type: 321		Block Taskcard		Main Skill: PP,INSP,PROD,RIL,ACFT_TECH,P LANNER		PROD Final Acceptance:		
Project No: 01BASPC72608		Related Task Card:		A/C Area: 02				
Internal Check:		Check Type:		Work Order NO: 31909295		Tally Sequence NO: 97		
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐								
Type Code: CLN		Special Code: PP		MSG Code: 9		Request: Phase: LOSEUP		
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.								
Zones: 440								
DOCUMENT REFERENCES:								
Doc Typ		Reference						
AMM		72-00-00-100-026-A						
ACCESS PANELS:								
447AL, 448AR								
MATERIAL REQUIREMENTS:								
Part Number		Description				Qty.		
BRAYCO-599		COROSION INHBTR FLUID S/L 9 YRS				1.0		
MIL-L-6085		OIL , USE PN: AIROSHELL FLUID 12				1.0		
TOOLING REQUIREMENTS:								
Part Number		Description				Qty.		
20706REV03		ECO POWER NOZZLE FOR A319/A320/A321				1.0		
JMPCFM56D4605		A320/A321 CFM56-5B ENGINE PROBES				1.0		
Job Description								
1. JOB SET-UP: A. PERFORM A JOB SET-UP FOR ENGINE COMPRESSOR WASH USING ECOPOWER [P&W EA# 09IZ001] (PREFERRED) OR THE ALTERNATIVE EQUIPMENT PER AMM TASK 72-00-00-100-026-A.								
STEP COMPLETION SIGN OFF:								
		Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
						Day	Month	Year
Mechanic/s		PP/ACFT_TECH		HRS				



MET.29291013

Task Card Title:

NO. 2 ENGINE COMPRESSOR WASH

Task Card NO:

72-00-00-01-0-SVA-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

Insp.

HRS

Job Description**2. COMPRESSOR CLEANING:**

NOTE: WHILE ACCOMPLISHING THIS FUEL CONSERVATION CARDS, ENSURE THAT AUTO SPEED BRAKE SYSTEM **TOLERANCES** PROVIDED IN THE AMM ARE MAINTAINED IN THE **OPTIMUM** RANGE.

- A. PERFORM ENGINE COMPRESSOR WASH USING ECOPOWER [P&W EA# 09IZ001] (PREFERRED) OR THE ALTERNATIVE EQUIPMENT PER AMM TASK 72-00-00-100-026-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

Job Description**3. EQUIPMENT REMOVAL:**

- A. REMOVE THE ECOPOWER EQUIPMENT AND RECONNECT THE DICONNECTED ITEMS DURING PREPARATION PER AMM TASK 72-00-00-100-026-A.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.	INSP/RII		HRS				

Job Description**4. LINES INSTALLATION:**

- A. INSTALL PS3 AND P25 LINES (IF INSTALLED) TO THE ECU AS FOLLOWS:

CAUTION: DO NOT BLOW COMPRESSED AIR OR NITROGEN INTO THE ECU AS DAMAGE TO THE ECU CAN OCCUR.

- (1) REMOVE THE PLUGS FROM THE PS3 AND P25 (IF INSTALLED) LINES AND FROM THE ECU.

CAUTION: DURING INSTALLATION, MAKE SURE THAT THE PS3 LINE DOES NOT TOUCH THE LOWER STARTER DUCT OR OTHER PARTS IN THIS AREA. IF IT DOES, CHAFING OF THE PS3 HOSE CAN OCCUR.

- (2) BLOW PS3 AND P25 LINES CLEAR OF WATER USING 20 PSI COMPRESSED AIR OR NITROGEN.

- (3) CONNECT PS3 LINE TO ECU, TORQUE TO BETWEEN 270 AND 300 LBF.IN (3.05 AND 3.39 M.DAN) AND SAFETY WITH LOCKWIRE.

- (4) CONNECT P25 (IF INSTALLED) LINE TO ECU, TORQUE TO BETWEEN 180 AND 200 LBF.IN (2.03 AND 2.26 M.DAN) AND SAFETY WITH LOCKWIRE.

- (5) REMOVE THE STANDARD PROTECTIVE COVER FROM THE NACELLE ANTI-ICE LINE PORT



Task Card Title:

NO. 2 ENGINE COMPRESSOR WASH

Task Card NO:

72-00-00-01-0-SVA-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

OF THE NAI VALVE.

- (6) CONNECT THE RIGID ANTI-ICE SERVO PRESSURE LINE (25) TO NACELLE ANTI-ICE VALVE (4000 DN). TORQUE THE FORWARD HOSE NUT TO BETWEEN 135 AND 150 LBF.IN (1.52 AND 1.69 M.DAN).
- (7) MAKE SURE THAT THE WORK AREA IS CLEAN AND CLEAR OF TOOLS.
- (8) CLOSE THE FAN COWLS 437AL, 438AR (REF. AMM TASK 71-13-00-410-040).

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.	INSP/RII		HRS				

Job Description

5. POST ENGINE WASH TEST:
- A. FOR AMM TASK 72-00-00-100-026, PERFORM POST ENGINE WASH TEST USING PURE WATER.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

5. POST ENGINE WASH TEST:
- B. FOR ECOPOWER PERFORM POST ENGINE WASH TEST AS FOLLOWS:
- (1) ON THE AIR COND PANEL 30VU, MAKE SURE THAT THE CROSSBLEED VALVE SELECTOR SWITCH IS IN THE OPEN POSITION.
- (2) START THE ENGINE WITHIN 2 HOURS (OR 30 MINUTES IN ICING CONDITION) OF THE LAST WASH CYCLE TO PURGE THE LUBE/SUMP SYSTEM OF ANY WATER INGESTION.
(REF. AMM TASK 71-00-00-710-003)
- NOTE: APU BLEED VALVE MUST BE CLOSED (THE ON LEGEND OF APU PUSHBUTTON SWITCH IS OFF) AFTER ENGINE START, TO AVOID THE SUPPLY OF THE AIR TO THE WING-ANTI-ICE SYSTEMS FROM APU.
- THIS ENGINE RUN IS DONE TO ENSURE THAT THE BLEED SYSTEM IS FREE FROM CONTAMINANT. SMOKE/SMELL IN CABIN CAN RESULT IF CONTAMINANT ENTERS IN THE BLEED SYSTEM.
- CORROSION PREVENTIVE PRODUCTS SHOULD BE USED. IF NONE OF THE CORROSION



MET.29291013

Task Card Title:

NO. 2 ENGINE COMPRESSOR WASH

Task Card NO:

72-00-00-01-0-SVA-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

PREVENTIVE PRODUCTS SPECIFIED ABOVE IS AVAILABLE, THE AIRCRAFT MUST RESUME REVENUE SERVICE OPERATION WITHIN 24 HOURS FOLLOWING THIS POST WASH TEST. DO NOT ACTUATE WAI SYSTEMS BEFORE THE 5-MINUTE PERIOD AT IDLE IS OVER IN ORDER TO AVOID WAI SYSTEMS OVERHEAT.

(3) LET THE ENGINE RUN AT IDLE FOR 5 MINUTES.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

Job Description**5. POST ENGINE WASH TEST:****B. CONTINUE POST ENGINE WASH TEST FOR ECOPOWER AS FOLLOWS:****(4) AFTER 5 MINUTES FROM ENGINE START, PERFORM THE FOLLOWING:**

- (a) PRESS THE ENG 1 BLEED PUSHBUTTON SWITCH TO OPERATE THE ENGINE BLEED SYSTEM.
- (b) MAKE SURE THAT THE OFF LEGEND OF THE ENG1 BLEED PUSHBUTTON SWITCH GOES OFF WHEN THE ENGINE BLEED SYSTEM OPERATES.
- (c) PRESS THE ANTL-ICE/WING PUSHBUTTON SWITCH TO OPERATE THE WING ANTI-ICE SYSTEM.
NOTE: THE AIM IS TO PURGE WATER POTENTIALLY TRAPPED IN HIGH PRESSURE (HP) BLEED DUCTS AND HP ENGINE BLEED CHAMBERS.

- (d) MAKE SURE THAT THE ON LEGEND OF THE ANTI ICE/WING PUSHBUTTON SWITCH GOES ON WHEN THE WING ANTI-ICE SYSTEM OPERATES.

NOTE: THE WING ANTI-ICE (WAI) VALVES WILL AUTOMATICALLY CLOSE 30 SECONDS AFTER THE WING ANTI-ICE SYSTEM IS SELECTED ON. THIS IS TO PREVENT WING SLATS OVERHEAT. HOWEVER, THE ON LEGEND REMAINS ILLUMINATED UNTIL THE SWITCH IS DESELECTED.

- (e) MAKE SURE THAT PRESSURE REGULATING VALVE (PRV) AND HIGH PRESSURE VALVE (HPV) ARE OPEN ON ECAM BLEED PAGE WITH ENGINE RUNNING AT THIS SPEED WHILE WAI VALVE IS OPEN.
- (f) ONCE WAI VALVE IS CLOSED, LET THE ENGINE RUN AT IDLE FOR 5 MINUTES WHILE DOING THE FOLLOWING STEPS:

NOTE: DO NOT ACTUATE WAI SYSTEMS BEFORE THE 5-MINUTE PERIOD AT IDLE IS OVER IN ORDER TO AVOID WAI SYSTEMS OVERHEAT.

- 1) PRESS THE ANTI ICE/WING PUSHBUTTON SWITCH AND MAKE SURE THAT THE ON LEGEND OF THE ANTI ICE/WING PUSHBUTTON SWITCH GOES OFF.
- 2) TURN THE CROSSBLEED VALVE SELECTOR SWITCH TO THE AUTO POSITION.
- 3) PRESS THE PACK 1 PUSHBUTTON SWITCH TO OPERATE THE AIR CONDITIONING PACK.
- 4) MAKE SURE THAT THE OFF LEGEND OF THE PACK 1 PUSHBUTTON GOES OFF.



MET.29291013

Task Card Title:

NO. 2 ENGINE COMPRESSOR WASH

Task Card NO:

72-00-00-01-0-SVA-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

5. POST ENGINE WASH TEST:

B. CONTINUE POST ENGINE WASH TEST FOR ECOPOWER AS FOLLOWS:

(5) AFTER 10 MINUTES OF ENGINE RUNNING, CHECK FOR EVIDENCE OF ODOR/SMOKE IN THE CABIN.

(a) IF NO EVIDENCE IS FOUND, SHUT DOWN THE ENGINE. (REF. AMM TASK 71-00-00-710-028)

(b) IF EVIDENCE IS FOUND, CONTINUE TO OPERATE THE ENGINE AT IDLE UNTIL NO ODOR/SMOKE REMAINS IN THE CABIN.

(c) AFTER 10 MINUTES ENGINE RUNNING, IF CONTINUOUS ODOR/SMOKE REMAINS IN THE CABIN, SHUT DOWN THE ENGINE (REF. AMM TASK 71-00-00-710-028) AND DECONTAMINATE THE ENVIRONMENTAL CONTROL SYSTEM (ECS). NOTE THAT THE APU BLEED VALVE MUST BE OPEN BEFORE ENGINE SHUTDOWN.

1) WHEN AMBIENT AIR TEMPERATURE IS BELOW 75.2°F (24°C).

(REF. AMM TASK 21-00-00-615-003)

2) WHEN AMBIENT AIR TEMPERATURE IS ABOVE 75.2°F (24°C).

(REF. AMM TASK 21-00-00-615-004)

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

Job Description

5. POST ENGINE WASH TEST:

B. CONTINUE POST ENGINE WASH TEST FOR ECOPOWER AS FOLLOWS:

WARNING: OIL WILL BE HOT. PERSONNEL MUST WEAR PROPER PERSONAL PROTECTIVE EQUIPMENT WHILE TAKING THE OIL SAMPLE. WEAR NYTRILE OR RUBBER GLOVES TO PROTECT HANDS FROM EXPOSURE TO ENGINE OILS.

(6) PERFORM AN OIL WATER CONTENT TEST AS FOLLOWS:

(a) OBTAIN AN ENGINE OIL SAMPLE OF APPROXIMATELY 2 OUNCES (60 ML).

(b) REINSTALL THE MAIN OIL TANK CAP AND ENSURE IT IS PROPERLY LOCKED IN POSITION.

NOTE: IT IS PERMISSIBLE TO USE THE THIN FILM CAPACITIVE POLYMER (TFCP) TESTER, PALL METER (WS04 WATER SENSOR) TESTER OR EQUIVALENT.

(c) FOR THE TFCP OIL WATER CONTENT TESTER, PERFORM THE FOLLOWING:

NOTE: IT IS PERMISSIBLE TO INSERT THE TFCP TESTER DIRECTLY INTO THE MAIN OIL TANK FILL FOR THE TFCP OIL WATER CONTENT TESTER (TFCP) TEST.

1) SET OIL WATER CONTENT TESTER TO MIL-L-23699 OIL, OR EQUIVALENT.



MET.29291013

Task Card Title:

NO. 2 ENGINE COMPRESSOR WASH

Task Card NO:

72-00-00-01-0-SVA-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

- 2) STIR THE PROBE IN THE OIL UNTIL THE UNIT HAS REACHED THE STEADY STATE LEVEL OF WATER CONCENTRATION FOR 20 SECONDS. THIS NORMALLY TAKES AT LEAST TWO MINUTES OF STIRRING TO COMPLETE.
- (d) FOR PALL METER (WS04 WATER SENSOR) TESTER, THE PROBE SHOULD BE INSERT INTO THE TEST FLUID SO THAT THE PROBE TIP IS COMPLETELY IMMersed IN THE FLUID. ALLOW ABOUT THREE MINUTES FOR THE READING TO STABILIZE BEFORE TAKING THE MEASUREMENT.
- NOTE:** PLEASE NOTE THAT THE SENSOR IN THE PROBE IS SENSITIVE TO LIGHT. DO NOT USE WHERE LIGHT MAY SHINE DIRECTLY ON THE SENSOR.

(e) ENGINE OIL/WATER CONTENT LIMITS:

- 1) THE WATER CONTENT IN THE OIL MUST BE BELOW 1000 PARTS PER MILLION (PPM) BY WEIGHT OR BY VOLUME.
- 2) IF THE OIL EXCEEDS 1000 PPM BY WEIGHT OR BY VOLUME, PERFORM ONE OF THE FOLLOWING:
 - a) DRAIN AND SERVICE OIL TANK WITH FRESH OIL.
(REF. AMM, 72-00-00, SERVICING).
 - b) RE-RUN AT IDLE AND TEST AGAIN FOR OIL/WATER CONTENT.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	PP/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

5. ENGINE WASH DATA SHEET:
C. FILL THE ENGINE WASH DATA TABLE.

A/C Registration	
A/C Type	
Engine Position	
Engine Serial #	
Date	
Station	
TDS (PPM) Cycle 1	
TDS (PPM) Cycle 2	
TDS (PPM) Cycle 3	
TDS (PPM) Cycle 4	
TDS (PPM) Cycle 5	
Oil PPM	



MET.29291013

Task Card Title:

NO. 2 ENGINE COMPRESSOR WASH



Task Card NO:

72-00-00-01-0-SVA-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

Oil Temp

Oil % Saturation

OAT (° F)

IPA %

Note:

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	PP/ACFT_TECH			HRS				
Insp.				HRS				

Job Description

6. ENGINE WASH DATA SHEET DELIVERY:

D. DELIVER OR E-MAIL A COPY OF THE ENGINE WASH DATA TO SV AIRCRAFT MAINTENANCE PLANNING AND CONTROL DEPARTMENT CC# 873
E-MAIL: svamp@saudia.com.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration		Number./Signature	Date		
						Day	Month	Year
Mechanic/s	PROD/PLANNER			HRS				
Insp.				HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below
Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



MET.29291013

Task Card Title:

NO. 2 ENGINE COMPRESSOR WASH

Task Card NO:

72-00-00-01-0-SVA-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

Copyright of Saudia Technic - Regeneration is not allowed without prior approval by Saudia Technic.



Task Card Title:

NO. 1 ENGINE INLET FAN SECTION INSP

Task Card NO:

722000-C1-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s				HRS			
Insp.	II/INSP			HRS			

CLOSE-UP**Job Description**

C. PERFORM JOB CLOSE-UP PER AMM TASK 72-23-00-210-003-C.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH			HRS			
Insp.				HRS			

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to create the finding Work Order on task card level.

Remark's: _____



MET.25133141

Task Card Title:

NO. 1 ENGINE INLET FAN SECTION INSP

Task Card NO:

722000-C1-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

Copyright of Saudia Technic - Regeneration is not allowed without prior approval by Saudia Technic.



MET.25133140

Task Card Title:

NO. 2 ENGINE INLET FAN SECTION INSP

Task Card NO:

722000-C1-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP**STEP COMPLETION SIGN OFF:**

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s			HRS				
Insp.	INSP/II		HRS				

CLOSE-UP**Job Description**

C. PERFORM JOB CLOSE-UP PER AMM TASK 72-23-00-210-003-C.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

NO. 2 ENGINE INLET FAN SECTION INSP

Task Card NO:

722000-C1-1-002

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following according (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**

 MET.28394722		Task Card Title: NO. 1 ENGINE EMCD CHECK			
Task Card NO: 792000-C8-1-001		Work Package: ASP/H-26 C7-CHK		A/C Registration: HZ-ASP	
A/C Type: 321		Block Taskcard		Main Skill: PP,ACFT_TECH	
Project No: 01BASPC72608		Related Task Card:		A/C Area: 01	
Internal Check:		Check Type:		Work Order NO: 31909295	
				Tally Sequence NO: 100	
ENCLOSURE: ☐ CMR: ☐ CPCP: ☐ ETOPS: ☐ CDCCL: ☐ AD: ☐ ALI: ☐					
Type Code: DET		Special Code: PP		MSG Code: 6, MRB, LUR, SOEE	
				Request:	
				Phase: OPS/LK	
I HEREBY CERTIFY THAT ALL WARNINGS AND CAUTIONS HAVE BEEN READ AND THE WORK HAS BEEN CARRID OUT IN ACCORDING WITH ALL LAID DOWN PROCEDURES, ATTACHED NOTES AND INFORMATION.					
Zones: 435					
DOCUMENT REFERENCES:					
Doc Typ		Reference			
AMM		79-00-00-281-002-A			
TR		SA00ME2302736			
ACCESS PANELS:					
437AL, 438AR					
MATERIAL REQUIREMENTS:					
Part Number		Description			Qty.
9200-116-0		PACKING-PREFORMED O-RING U/O CFM56-5			0.0
M83248-1-016		PACKING			1.0
TOOLING REQUIREMENTS:					
Part Number		Description			Qty.
856A1364G02		PRINT SET (CFM-CD)			1.0
856A2683G01		CHIP DETECTOR MAT. IDENTIFICATION TO			0.0
TASK INSTRUCTION					
Job Description					
A. CHECK THE ENGINE ELECTRICAL MASTER CHIP DETECTOR (EMCD) PER AMM TASK 79-00-00-281-002-A. B. COLLECT ANY DEBRIS FOUND ON THE EMCD IN A BAG AND WRITE: 1. AIRCRAFT REGISTRATION 2. ENGINE POSITION 3. ENGINE SERIAL NUMBER 4. PERFORMED DATE C. SEND THE DEBRIS FOUND ON THE EMCD TO FLUID ANALYSIS LAB (FAL) 1. NOTE: THE DEBRIS TO BE SENT THROUGH:					



Task Card Title:

NO. 1 ENGINE EMCD CHECK

Task Card NO:

792000-C8-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

a. IF AIRCRAFT IN ST MRO (LOCAL): ROUTE TO FLUID LAB

b. IF AIRCRAFT AT OOK MRO: ON-SITE SV PLANNER

2. NOTE: IF ANY UNACCEPTABLE FINDING NOTICED, REPORT TO MCC AIRBUS VIA TECHNICAL QUERY GROUP: **MCC-AB-AP** and TO POWERPLANT ENGINEERING VIA TECHNICAL QUERY GROUP: **ENG-CON-PP**.

STEP COMPLETION SIGN OFF:

	Qualification / Skill	Number of employees	Duration	Number./Signature	Date		
					Day	Month	Year
Mechanic/s	PP/ACFT_TECH		HRS				
Insp.			HRS				

-Aircraft Maintenance Manual used: Revision No. _____ Dated. _____.

Task card finding (Tick Applicable Box) [] Yes [] No. If yes update the system and list Task card finding WO below

Work order No: _____

Note: Make sure to creat the finding Work Order on task card level.

Remark's: _____



Task Card Title:

NO. 1 ENGINE EMCD CHECK

Task Card NO:

792000-C8-1-001

Work Package:

ASP/H-26 C7-CHK

A/C Registration:

HZ-ASP

(1) If Task card interrupted or performed by different personals updates the system and update the following accord (Tick Applicable Box)

- Interruption No. 1 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 2 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 3 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 4 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____
- Interruption No. 5 [] Task card [] AMM [] Other specify. _____
 Performed by: _____ Page No. _____ Step From _____ To _____

(2) Record any dimension or torque through the performed steps and sign-off as applicable:

- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____
- Dimension/torque: _____ Mech _____ INSP _____ Page No. _____ Step _____
 Remark's: _____

**Task Completion Close Up And
System Update**

Station**Date****Signature**