LAB ASSIGNMENT – 6

NAME – Aviram Yadav ROLL.NO – 22CS3019

T1)

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Shopping List</title>
    <style>
       body {
            font-family: Arial, sans-serif;
            margin: 20px;
        h1 {
            color: #333;
        form {
            margin-bottom: 20px;
        label {
            display: block;
            margin-bottom: 5px;
        input, select {
            margin-bottom: 10px;
            padding: 8px;
           width: 100%;
        button {
            padding: 10px;
            background-color: #4CAF50;
            color: white;
            border: none;
            cursor: pointer;
```

```
table {
           width: 100%;
            border-collapse: collapse;
           margin-top: 20px;
       th, td {
           border: 1px solid #ddd;
           padding: 12px;
           text-align: left;
    </style>
</head>
<body>
    <h1>Shopping List</h1>
    <form id="itemForm">
        <label for="itemName">Item Name:</label>
        <input type="text" id="itemName" placeholder="Enter item name">
       <label for="itemQuantity">Quantity:</label>
        <input type="number" id="itemQuantity" placeholder="1" value="1">
       <label for="itemPriority">Priority:</label>
        <select id="itemPriority">
            <option value="low">Low</option>
            <option value="medium">Medium</option>
            <option value="high">High</option>
        </select>
        <label for="storeName">Store Name:</label>
        <input type="text" id="storeName" placeholder="Enter store name">
        <label for="storeSection">Store Section:</label>
        <input type="text" id="storeSection" placeholder="Enter store</pre>
section">
       <label for="itemPrice">Price:</label>
        <input type="number" id="itemPrice" placeholder="Enter price">
        <button type="button" onclick="addItem()">Add Item</button>
    </form>
    <thead>
```

```
Item
               Quantity
               Store
               Section
               Price
           </thead>
       <!-- Table content will go here -->
       <script>
       function addItem() {
           var itemName = document.getElementById("itemName").value;
           var itemQuantity = document.getElementById("itemQuantity").value;
           var itemPriority = document.getElementById("itemPriority").value;
           var storeName = document.getElementById("storeName").value;
           var storeSection = document.getElementById("storeSection").value;
           var itemPrice = document.getElementById("itemPrice").value;
           var table =
document.getElementById("itemList").getElementsByTagName('tbody')[0];
           var newRow = table.insertRow(table.rows.length);
           var cell1 = newRow.insertCell(0);
           var cell2 = newRow.insertCell(1);
           var cell3 = newRow.insertCell(2);
           var cell4 = newRow.insertCell(3);
           var cell5 = newRow.insertCell(4);
           cell1.innerHTML = itemName;
           cell2.innerHTML = itemQuantity;
           cell3.innerHTML = storeName;
           cell4.innerHTML = storeSection;
           cell5.innerHTML = itemPrice;
   </script>
</body>
</html>
```

