INDEX

Final Term_

Problem No-1:

→ XAMPP Installation.

Problem No-2:

→ Student Management Problem.

LAB REPORT -1

Problem No-1: XAMPP Installation.

Explanation:

XAMPP is a free and open-source cross-platform web server solution stack package developed by Apache Friends, consisting mainly of the Apache HTTP Server, MariaDB database, and interpreters for scripts written in the PHP and Perl programming languages. Since most actual web server deployments use the same components as XAMPP, it makes transitioning from a local test server to a live server possible.

Steps of Installation XAMPP on Windows

- **Step 1:** To download the XAMPP server, visit the "Apache Friends" website in your web browser.
- Step 2: Click on "XAMPP" for Windows
- **Step 3:** Double-click the downloaded file to launch the XAMPP installer.
- Step 4: "Setup" window will appear on the screen. Then, click on the "Next" button.
- **Step 5:** Select the components that you want to install and click on the "Next" button.
- **Step 6:** Choose a folder to install the XAMPP and click on the "Next" button.
- **Step 7:** Choose a folder to install the XAMPP and click on the "Next" button.
- **Step 8:** "Ready to Install" window will appear on the screen, then click on the "Next" button.
- **Step 9:** Click on the "Finish" button.
- Step 10: Select a language. (either English or German) and click on the "Save" button.

Configuration Process of XAMPP Server

- **Step 1:** Start the XAMPP control panel through the "Run as administrator" option.
- **Step 2:** "XAMPP Control Panel" will appear on the screen and click on "Start" action to start the "Apache" and "MySQL" modules.

Method 1. Change the default port of Apache

- **Step 1:** Open the XAMPP Control Panel.
- **Step 2:** In Apache Module Service, click on the "Config" button.


- Step 3: Click on "Apache (httpd.conf)" option.
- **Step 4:** By pressing the "Ctrl + F" key, find the "Listen 80" and replace it with another open port (like 81 or 9080) and save the file.
- **Step 5:** Restart the XAMPP Server.
- **Step 6:** Again, open the "XAMPP Control Panel" and click on the start option under the "Apache" module services.

Method 2. By disabling the Internet Information Services (IIS)

- **Step 1:** From the Start Menu, search for Control Panel.
- Step 2: Click on "Programs".
- **Step 3:** Click on the "Turn Windows Feature on or off" option.
- Step 4: Uncheck (clear) the "Internet Information Services" option and click on the "OK" button.
- **Step 5:** Click on the "Restart Now" option (This will reboot/restart your computer/laptop).
- **Step 6:** Again, open the "XAMPP Control Panel" and click on the start option in the "Apache" module services.

Conclusion

By following any of the above methods, you can install and configure the XAMPP server on Windows 10.



LAB REPORT -2

Problem No-2: Student Management System.

Input:

Login Java


```
import java.awt.HeadlessException;
import java.sql.Connection;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.sql.Statement;
import javax.swing.JOptionPane;
* @author Tarnob
*/
public class login extends javax.swing.JFrame {
  Connection conn =null;
  Statement stmt = null;
  ResultSet rs = null;
  public login() {
    super("Login");
    initComponents();
    conn = databaseConnection.connection();
  @SuppressWarnings("unchecked")
private void passwordActionPerformed(java.awt.event.ActionEvent evt) {
  private void cancelActionPerformed(java.awt.event.ActionEvent evt) {
    System.exit(0);
```

```
private void loginActionPerformed(java.awt.event.ActionEvent evt) {
        try{
     stmt = conn.createStatement();
     String userEmail = email.getText();
     String userPass = password.getText();
     String sql ="SELECT * FROM admin WHERE mail = ""+userEmail+" && password = ""+userPass+"";
     rs = stmt.executeQuery(sql);
     if(rs.next()){
             setVisible(false);
        home object = new home();
            object.setVisible(true);
     }else{
      JOptionPane.showMessageDialog(null, "Password or Mail is Invalid");
   }catch(Exception e) {JOptionPane.showMessageDialog(null,"e");}
 }
  try {
     for (javax.swing.UIManager.LookAndFeelInfo info: javax.swing.UIManager.getInstalledLookAndFeels()) {
        if ("Nimbus".equals(info.getName())) {
          javax.swing.UIManager.setLookAndFeel(info.getClassName());
          break;
       }
   } catch (ClassNotFoundException ex) {
     java.util.logging.Logger.getLogger(login.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
   } catch (InstantiationException ex) {
     java.util.logging.Logger.getLogger(login.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
   } catch (IllegalAccessException ex) {
     java.util.logging.Logger.getLogger(login.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
   } catch (javax.swing.UnsupportedLookAndFeelException ex) {
     java.util.logging.Logger.getLogger(login.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
```

```
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new login().setVisible(true);
    }
});

private javax.swing.JButton cancel;
private javax.swing.JTextField email;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JPanel jPanel1;
private javax.swing.JButton login;
private javax.swing.JPasswordField password;
}
```

Output:



Input:

```
import java.sql.Connection;
import java.sql.ResultSet;
import java.sql.Statement;
import javax.swing.JOptionPane;
* @author Tarnob
*/
public class addStudent extends javax.swing.JFrame {
  Connection conn =null;
  Statement stmt = null;
  ResultSet rs = null;
  public addStudent() {
    super("Add Student");
    initComponents();
    conn = databaseConnection.connection();
  }
  @SuppressWarnings("unchecked")
private\ void\ jMenuItem 1 Action Performed (java.awt.event. Action Event\ evt)\ \{
    setVisible(false);
    home object = new home();
    object.setVisible(true);
  private void jMenuItem2ActionPerformed(java.awt.event.ActionEvent evt) {
    setVisible(false);
    login object = new login();
    object.setVisible(true);
  }
  private void jMenuItem3ActionPerformed(java.awt.event.ActionEvent evt) {
```

```
setVisible(false);
    about object = new about();
    object.setVisible(true);
  private void submitActionPerformed(java.awt.event.ActionEvent evt) {
    try{
      stmt = conn.createStatement();
      String stdName = name.getText();
      String stdFather = fatherName.getText();
      String stdBlood = (String) blood.getSelectedItem();
      String stdPhone = phone.getText();
      String stdCity = city.getText();
      int stdclass = Integer.parseInt(stdClass.getText());
      String sql = "INSERT INTO STUDENT (stdName,stdFatherName,stdBlood,stdPhone,stdCity,class)
VALUES(""+stdName+"",""+stdFather+"",""+stdBlood+"",""+stdCity+"",""+stdPhone+"", ""+stdclass+"")";
  stmt.executeUpdate(sql);
       JOptionPane.showMessageDialog(null,"Data is successfully inserted");
    }catch(Exception e){
      JOptionPane.showMessageDialog(null, e);
    }
  public static void main(String args[]) {
    try {
      for (javax.swing.UIManager.LookAndFeelInfo info: javax.swing.UIManager.getInstalledLookAndFeels()) {
        if ("Nimbus".equals(info.getName())) {
           javax.swing.UIManager.setLookAndFeel(info.getClassName());
           break;
        }
    } catch (ClassNotFoundException ex) {
      java.util.logging.Logger.getLogger(addStudent.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
   } catch (InstantiationException ex) {
```

```
java.util.logging.Logger.getLogger(addStudent.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
  } catch (IllegalAccessException ex) {
    java.util.logging.Logger.getLogger(addStudent.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
  } catch (javax.swing.UnsupportedLookAndFeelException ex) {
    java.util.logging.Logger.getLogger(addStudent.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
  }
  java.awt.EventQueue.invokeLater(new Runnable() {
     public void run() {
       new addStudent().setVisible(true);
    }
  });
private javax.swing.JButton back;
private javax.swing.JComboBox<String> blood;
private javax.swing.JTextField city;
private javax.swing.JTextField fatherName;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JMenu jMenu1;
private javax.swing.JMenu jMenu2;
private javax.swing.JMenuBar jMenuBar1;
private javax.swing.JMenuItem jMenuItem1;
private javax.swing.JMenuItem jMenuItem2;
private javax.swing.JMenuItem jMenuItem3;
private javax.swing.JPanel jPanel1;
private javax.swing.JTextField name;
private\ javax. swing. JTextField\ phone;
private javax.swing.JTextField stdClass;
private javax.swing.JButton submit;}
```

