Practical No 15

X.1

• Program

• XML File:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".MainActivity">
<TextView
android:id="@+id/textView"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_marginStart="73dp"
android:layout_marginTop="78dp"
android:layout_marginEnd="280dp"
android:layout_marginBottom="634dp"
android:text="Hello World, Toast Example"
android:textSize="20sp"
android:textStyle="bold"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.3"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent"
```

```
app:layout_constraintVertical_bias="0.0" />

<Button

android:id="@+id/button"

android:layout_width="wrap_content"

android:layout_height="wrap_content"

android:layout_marginStart="39dp"

android:layout_marginTop="29dp"

android:layout_marginEnd="239dp"

android:layout_marginBottom="549dp"

android:text="Show Toast"

app:layout_constraintBottom_toBottomOf="parent"

app:layout_constraintEnd_toEndOf="parent"

app:layout_constraintStart_toStartOf="parent"

app:layout_constraintTop_toBottomOf="@+id/textView" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

• Toast.xml File:

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout

xmlns:android="http://schemas.android.com/apk/res/android"
   android:id="@+id/toast_root_view"
   android:orientation="vertical"
android:layout_width="match_parent"
   android:layout_height="match_parent"
android:background="@android:color/background_dark"
   android:padding="16dp">

<TextView android:id="@+id/toast_header" android:textSize="20dp"</pre>
```

• JAVA File:

```
package com.example.pr_15_1;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.view.Gravity;
import android.view.LayoutInflater;
import android.view.View;
import android.view.ViewGroup;
import android.widget.Button;
import android.widget.TextView;
import android.widget.Toast;
public class MainActivity extends AppCompatActivity {
Button button;
@Override
protected void onCreate(Bundle savedInstanceState) {
super.onCreate(savedInstanceState);
setContentView(R.layout.activity_main);
button=findViewById(R.id.button);
```

```
button.setOnClickListener(new View.OnClickListener() {
@Override
public void onClick(View view) {
LayoutInflater inflater = getLayoutInflater();
View toastLayout = inflater.inflate(R.layout.toast, (ViewGroup)
findViewById(R.id.toast_root_view));
TextView header = (TextView)
toastLayout.findViewById(R.id.toast_header); header
.setText("Message for you:");
TextView body = (TextView)
toastLayout.findViewById(R.id.toast_body); body
.setText("You have got mail!");
Toast toast = new Toast(getApplicationContext());
toast.setGravity(Gravity.CENTER, 0, 0);
toast.setDuration(Toast.LENGTH_LONG);
toast.setView(toastLayout);
toast.show();
}
}); }
}
Output:
```



Message for you:

Program

• XML File:

```
<?xml version="1.0" encoding="utf-8"?>
<\! and roidx. constraint layout. widget. Constraint Layout
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".MainActivity">
<CheckBox
android:id="@+id/cb1"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_marginStart="120dp"
android:layout_marginTop="69dp"
android:layout_marginEnd="146dp"
android:layout_marginBottom="71dp"
android:text="Coffee"
android:textSize="24sp"
android:textStyle="bold"
app:layout_constraintBottom_toTopOf="@+id/cb2"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.0"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/cb"
app:layout_constraintVertical_bias="0.0" />
```

```
<CheckBox
android:id="@+id/cb2"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_marginStart="120dp"
android:layout_marginEnd="146dp"
android:layout_marginBottom="360dp"
android:text="Burger"
android:textSize="24sp"
android:textStyle="bold"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.0"
app:layout_constraintStart_toStartOf="parent" />
<CheckBox
android:id="@+id/cb"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_marginStart="120dp"
android:layout_marginTop="92dp"
android:layout_marginEnd="160dp"
android:text="Pizza"
android:textSize="24sp"
android:textStyle="bold"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.0"
app:layout_constraintStart_toStartOf="parent"
```

```
app:layout_constraintTop_toTopOf="parent" />
 <Button
 android:id="@+id/button"
 android:layout_width="wrap_content"
 android:layout_height="wrap_content"
 android:layout_marginStart="146dp"
 android:layout_marginTop="150dp"
 android:layout_marginEnd="146dp"
 android:layout_marginBottom="122dp"
 android:text="Order"
 android:textSize="24sp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout_constraintEnd_toEndOf="parent"
 app:layout_constraintHorizontal_bias="0.0"
 app:layout_constraintStart_toStartOf="parent"
 app:layout_constraintTop_toBottomOf="@+id/cb2"
 app:layout_constraintVertical_bias="0.0" />
 </androidx.constraintlayout.widget.ConstraintLayout>
JAVA File:
 package com.example.pr_15_2;
 import androidx.appcompat.app.AppCompatActivity;
 import android.os.Bundle;
 import android.view.View;
 import android.widget.Button;
 import android.widget.CheckBox;
 import android.widget.Toast;
 public class MainActivity extends AppCompatActivity {
```

```
Button button;
CheckBox cb,cb1,cb2;
@Override
protected void onCreate(Bundle savedInstanceState) {
super.onCreate(savedInstanceState);
setContentView(R.layout.activity_main);
button=findViewById(R.id.button);
cb=findViewById(R.id.cb);
cb1=findViewById(R.id.cb1);
cb2=findViewById(R.id.cb2);
button.setOnClickListener(new View.OnClickListener() {
@Override
public void onClick(View view) {
int totalamount=0;
StringBuilder result=new StringBuilder();
if (cb.isChecked()){
result.append("\nPizza 100Rs");
totalamount+=100; }
if (cb1.isChecked()){
result.append("\nCoffee 50Rs");
totalamount+=50; }
if (cb2.isChecked()){
result.append("\nBurger 120Rs");
totalamount+=120; }
result.append("\nTotal: "+totalamount+"Rs");
Toast.makeText(MainActivity.this, "Selected
Items:"+result.toString(), Toast.LENGTH_SHORT).show();
```

```
}
}); } }
```

• Output:



