

The Telerobot Contact Hypothesis

Avner Peled^{1(⊠)}, Teemu Leinonen¹, and Béatrice S. Hasler²

Department of Media, Aalto University, Espoo, Finland
{avner.peled,teemu.leinonen}@aalto.fi

Sammy Ofer School of Communications, Reichman University, Herzliya, Israel
hbeatrice@idc.ac.il

Abstract. We propose using telerobots as a medium for intergroup contact, aiming to reduce prejudice between groups in conflict. Telerobots are located in the middle ground between the physical and the virtual realms, providing the flexibility of online communication and the depth of physical interactions. Combining research from intergroup contact theory, communication studies, and human-robot interaction, we present the telerobot contact hypothesis - a set of guidelines, recommendations, and caveats in robot interaction design that strive for the optimal intergroup contact result. The guidelines follow a consistent conceptual model and define the architecture of a telerobotic event, from the first encounter to the pursued reduction of prejudice. We end with recommendations and hopes for further empirical research.

Keywords: Intergroup contact · Human-robot interaction · Telepresence · Teleprobots · Conflict resolution

1 Introduction

Considering the current state of human rights and ecological sustainability, it appears as if the bright future promised by globalization and technological advancement has, so far, not manifested as expected. On the one hand, an exponentially growing realization of the earth's finite resources [85] meets the human race's seemingly inept ability to navigate the market to morally favorable prospects [164]. On the other hand, the advent of a globally connected society has done little to alleviate hate, prejudice, and conflict between conflicting groups and nations. In some cases, the internet has even become a petri dish for disseminating prejudiced and violent dispositions [42,68,140,156]. At the same time, we are dealing with the global COVID-19 pandemic, which provides a blatant reminder of both the perils and importance of physical closeness and our reliance on technology to bridge physical gaps.

This research investigates how communication technology could nonetheless be a means for reconciliation and peacebuilding between groups that are plagued by a history of prejudice and racialized narratives. Standing by the proven principles of the *intergroup contact hypothesis*, outlined by Gordon Allport in the 1954 seminal work *The Nature of Prejudice* [3], we argue that with the right set of conditions, technologically mediated contact could reduce prejudice between groups in conflict. In an effort

Supported by The Kone Foundation.

[©] The Author(s), under exclusive license to Springer Nature Switzerland AG 2022 A. Holzinger et al. (Eds.): CHIRA 2020, CCIS 1609, pp. 74–99, 2022. https://doi.org/10.1007/978-3-031-22015-9_5

to provide a more grounded and physical experience when face-to-face encounters are scant, we explore *telerobotics* (remotely operated robots) as a new medium that has the potential to facilitate positive intergroup contact.

We hypothesize that if designed equally, openly, and with cultural sensitivity, the physical presence of robots as a communication tool could address the intercorporeal lack that exists in virtual mediums. Telerobots live in the middle ground between physical and virtual [125]. They maintain the openness and accessibility of virtual spaces such as virtual reality (VR) and Social Networking Services (SNSes), yet they do not suffer from dissociations and confusions enacted by the dismissal of the body [32,130,157]. A more grounded interaction could also counteract tendencies for abstraction and reification of the other [1,46,137] and engage with the corporeality of identity [62]. Finally, by bringing online communication *Down to Earth* [86], we make it harder to dismiss the importance of the physical environment that enables sociality in the first place.

We have previously established the potentialities of telerobot-based contact and suggested basic guidelines and possible pitfalls [110]. In this chapter, we expound on this notion by conducting a more comprehensive literature review, integrating research on intergroup contact and Human-Robot-Interaction (HRI), and devising a complete *telerobot contact hypothesis*.

2 Taxonomy: Telepresence, Telerobots, and Avatars

Telerobots are often referred to as *telepresence robots*. Marvin Minsky and Patrick Gunkel used the term *telepresence* to describe their vision of a futuristic economy in which people perform manual, physical labor from remote locations [96]. While *teleoperation* refers to operating a robot remotely, telepresence describes an immersive experience of *being* in a remote environment, mediated by a physical sensing agent - a *telerobot* [33,71,134]. In phenomenology, the term *re-embodiment* is used to describe the experience of telepresence [43]. Today's telerobots go beyond industrial use and are deployed in social care [95], education [146], and interpersonal communication [107], utilizing the internet as a platform for teleoperation.

When a telerobot serves as a remote representation of a human operator, it is often referred to as its *avatar*. An avatar is an antonym for *agent*, a computer-controlled entity that acts autonomously without human intervention. A telerobot is usually, however, *semi-autonomous*; its actions are predominantly decided by the human operator, but supported by machine-controlled algorithms. While intergroup contact may as well take place against, or supported by, a fully simulated agent [54,60,70,124,133], we focus our attention on scenarios in which at least one of the group members is inhabiting a robotic avatar, thus forming mediated contact.

3 Conceptual Model

Allport's contact hypothesis specifies four conditions that support positive intergroup contact: equal status, having common goals, active cooperation, and institutional support. Decades of research that followed Allport's foundation verified the basic premise [115], problematizing it with further questions, exceptions, and specificities, as well as developing empirical models for prejudice reduction. A longitudinal model suggested by Pettigrew [114] outlines the timeline in which prejudice toward the outgroup is reduced: the ingroup member initially *decategorizes* the outgroup member from its group, seeing them as an individual. In due time, generalization occurs and prejudice toward the outgroup is reduced. Finally, the border between ingroup and outgroup completely dissolves, perceiving all as part of the same group. Other models predict and verify the link between common mediators such as anxiety and empathy, or moderators such as group salience to the outcome of the contact [28, 108, 152].

By integrating previous models from intergroup contact research and combining them with communication studies, and human-robot interaction studies, we suggest a conceptual model for telerobot-based contact (see Fig. 1). The generic model assumes a telerobotic contact in which the participants first form interpersonal impressions on one another and finally generalize their attitudes toward the outgroup. The interpersonal attitude is moderated by the general attitude toward robots and by the sense of *presence*. The type of presence depends on the type of telerobot interaction. For a person conversing with a telerobot, we hypothesize that the attitude toward the outgroup member (the teleoperator) is moderated by the perceived *co-presence* [47]. The term is used to describe the sense of cohabiting with another living person in both virtual [18,36,138] and physical [38,64] spaces. Co-presence was found to mediate positive attitude and intimacy in social networking services [2].

For a person operating a telerobot, we look for a close and long-lasting social link between the operator and its avatar. Several models are used in the literature to describe these phenomena, including: Belk's *extended self* [17], the *proteus effect* [159], *parasociality* [67], and *self-presence* [15,120]. Self-presence entails engagement and a lasting social effect and was shown to mediate intergroup friendship. Hence, the sense of self-presence is expected to moderate the effect of telerobot operation on attitudes towards the interaction partner.

How (positive) contact with an outgroup member generalizes to the outgroup as a whole remains an open and widely debated question [22,94]. Nevertheless, longitudinal experiments in computer-mediated environments suggest that given enough time, interpersonal relations eventually do persist as generally improved attitudes toward the outgroup [99,155]. Evidence suggests that at least some level of group salience (the presence of cues depicting the outgroup member's group affiliation) is required to achieve generalization [29,35]. We, therefore, assume outgroup salience as a moderator in our model. However, the effect is highly volatile, especially in online settings [53], and requires elaborate contextualized experimentation. In this chapter, we begin to address some of the sub-factors which may play a role in how group identity may manifest in telerobotic encounters.

Another model, suggested by Gaertner and Dovido [44], is the *common ingroup identity model*. According to this model, priming the participants with the fact that they

belong under a shared superordinate group helps to reduce intergroup bias. However, recent attempts to achieve this effect in avatar-mediated interactions have either failed to create a common ingroup [5,6] or have found that it had no significant impact [112]. This indicates that perhaps the model needs to be revised for computer-mediated contact.




Fig. 1. Telepresence contact: conceptual model.

4 Design Hypotheses

The following sections present our hypotheses and design guidelines for telerobot interaction. We look into questions of robot appearance, voice, functionality, interaction modalities, and peacebuilding scenarios. A summary is available following the conclusions in Table 2.

4.1 System Architecture

A communication event mediated by telerobots could manifest in one of three different architectures that we identified as *telerobot systems* [110]. Figure 2 illustrates the three types. Utilizing concepts from Paynter's generalized systems theory [51,109], we describe two types of interactions: *signal*, and *physical*. *Physical* refers to real-world interactions between elements sharing a physical environment, such as a hand-shake or holding an object. *Signal* interactions occur on an abstract level, representing a unidirectional logical flow of cause and effect. For example, text that is typed on one end of online communication and appears on the other end.

In a symmetric unidirectional system, the participants are not physically interacting with a robot, but instead operate telerobots that interact with each other cooperatively. Although this system has its own merits, we focus here on the first two systems in which at least one participant is physically interacting with a robot.

Although harder to implement, symmetric telerobot systems such as in Nagendran et al. [100] provide the hardware foundation for equality - one of Allport's conditions for positive intergroup contact and a proven prompter of successful intergroup contact




Fig. 2. Systems of telepresence communication.

projects in the context of the Israeli-Palestinian conflict [91]. Symmetric systems also assure that telerobot operation incorporates maximum self-presence and engagement since they form a seamless experience for the operator. In symmetric systems, the telerobot mirrors the actions of the operator without any need for intentional operation.

Asymmetric systems produce an experience that is different in nature on both ends. The participant operating the telerobot from a remote control interface is more aware of the interaction medium and may feel concealed behind it. In our previous experiment utilizing an asymmetric telerobotic system we have reported on possible benefits in empowering disadvantaged groups, but also on an incurred discomfort and resentment due to the unequal setting [111, p. 132], [110].

Teleoperators in asymmetric systems may exhibit behaviors that characterize anonymous computer-mediated communication (CMC). Research models have shown a varying effect of CMC on the outcome of intergroup contact and the reduction of prejudice [155]. The *deindividuation* model [163] warns that anonymity may release a person from social regulation and norms, leading to a negative effect on the conversation. The SIDE theory of deindividuation [139] provides a contrasting view, demonstrating that if group identity cues are present, anonymity further increases group salience, as it motivates individuals to act under a group context while pronouncing enhanced norms and tropes. Models such as SIP (social information theory) and *hyperpersonal* communication [154] advocate that more intimate interpersonal relations may form in online contact because of the need for the participants to make up for the lack of non-verbal cues.

Participants interacting with the robot on the other side of an asymmetric system are expected to experience stronger senses of agency, ownership, and identifiability [39,45] compared to their teleoperator counterparts. They are, therefore, expected to experience less deindividuation than the operators. However, insofar as the robot is perceived by

the interlocutors as a mediating device (a sophisticated phone) rather than an avatar, the interlocutors may experience less co-presence and increased deindividuation.

To summarize, asymmetric telepresence systems may have some benefits associated with CMC and deindividuation, but may also induce a sense of inequality in communication. Symmetric systems provide the foundation for equal grounds and a high level of self-presence in operation.

4.2 Visual Appearance

The effect of a robot's appearance on attitude toward it has been studied extensively in the literature, predominantly in Human-Robot Interaction (HRI) and social robotics [50]. In relevance to intergroup contact, we discuss two considerations: anthropomorphism and avatar customization. We also note, however, two guiding principles: Firstly, as suggested in studies by Bremner et al. on personality perception of robot teleoperators [24,25], while a robotic avatar's appearance may project on the personality of its operator, the process is dependent on context and compliance with the speech and behavior of the operator. For example, a person conducting serious interviews using a stuffed bear avatar, as in Kuwamara's experiment [82], may invoke a sense of confusion and a low sense of co-presence within its users. However, a teleoperated animal puppet theater, as in Kawahara et al. [74], is likely to prompt more natural responses. In robot-mediated communication, we can place physical cues with the robot, such as setting props or clothing accessories. Those can include cues about the current context, or group identity cues using cultural or religious symbols, we expand on this later in this chapter.

Secondly, following Allport's condition of equality, a telerobot's appearance should consider its target audience and context so it would not seem overly powerful or weak in comparison. A study by Rae et al. found that the height of the robot affects the interlocutor's perception of the operator's persuasiveness [119]. We anticipate that if inequality is accentuated in characteristics of the robot such as height, power, speed, and volume, it may hamper positive intergroup encounters.

Anthropomorphism vs. Dehumanization. We have previously established the intricate relationship between human-likeness and the experience of the interlocutors in a telerobotic interaction [110]. While a non-anthropomorphic appearance may increase the operator's sense of self-presence and avoid the ever-present uncanny valley effect [104], it also incorporates the risk of *dehumanization* (seeing an outgroup member as nonhuman or less than human).

Dehumanization is both a marker and a driver of intergroup conflict [52,81]. Groups in conflict tend to view each other as either animal-like or mechanistic automata, both common forms for robots. Research shows that this can occur with virtual avatars as well when they are nonhuman [89], and may exacerbate in CMC [88]. However, dehumanization may also occur against human-like robots, especially when they convey racialized identities [13,142]. There are also intermediate approaches to anthropomorphism, such as *theomorphic robots* provided by Trovato [149]. Such robots attempt to portray a divine, non-anthropomorphic appearance without dehumanizing the avatar.

Ultimately, we believe that humanizing the other when mediated through a telerobot is a gestalt effect that emerges from the experience and the associated narrative of the interaction. A nonhuman appearance could be justified and leveraged during contact while keeping the humanity of the operator in the foreground. That can be achieved simply by placing identifying cues alongside the robot, but more importantly, by conversation content that includes ostensibly human qualities such as empathy and vulnerability [49,73]. Table 1 provides a summary of the factors that correlate with anthropomorphism.

Level of anthro- pomorphism	Risk of the uncanny valley	Risk of dehumanization	Operator's sense of self-presence	Interlocutor's sense of co-presence
Low	Low	High	High	Low
High	High	Low	Low	High

Table 1. Anthropomorphism: summary table.

Customization. The ability to customize an avatar is widespread in video games, virtual reality, and social media applications. It improves engagement with the platform [102] and primes the user's mindset to achieve certain goals [127]. In robotics, customizing an avatar is a more complex task than in a virtual environment. Design options are constrained by the hardware platform of the robot, requiring co-design between the robot engineers and the user. Assembling the robot takes physical effort and requires basic knowledge in mechatronics. Nevertheless, involving users in the design and assembly process of their robotic avatar may have benefits. Groom et al. showed that operators had a greater sense of self-extension to a robot that was assembled by them, rather than by another [48]. Robots were also successfully co-designed with children as the target users. The YOLO robot focused on creativity and storytelling, allowing children to design behaviors and movements [4], while the PAL robot involved children in designs for diabetes self-management [57]. Co-design methods also improved the general attitude of students toward robots in educational settings [121].

In the context of intergroup contact, and especially in situations of conflict, codesigning avatars may have even greater virtues. Participants could control their representation and its behavior, considering how they wish to be seen by the other side. The assembly work in itself may be therapeutic, both as a tactile experience [135] and as a self-expressive art form [98]. Finally, a participatory approach for robot-building has the potential to empower oppressed groups and minorities by providing meaningful education in modern communication technologies.

Highly anthropomorphic robotic avatars could also be modeled to resemble their operator. The most notable example is *Geminoid* from Ishiguru laboratories. In a small-scale survey among visitors in Ars Electronica, their impression of Geminoid was a combination of amusement and fear due to the uncanny valley effect [14]. Additionally, as noted in a study by Peña et al., self-resembling avatars could have mixed results on

¹ http://www.geminoid.jp/projects/kibans/resources.html.

the result of intergroup contact [112]. On the one hand, the priming effect mentioned earlier may strengthen one's beliefs and ideologies which in turn amplifies the social distance to the outgroup. On the other hand, customizing an avatar to resemble oneself increased the sense of identifiability which reduced the negative effects of deindividuation (mostly relevant to asymmetric systems). Finally, the study by Alvidrez and Peña found that self-resembling avatars decreased the operator's engagement presence (feeling of involvement in the remote environment [129]) because the avatars were perceived to have their own agency [5]. These findings are in line with the research by Groom et al. [48], which concluded that for the same reason robot operators have a lesser sense of *self-extension* [16] to their robotic avatar when it is human (Fig. 3).



Fig. 3. Geminoid and Professor Hisroshi Ishiguro. Retrieved from http://www.geminoid.jp/.

4.3 Use of an Embedded Display

The telepresence robot market is growing rapidly, and is predicted to accelerate even more in the upcoming years due to increased demand for advanced technological solutions to support remote working and social services.² Telerobot forms are continuously branching into new directions but the dominant form remains that of a tablet device attached or embedded in a motor vehicle [80]. The tablet typically displays the talking head of the operator, as in a video call. Examples from market leaders include *Double Robotics*, Mantaro⁴ and Revolve Robotics.⁵ Telepresence robots in this form are primarily geared toward remote offices and public environments, such as hospitals or schools, or conferences. Recently, in Japan, such robots allowed students to attend their graduation ceremony despite the COVID-19 restrictions⁶.

The question of using a flat face display on a robot, vis-à-vis an embodied, mechatronic face, has been troubling the HRI community since the early days of personal service robots [147]. More recently, the sense of inconsistency felt when interacting with a 2D display on a telepresence robot was verbalized by Choi and Kwak as the *dual*

https://www.marketwatch.com/press-release/telepresence-robots-market-size-2020-to-showing-impressive-growth-by-2024-industry-trends-share-size-top-key-players-analysis-and-forecast-research-2020-04-20.

³ https://www.doublerobotics.com/.

⁴ http://www.mantarobot.com/products/teleme-2/index.htm.

⁵ https://telepresencerobots.com/robots/kubi.

⁶ https://www.euronews.com/2021/01/04/how-japan-is-using-technology-to-make-us-feel-closer-during-the-covid-19-pandemic.



Fig. 4. The Avatar Graduation Ceremony at BBT University, Tokyo. Retrieved from https://prtimes.jp/main/html/rd/p/00000002.000055410.html.

ecologies problem [37]. In their study, the perceived presence of a user in a tablet-based video call was higher when it was disembodied (tablet only) than when the tablet was attached to a wheeled robotic body. The authors explain this by referring to the different ecologies present in the same robot; one is a 2D projection of the remote location, and another is the physical presence of the robotic body in a shared space. The authors suggest that the receiver of communication experiences confusion, having to interact simultaneously with the immediate environment, and with the depiction of the remote environment (Fig. 4).

An initial intergroup telerobotic experiment performed by Peled [111] between national citizens and immigrants showed similar results: the use of a display on the body of a telerobot was disruptive to the participants' perceived sense of co-presence. Participants reported reverting to the experience of using a phone-like device while they were interacting with the display, despite having to touch the robot to initiate actions in the virtual interface. We, therefore, recommend the use of a display to be planned carefully for intergroup contact. Preferably, the robot could be designed without an external display, maintaining uniformity and consistency.

4.4 Voice

In a telerobot-based contact, an operator may choose to use their voice or a synthetic voice that does not disclose their personality, gender, and culture. They may also use a synthetically cloned voice that is highly similar to their natural voice [66]. A synthetic voice adds modalities for speech augmentation and language translation, as we discuss in the section on interaction modalities.

Research on effect of an avatar's voice on user attitude shows that as with visual appearance, one must strike a balance between relatedness and consistency. Lee and Nass studied the sense of social presence of e-commerce agents with machine-generated

voices [87] concerning their personality (introvert or extrovert). When the voice personality of an agent is closer to that of the interlocutor, the perceived sense of social presence increased. However, the consistency of the voice with its personality is essential. Social presence drops if a voice's style is incongruent with its textual character (the content of the speech). Another study by Mitchel et al. [97] found that a mismatch between the voice and face of a talking head generated an uncanny sensation. A human with a synthetic voice felt as uncanny as a robot with a human voice. Therefore, the optimal synthetic voice (if one wishes to use the benefits of speech augmentation) would take the human teleoperator into account, without diverging abruptly the physical form of the avatar.

4.5 Materiality

The choice of materials has considerable implications for robot design. In industrial robots, materials are chosen *functionally* following the task at hand. In robots designated for human interaction, we examine *materiality* - the physical qualities of material as we sense them [56]. Materiality is exhibited through two main aspects of a robot's constitution: 1) The outer skin: the part of the robot that touches and is touched, and 2) Actuation: the material that actuates, generating the robot's movements. With the former, we place materials on a scale of firmness and rigidness; how soft they feel to the touch. With the latter, we define materials on a scale of flexibility and linearity that describes the nature of the material's movement.

Previous research in social robotics supports the use of soft materials for the outer skin of robots, especially in interaction with children [79] and in elderly care [26,78]. Soft materials contribute to a sense of *affective touch* between the robot and humans [77,141]. The human body and other natural forms are inherently soft, favoring coexistence with other soft materials [40]. However, carrying an object closer to the realm of the living risks invoking an uncanny feeling as with an anthropomorphic appearance. For example, touching a smooth, soft material that is also cold evokes the uncanny [103,158].

A soft touch on the surface doesn't necessarily imply a softness as a whole. For example, a gripping robotic hand made from powerful servo motors wrapped in a soft skin could still easily, and inadvertently, crush soft tissue. *Soft Robotics* is a rapidly developing research field for robots that operate on soft materials down the level of actuation [12]. Commonly used materials are fabrics and silicone rubbers, while the most typical form of actuation is pneumatic: applying air pressure or vacuum. Presently, the largest consumers of soft robotics are the medical industry, utilizing soft materials for invasive and surgical procedures. The use of soft robots for human interaction is nonetheless being actively researched and has so far exhibited positive results [20,69,153]. In our test of soft robotic telepresence, we have reached similarly promising conclusions [111].

Designers using soft robotics for interaction should nevertheless take special note of some idiosyncratic features of soft actuators. Due to the highly organic style of soft-robotic actuation, the risk of falling into the uncanny valley is increasing as the robot moves like a living creature. Additionally, pneumatic soft robots are often tethered (connected by a cable), restricting their ability to move around the space [122]. Neverthe-

less, a soft approach deems viable for telerobotic contact. Soft movement and touch may increase empathy and intimacy between the participants, which are key mediators of a positive intergroup contact [28]. Softness also instills a notion of safety; an inability to cause harm. That is a desirable climate in situations of intergroup conflict.

5 Interaction Modalities

5.1 Movement in Space

The ability to move a body in space distinguishes robots from other interactive technologies. However, not all robots have the same degrees of freedom and granularity when it comes to movement. In the field of social robots, *mobile robots* typically travel around using wheeled motion. Examples include service robots, such as Pepper⁷ and Samsung bots⁸, and telepresence robots such as Double Robotics⁹ and Beam¹⁰. Other robots only move their body while remaining stationary in place; for example, care robots such as PARO,¹¹ and telepresence robots from Ishiguru laboratories.¹² Due to the complexity of maintaining both modalities in interaction, mobile robots often keep a physical distance from the user, interacting using voice and visuals as they travel around the space. Stationary robots, on the other hand, tend to rely more on haptic interaction, allowing the user to hold and touch them. Only a few robots attempt to combine both modalities, such as Teo [23].

Touch-based human-robot interactions have an affective value [7,77] that may be beneficial for intergroup contact and should hold a high priority in the design process. Furthermore, in the case of symmetric telepresence, moving around is in itself limited since the operator does not have a dedicated control interface for traveling, and movement relies only on body tracking. In asymmetric systems, camera navigation is possible but may divert the attention of the operator from interpersonal interactions.

Movement in space may nonetheless prove beneficial in intergroup conflict scenarios when groups are not allowed to travel to the opposing group's location. In such cases, there may be a political value in the ability to move around a forbidden area. Moreover, in asymmetric conflicts where the oppressed group suffers from tight movement restrictions in their day-to-day life, as is the situation in Palestine [27], an operator may feel empowered by having the ability to travel with their avatar. That, in turn, may contribute to a greater sense of equality and confidence within the conversation.

5.2 Nonverbal Communication and Emotional Expression

Nonverbal communication (NVC) signals such as facial expressions, eye gaze, and bodily gestures play a substantial role in our day-to-day interactions. In telerobot-based

⁷ https://www.softbankrobotics.com/emea/en/pepper.

⁸ https://research.samsung.com/robot.

⁹ https://www.doublerobotics.com/.

¹⁰ https://suitabletech.com/.

¹¹ http://www.parorobots.com/.

¹² http://www.geminoid.jp/en/robots.html.

contact, those signals need to be accurately picked up from the operator and portrayed using the telerobot's body without losing or changing the meaning.

In a pioneering work by Argyle [9], nonverbal signals were enumerated and categorized according to their level of awareness. The majority of them, as defined by Argyle, are *mostly unaware* on the part of the sender and *mostly aware* on the receiver side [9, p. 5]. For example, we are seldom aware that we are smiling during a conversation, but the sentiment is registered much more attentively with our conversation partner.

Since NVCs communicate emotion, we should handle them with great care in intergroup contact. While unaware emotional signals from the operator could be detected using facial recognition, prosodics, and body tracking, deep learning systems are still subjected to noise and error [63, 162]. A mistake in communicating an emotional state could lead to confusion and frustration in the conversation. Therefore, it may be safer to rely strictly on explicit gestures made by the operator with full awareness. Expression of emotions in an asymmetric system could be invoked by the operator using emojis [75] or other dedicated buttons that activate an emotional gesture in the robot. In body-tracking systems, explicit body gestures could be used (such as a thumbs-up, or a sign-language symbol), or touch-based interactions, such as a pat or a stroke on the robot's body, a high-five, or a hug.

Even if body signals and facial expressions are accurately detected, their meaning is not guaranteed to preserve across cultures [65]. Some gestures require translation in intercultural interactions in order to prevent misunderstandings or misinterpretation by the target culture [55]. The problem further exacerbates in non-anthropomorphic avatars that do not have eyebrows and cannot exhibit granular gaze motion as in the humanoid SEER robot [148].

A possible solution could be to use the *flow* and *rhythm* of body movements to express emotions instead of explicitly formed gestures [59]. Dance is recognized as cross-culturally universal [136], and much of our emotional states are expressed through the body rather than facial expressions [11]. Successful attempts that use movement as a mechanism for expression in robots have made use of existing frameworks and tools, including Laban's movement analysis (LMA) [83,132] in [92,101] and the PAD emotional state model [93] in [8,105].

Some signals, such as shifts in gaze and body orientation, are performed unconsciously during the conversation, yet they have an impact on turn-taking and attention signaling [76,123]. A smooth turn-taking flow can promote the sense of equality in contact, and was demonstrated to benefit human-robot interaction [84,150]. Turn-taking signals cannot be explicitly pronounced by the operator, without impairing the flow of the conversation. Instead, they should be a part of the robot's semi-autonomous functionality. In symmetric systems, the end-of-turn could be predicted using several tracking modalities [41], while an asymmetric interface can infer the end-of-turn using typing and clicking indicators.

5.3 Verbal Communication

Language is often the best tool to convey layered and abstract information, as required during peacebuilding efforts. Previously we have outlined the risks and benefits of using machine translation for verbal communication [110]. Despite the benefit of enabling

dialogue between speakers that do not speak the same language, caution is required when using automatic interfaces. Minute mistakes in translation could impair participants' confidence and trust in the process.

Some mitigating steps could be taken to improve the experience of the participants when using machine translation. First, when using speech recognition, feedback of the result in the operator's native tongue should be provided, perhaps at the cost of delaying the flow of conversation. Second, when possible, the interface may display the confidence level of the translation before it gets sent to the other side. Finally, in case a mistake was realized by the operator only after submitting, there can be a quick "oops" button that has the robot express an apologizing gesture. If used according to those principles of design and interaction, real-time language translation could be an important facilitator for telerobot-based contact.

5.4 Synchrony, Reciprocity, and Feedback

Synchrony and reciprocity facilitate interpersonal and intergroup sympathy and empathy across all communication modalities [19,31,54,131,144]. The process is referred to as "social entrainment" [117,143]. It includes interactions such as rhythmic movements (e.g., clapping, jumping), a smooth conversation beat, synchronized dance, give-and-receive interactions, gaze synchrony, affective matching, and mimicry. Positive effects are also observed in human-robot interaction scenarios, particularly in cases of care and therapy robots for children and the elderly [10,90].

Achieving interpersonal synchrony over mediated communication stumbles upon the problem of *latency* [34]. The unavoidable time delay due to physical distance between the participants can instill confusion and frustration when performing rhythmic and simultaneous tasks. Research in online music performance is at the forefront of tackling such issues [106] and can be used as an inspiration. Semi-autonomous methods in the likes of action prediction, lag compensation, and global metronomes enable musicians to collaborate in jam sessions from different locations around the globe. The same methods can assist in synchronizing robot-mediated activities. In symmetric systems, the participants would be coordinating the exact same action, for example, clapping together. In asymmetric systems, one participant would use a control interface, for example, by tapping or shaking a mobile phone, while another would act in front of the telerobot.

Some reciprocal actions do not require real-time synchrony between the participants. For example, a hand-shake and a "high five" could be performed in a turn-based flow, where one participant reaches out first, and then the other reciprocates. Such actions may not have the same valence as real-time synchronization, but could still benefit the conversation due to their reciprocal nature. Additionally, people tend to be forgiving toward the sluggishness of robots, which may lower the sense of awkwardness that might occur during the use of reciprocal actions in a face-to-face encounter.

In asymmetric systems where the robot's operator is using a control interface, having instant feedback to the control actions provides a sense of reciprocity with the control medium and can increase perceived agency and ownership within the operator [43]. At the high-end of the spectrum, advanced control systems, such as the ones for 'Robonauts' at the Johnson Space Center [39], mix virtual reality and haptic feedback. As

a bare minimum, an operator should have visual feedback on how the robot acts in response to control commands.

In an initial test of this novel telerobotic contact paradigm [111], participants expressed concern over their inability to see the facial expressions they were invoking with the robot, or their avatar's arm when it was being touched. When designing an asymmetric control interface, it is necessary to provide maximum visibility of the telerobot's body to the operator to increase the sense of self-presence. If one camera is not enough, multiple camera angles could be utilized. Additionally, placing mirrors on-site could allow the operators to examine their re-embodied appearance. Finally, practicing the use of the telerobot ahead of the encounter could help operators get comfortable with the new interface without the pressure of the ensuing intergroup contact.

5.5 Semi-autonomous Functions

The conversation between the participants can be guided using the robot's semiautonomous functions. Modern types of interaction may include cooperative games and simulations that engage the participant toward a common goal, in line with the principles set by Allport. Games have shown potential for peacebuilding in face-to-face meetings [30] and co-located cooperative gameplay sessions [72]. When interacting with a robot, its body parts may be appropriated as game controllers, for example, by squeezing the arms of the robot; thus, indirectly forming touch interactions between the participants. However, when integrating interactive visuals, it is necessary to embed a 2D display within the telerobot or place one beside it. In such cases, the interface design should carefully manage the attention of the user to avoid the dual ecologies problem [37].

Intergroup conflict resolution may also benefit from active robotic mediation. Automated mediation devices by Zanacarno et al. [160,161] support 'controlled' means for escalation and de-escalation of the process and were found beneficial. At the forefront, machine learning is sought as a tool for peacebuilding that can understand complex sentiments and situations [61], predict conflict escalation before it occurs [113], and offer help to resolve issues [145]. Nevertheless, machine learning tools should be used with transparency to avoid issues of trust and suspected bias in the process. Active mediation may also decrease the sense of co-presence, as the robot is perceived more like a middle-agent rather than an avatar.

6 Public Space Interventions

Robotic avatars are an excellent communication tool for organized intergroup encounters where participants are unable to meet face-to-face. While it is possible to use robots privately at home or in a discreetly organized session, the physical nature of telerobots makes them exceptionally suitable for public space interventions. Robots can transcend national borders and roam public spaces, having the potential to reach individuals that wouldn't normally engage in intergroup contact. In symmetric systems, robots could be placed in public urban areas on both sides and facilitate bi-directional contact. In asymmetric systems, one robot is placed in a public spot while operators inhabit the avatar

from their home or a dedicated control spot. An advantage of public space interventions is that any form of intergroup contact which is observed by a public audience manifests as *Viacrious Contact* [125]: an indirect contact with the outgroup member supported by the imagination of the audience. Vicarious contact has been shown to improve attitude between groups [151], even if it is watched on television [118]. When planning a public space intervention, the designated site and its demographics should be considered along with the design of the robot and interaction content. Tailoring the contact experience to its local context may increase the likelihood of public engagement and improve the outcome of the encounter. We elaborate on two types of public space interventions: dyadic and performative.

6.1 Dyadic Intervention

In a dyadic intervention, a telerobotic avatar appears in a public space, ready to engage in a one-on-one conversation with passersby. The group identity of the telerobot's operator could be widely exposed to passersby via physical cues, allowing them to make a voluntary decision to make contact, or they could first approach the robot and only then realize its group identity during the conversation. According to a meta-analysis by Pettigrew et al. [116] contact that begins voluntarily is less likely to exacerbate intergroup attitudes.

A robot that emerges in the middle of a public space might be intriguing enough for some people to approach, particularly those who generally have positive attitudes towards robots. One method to get even more public interest would be to equip the telerobot with some actions designed to draw a crowd. For example, play a sound, a musical theme, or perform an inviting gesture. In an asymmetric system, an operator has more control over the robot's interaction with the environment. They may look around by moving a camera or even drive around using wheeled motion.

6.2 Performative Intervention

A performative type of intervention is oriented toward an audience and typically consists of remotely controlled storytelling rather than direct dialogue. For example, a theatrical performance by a member of an oppressed group as a form of political activism (see Boal's *theatre of the oppressed* [21]). An advantage of this type of intervention is that it does not portray the telerobots as avatars of the operator, but rather as *puppets*, thus avoiding the risk of dehumanization and confusion (at the cost of a lower co-presence). To remind the audience that a human outgroup member is operating the show, physical cues could be added. The performance could be an asymmetric single-performer show in front of an audience or a symmetric collaboration with a performer at another location.

Table 2. Summary table.

Aspect	Hypothesis	Implementation considerations	
System architecture	Asymmetric systems invoke deinviduation effects in one side of the conversation Symmetric systems provide a more equal foundation Symmetric systems increase self-presence in operation	Asymmetric systems are easier to implement and disseminate Symmetric systems require a seamless/transparent control interface	
Visual appearance	Anthropomorphism has both advantages and disadvantages (refer to Table 1) Robot self-customization increases engagement Avatar self-resemblance increases prejudice/social distance Maintain context congruency		
Embedded display	Decreases co-presence	Required for some semi-autonomous functions	
Voice	A synthetic voice that maintains a human tone and is consistent with the appearance of the telerobot increases co-presence	A synthetic voice is required for language translation	
Materiality	Soft materials and actuators increase intimacy and empathy	 Soft actuators restrict movement Soft actuators and skin increase the risk of the uncanny 	
Movement in space	Stationary robots encourage the use of affective touch	A symmetric system restricts mobility	
Nonverbal communication	Turn-taking and attention signals promote the sense of equality Movement-based emotional expression increases reliability and trust	Turn-taking signals could be performed autonomously	
Verbal communication	Automatic language translation could assist in communication	AI is prone to error. Should be used with sensitivity and transparency	
Synchrony, reciprocity and feedback	Rhythmic synchronization promotes empathy Reciprocal actions promote empathy Operation feedback reduces anxiety and increases self-presence	Internet latency is a challenge for telepresence synchronization Symmetric systems have a transparent interface and do not require teleoperation feedback	
Semi-autonomous functions	Could engage participants But agency decreases co-presence		
Public space interventions	Public audience undergoes vicarious contact Voluntary approach results in a more positive attitude Performative interventions are less restricted, but decrease co-presence		

7 Conclusions and Future Research

Our theoretical framework outlines both potential benefits and risks of using telerobots for intergroup contact, and aims to serve as a research agenda and guideline for future empirical studies. The hypotheses, derived from existing literature in the fields of intergroup contact, communication and human-robot interaction, require a careful empirical investigation. Such future empirical studies will provide crucial insights on how the variables discussed in the current chapter influence the process or outcome of a telerobot-based intergroup encounter. Future empirical research on the telerobot contact hypothesis will also further establish what sets telerobotics apart from other forms of online communication, and provide an empirical basis for the practical implementation of this novel approach to intergroup contact.

While the proposed telerobotic contact approach may be applied in any intergroup context, we see the greatest potential in the context of intergroup conflicts in which the involved societies are physically separated and have difficulties meeting face-to-face. One such case is the Israeli-Palestinian conflict that we mentioned in this chapter. However, it is important to distinguish in future research which factors might be suitable for which type of intergroup context. What might work for more mild intergroup contexts, might not work or even lead to negative consequences in contexts of violent long-term conflicts.

Toward any organized attempt for intergroup contact, one should always consider the broader context, the long-term effects, and the ethics of research. That is especially true in the context of violent, asymmetric conflicts, where one group is a dominant majority, and another is an oppressed minority; even more so, when technology is involved, along with its inherent biases and connotations of power. A common concern is that the act of leveling the play-field, treating both groups as equals, will dissolve the real-world injustices and reduce the motivation for social change [58,126]. That is reflected in the Israeli-Palestinian setting by the "Anti-Normalization" movement [128]. The movement rejects attempts for normalizing relations between Israel and Palestine that are not predated by an overall restoration of justice in the area.

We have suggested some ways to tackle this concern by recognizing power relations and injustices from within the system architecture, the design of the telerobot, and the practice of participatory co-design. Finally, we stress that complete transparency should accompany any attempt to insert technology into a conflicted scenario. That includes disclosing any source of funding for resources, the identity of the platform designers, and the location and maintainers of the internet servers. Teleoperation software and hardware should be open-sourced and training sets for any machine learning models used should be disclosed, opting for open-source datasets instead of data owned by commercial companies.

Finally, the guidelines presented here, while being tailored for use in intergroup scenarios, may also apply to other contexts of robot-mediated communication, including interpersonal and intercultural interactions. Our design considerations focus on empathy, equality, understanding, and mutual respect, essential values in any human-to-human interaction. In an era where communication is becoming increasingly remote, robots present an opportunity to bring back material and tangible aspects to our communications. We are excited to further evaluate the use of telerobots as a means of prejudice reduction and conflict resolution, and as a positive social tool in our daily lives.

References

- Ahmed, S.: Strange Encounters: Embodied Others in Post-Coloniality. Routledge, London (2000)
- Al-Ghaith, W.: Understanding social network usage: impact of co-presence, intimacy, and immediacy. Int. J. Adv. Comput. Sci. Appl. 6(8) (2015). https://doi.org/10.14569/IJACSA. 2015.060813
- 3. Allport, G.W.: The Nature of Prejudice. Addison-Wesley, Oxford (1954)
- Alves-Oliveira, P., Arriaga, P., Paiva, A., Hoffman, G.: YOLO, a robot for creativity: a codesign study with children. In: Proceedings of the 2017 Conference on Interaction Design and Children, Stanford, California, USA, pp. 423–429. ACM (2017). https://doi.org/10. 1145/3078072.3084304
- 5. Alvidrez, S., Peña, J.: Contact in VR: testing avatar customisation and common ingroup identity cues on outgroup bias reduction. Ann. Rev. Cybertherapy Telemed. (2020)
- Alvidrez, S., Peña, J.: Verbal mimicry predicts social distance and social attraction to an outgroup member in virtual reality. In: 2020 IEEE International Conference on Artificial Intelligence and Virtual Reality (AIVR), pp. 68–73 (2020). https://doi.org/10.1109/AIVR50618. 2020.00023
- Andreasson, R., Alenljung, B., Billing, E., Lowe, R.: Affective touch in human–robot interaction: conveying emotion to the Nao robot. Int. J. Soc. Robot. 10(4), 473–491 (2017). https://doi.org/10.1007/s12369-017-0446-3
- Ardila, L.R., Coronado, E., Hendra, H., Phan, J., Zainalkefli, Z., Venture, G.: Adaptive fuzzy and predictive controllers for expressive robot arm movement during human and environment interaction. Int. J. Mech. Eng. Robot. Res. 207–219 (2019). https://doi.org/10. 18178/ijmerr.8.2.207-219
- 9. Argyle, M.: Bodily Communication. Routledge, London (2013)
- Aucouturier, J.J., et al.: Cheek to chip: dancing robots and AI's future. IEEE Intell. Syst. 23(2), 74–84 (2008). https://doi.org/10.1109/MIS.2008.22
- 11. Aviezer, H., Trope, Y., Todorov, A.: Body cues, not facial expressions, discriminate between intense positive and negative emotions. Science **338**(6111), 1225–1229 (2012). https://doi.org/10.1126/science.1224313
- 12. Bao, G., et al.: Soft robotics: academic insights and perspectives through bibliometric analysis. Soft Rob. 5(3), 229–241 (2018)
- Bartneck, C., et al.: Robots and racism. In: Proceedings of the 2018 ACM/IEEE International Conference on Human-Robot Interaction, Chicago, IL, USA, pp. 196–204. ACM (2018). https://doi.org/10.1145/3171221.3171260
- 14. Becker-Asano, C., Ogawa, K., Nishio, S., Ishiguro, H.: Exploring the Uncanny Valley with Geminoid HI-1 in a Real-World Application, p. 9 (2010)
- Behm-Morawitz, E.: Mirrored selves: the influence of self-presence in a virtual world on health, appearance, and well-being. Comput. Hum. Behav. 29(1), 119–128 (2013). https://doi.org/10.1016/j.chb.2012.07.023
- Belk, R.W.: Possessions and the extended self. J. Consum. Res. 15(2), 139 (1988). https://doi.org/10.1086/209154
- Belk, R.W.: Extended self in a digital world. J. Consum. Res. 40(3), 477–500 (2013). https://doi.org/10.1086/671052
- Bente, G., Rüggenberg, S., Krämer, N.C., Eschenburg, F.: Avatar-mediated networking: increasing social presence and interpersonal trust in net-based collaborations. Hum. Commun. Res. 34(2), 287–318 (2008). https://doi.org/10.1111/j.1468-2958.2008.00322.x
- 19. Bernieri, F.J., Rosenthal, R.: Interpersonal coordination: behavior matching and interactional synchrony (1991)

- Bewley, H., Boer, L.: Designing Blo-nut: design principles, choreography and otherness in an expressive social robot. In: Proceedings of the 2018 on Designing Interactive Systems Conference 2018, DIS 2018, Hong Kong, China, pp. 1069–1080. ACM Press (2018). https://doi.org/10.1145/3196709.3196817
- 21. Boal, A.: Theatre of the Oppressed. Get Political, no. 6, New edn. Pluto Press, London (2008)
- Boin, J., Rupar, M., Graf, S., Neji, S., Spiegler, O., Swart, H.: The generalization of intergroup contact effects: emerging research, policy relevance, and future directions. J. Soc. Issues 77(1), 105–131 (2021). https://doi.org/10.1111/josi.12419
- Bonarini, A., Garzotto, F., Gelsomini, M., Romero, M., Clasadonte, F., Yilmaz, A.N.Ç.: A huggable, mobile robot for developmental disorder interventions in a multi-modal interaction space. In: 2016 25th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN), pp. 823–830 (2016). https://doi.org/10.1109/ROMAN.2016. 7745214
- 24. Bremner, P., Celiktutan, O., Gunes, H.: Personality perception of robot avatar tele-operators. In: 2016 11th ACM/IEEE International Conference on Human-Robot Interaction (HRI), pp. 141–148 (2016), https://doi.org/10.1109/HRI.2016.7451745
- Bremner, P.A., Celiktutan, O., Gunes, H.: Personality perception of robot avatar teleoperators in solo and dyadic tasks. Front. Robot. AI 4, 16 (2017). https://doi.org/10.3389/frobt. 2017.00016
- 26. Broekens, J., Heerink, M., Rosendal, H.: Assistive social robots in elderly care: a review. Gerontechnology **8**(2), 94–103 (2009). https://doi.org/10.4017/gt.2009.08.02.002.00
- 27. Brown, A.P.: The immobile mass: movement restrictions in the west bank. Soc. Legal Stud. **13**(4), 501–521 (2004). https://doi.org/10.1177/0964663904047331
- 28. Brown, R., Hewstone, M.: An integrative theory of intergroup contact. Adv. Exp. Soc. Psychol. **37**(37), 255–343 (2005)
- 29. Brown, R., Vivian, J., Hewstone, M.: Changing attitudes through intergroup contact: the effects of group membership salience. Eur. J. Soc. Psychol. **29**(5–6), 741–764 (1999)
- 30. Brynen, R., Milante, G.: Peacebuilding with games and simulations. Simul. Gaming **44**(1), 27–35 (2013). https://doi.org/10.1177/1046878112455485
- 31. Burgoon, J.K., Dillman, L., Stem, L.A.: Adaptation in dyadic interaction: defining and operationalizing patterns of reciprocity and compensation. Commun. Theory **3**(4), 295–316 (1993). https://doi.org/10.1111/j.1468-2885.1993.tb00076.x
- 32. Burgoon, J.K., Hoobler, G.D.: Nonverbal signals. Handb. Interpers. Commun. 2, 229–285 (1994)
- 33. Campanella, T.: Eden by wire: webcameras and the telepresent landscape, pp. 22–46 (2000)
- Campbell, J.: Interpersonal coordination in computer-mediated communication. In: Encyclopedia of Information Science and Technology, 3rd edn., pp. 2079–2088. IGI Global (2015)
- Cao, B., Lin, W.Y.: Revisiting the contact hypothesis: effects of different modes of computer-mediated communication on intergroup relationships. Int. J. Intercult. Relat. 58, 23–30 (2017). https://doi.org/10.1016/j.ijintrel.2017.03.003
- 36. Casanueva, J., Blake, E.: The effects of avatars on co-presence in a collaborative virtual environment (2001)
- Choi, J.J., Kwak, S.S.: Can you feel me?: how embodiment levels of telepresence systems
 affect presence. In: 2016 25th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN), New York, NY, USA, pp. 606–611. IEEE (2016). https://doi.org/10.1109/ROMAN.2016.7745180
- 38. Choi, J.J., Kwak, S.S.: Who is this?: identity and presence in robot-mediated communication. Cogn. Syst. Res. 43, 174–189 (2017). https://doi.org/10.1016/j.cogsys.2016.07.006

- 39. Cole, J., Sacks, O., Waterman, I.: On the immunity principle: a view from a robot. Trends Cogn. Sci. 4(5), 167 (2000). https://doi.org/10.1016/S1364-6613(00)01459-5
- 40. Danese, E.: Soft machine. In: Machines That Become Us: The Social Context of Personal Communication Technology, pp. 267–276 (2003)
- de Kok, I., Heylen, D.: Multimodal end-of-turn prediction in multi-party meetings. In: Proceedings of the 2009 International Conference on Multimodal Interfaces, ICMI-MLMI 2009, Cambridge, Massachusetts, USA, p. 91. ACM Press (2009). https://doi.org/10.1145/ 1647314.1647332
- 42. Del Vicario, M., et al.: Echo chambers: emotional contagion and group polarization on Facebook. Sci. Rep. 6, 37825 (2016)
- 43. Dolezal, L.: The remote body: the phenomenology of telepresence and re-embodiment. Hum. Technol. **5**, 208–226 (2009)
- 44. Gaertner, S.L., Dovidio, J.F., Anastasio, P.A., Bachman, B.A., Rust, M.C.: The common ingroup identity model: recategorization and the reduction of intergroup bias. Eur. Rev. Soc. Psychol. **4**(1), 1–26 (1993). https://doi.org/10.1080/14792779343000004
- 45. Gallagher, S.: Philosophical conceptions of the self: implications for cognitive science. Trends Cogn. Sci. **4**(1), 14–21 (2000)
- 46. Gallagher, S.: How the Body Shapes the Mind. Clarendon Press (2006)
- 47. Goffman, E.: Behavior in Public Places. Simon and Schuster (2008)
- 48. Groom, V., Takayama, L., Ochi, P., Nass, C.: I am my robot: the impact of robot-building and robot form on operators. In: Proceedings of the 4th ACM/IEEE International Conference on Human Robot Interaction, HRI 2009, La Jolla, California, USA, p. 31. ACM Press (2009). https://doi.org/10.1145/1514095.1514104
- Gubler, J.R., Halperin, E., Hirschberger, G.: Humanizing the outgroup in contexts of protracted intergroup conflict. J. Exp. Polit. Sci. 2(1), 36–46 (2015). https://doi.org/10.1017/xps.2014.20
- Hancock, P.A., Billings, D.R., Schaefer, K.E., Chen, J.Y.C., de Visser, E.J., Parasuraman, R.: A meta-analysis of factors affecting trust in human-robot interaction. Hum. Factors J. Hum. Factors Ergon. Soc. 53(5), 517–527 (2011). https://doi.org/10.1177/0018720811417254
- Hannaford, B.: Feeling is Believing: A History of Telerobotics. The Robot in the Garden: Telerobotics and Telepistemology in the Age of the Internet. Edited by Ken Goldberg. The MIT Press (2000)
- 52. Haslam, N.: Dehumanization: an integrative review. Pers. Soc. Psychol. Rev. **10**(3), 252–264 (2006)
- Hasler, B.S., Amichai-Hamburger, Y.: Online intergroup contact. In: Amichai-Hamburger, Y. (ed.) The Social Net, pp. 220–252. Oxford University Press (2013). https://doi.org/10. 1093/acprof:oso/9780199639540.003.0012
- Hasler, B.S., Hirschberger, G., Shani-Sherman, T., Friedman, D.A.: Virtual peacemakers: mimicry increases empathy in simulated contact with virtual outgroup members. Cyberpsychol. Behav. Soc. Netw. 17(12), 766–771 (2014). https://doi.org/10.1089/cyber.2014.0213
- Hasler, B.S., Salomon, O., Tuchman, P., Lev-Tov, A., Friedman, D.: Real-time gesture translation in intercultural communication. AI Soc. 32(1), 25–35 (2014). https://doi.org/10.1007/ s00146-014-0573-4
- 56. Hayles, N.K.: Speculative aesthetics and object-oriented inquiry (OOI). Speculations J. Speculative Realism 5, 158–179 (2014)
- 57. Henkemans, O.B., et al.: Co-Design of the Pal Robot and Avatar That Perform Joint Activities with Children for Improved Diabetes Self-management. IEEE Press, New York (2016)
- 58. Hewstone, M.: Living apart, living together? The role of intergroup contact in social integration. In: Proceedings of the British Academy, vol. 162, pp. 243–300 (2009)

- 59. Hoffman, G., Ju, W.: Designing robots with movement in mind. J. Hum.-Robot Interact. **3**(1), 89–122 (2014). https://doi.org/10.5898/JHRI.3.1.Hoffman
- 60. Hoffman, G., Zuckerman, O., Hirschberger, G., Luria, M., Shani-Sherman, T.: Design and evaluation of a peripheral robotic conversation companion. In: 2015 10th ACM/IEEE International Conference on Human-Robot Interaction (HRI), pp. 3–10 (2015)
- 61. Honkela, T.: Rauhankone: Tekoälytutkijan testamentti (2017)
- 62. Hook, D.: The 'real' of racializing embodiment. J. Commun. Appl. Soc. Psychol. **18**(2), 140–152 (2008). https://doi.org/10.1002/casp.963
- Hossain, M.S., Muhammad, G.: Emotion recognition using deep learning approach from audio-visual emotional big data. Inf. Fusion 49, 69–78 (2019). https://doi.org/10.1016/j. inffus.2018.09.008
- 64. Hwang, J., Lee, S., Ahn, S.C., Kim, H.: Augmented robot agent: enhancing co-presence of the remote participant. In: 2008 7th IEEE/ACM International Symposium on Mixed and Augmented Reality, Cambridge, UK, pp. 161–162. IEEE (2008). https://doi.org/10.1109/ ISMAR.2008.4637346
- 65. Jack, R.E., Garrod, O.G., Yu, H., Caldara, R., Schyns, P.G.: Facial expressions of emotion are not culturally universal. Proc. Natl. Acad. Sci. **109**(19), 7241–7244 (2012)
- 66. Jia, Y., et al.: Transfer learning from speaker verification to multispeaker text-to-speech synthesis. arXiv:1806.04558 [cs, eess] (2019)
- Jin, S.A.A., Park, N.: Parasocial interaction with my avatar: effects of interdependent selfconstrual and the mediating role of self-presence in an avatar-based console game, Wii. CyberPsychol. Behav. 12(6), 723–727 (2009). https://doi.org/10.1089/cpb.2008.0289
- Johnson, N.A., Cooper, R.B., Chin, W.W.: Anger and flaming in computer-mediated negotiation among strangers. Decis. Support Syst. 46(3), 660–672 (2009). https://doi.org/10.1016/j.dss.2008.10.008
- Jørgensen, J.: Appeal and perceived naturalness of a soft robotic tentacle. In: Companion of the 2018 ACM/IEEE International Conference on Human-Robot Interaction, Chicago, IL, USA, pp. 139–140. ACM (2018). https://doi.org/10.1145/3173386.3176985
- Jung, M.F., Martelaro, N., Hinds, P.J.: Using robots to moderate team conflict: the case of repairing violations. In: Proceedings of the Tenth Annual ACM/IEEE International Conference on Human-Robot Interaction, HRI 2015, pp. 229–236. Association for Computing Machinery, New York (2015). https://doi.org/10.1145/2696454.2696460
- 71. Kac, E.: Telepresence and Bio Art: Networking Humans, Rabbits and Robots. University of Michigan Press, Ann Arbor (2005)
- Kampf, R.: Are two better than one? Playing singly, playing in dyads in a computerized simulation of the Israeli-Palestinian conflict. Comput. Hum. Behav. 32, 9–14 (2014). https:// doi.org/10.1016/j.chb.2013.11.005
- Kashian, N., Jang, J., Shin, S.Y., Dai, Y., Walther, J.B.: Self-disclosure and liking in computer-mediated communication. Comput. Hum. Behav. 71, 275–283 (2017). https://doi.org/10.1016/j.chb.2017.01.041
- Kawahara, K., Sakashita, M., Koike, A., Suzuki, I., Suzuki, K., Ochiai, Y.: Transformed human presence for puppetry. In: Proceedings of the 13th International Conference on Advances in Computer Entertainment Technology, ACE 2016, pp. 1–6. Association for Computing Machinery, New York (2016). https://doi.org/10.1145/3001773.3001813
- Kaye, L.K., Malone, S.A., Wall, H.J.: Emojis: insights, affordances, and possibilities for psychological science. Trends Cogn. Sci. 21(2), 66–68 (2017). https://doi.org/10.1016/j. tics.2016.10.007
- Kendon, A.: Conducting Interaction: Patterns of Behavior in Focused Encounters, vol. 7. CUP Archive (1990)
- 77. Kerruish, E.: Affective touch in social robots. Transformations (14443775) (29) (2017)

- Kidd, C., Taggart, W., Turkle, S.: A sociable robot to encourage social interaction among the elderly. In: Proceedings 2006 IEEE International Conference on Robotics and Automation, ICRA 2006, Orlando, FL, USA, pp. 3972–3976. IEEE (2006). https://doi.org/10.1109/ ROBOT.2006.1642311
- Kozima, H., Nakagawa, C.: Social robots for children: practice in communication-care. In: 9th IEEE International Workshop on Advanced Motion Control, Istanbul, Turkey, pp. 768–773. IEEE (2006). https://doi.org/10.1109/AMC.2006.1631756
- 80. Kristoffersson, A., Coradeschi, S., Loutfi, A.: A review of mobile robotic telepresence. Adv. Hum.-Comput. Interact. 2013, 1–17 (2013). https://doi.org/10.1155/2013/902316
- 81. Kteily, N., Hodson, G., Bruneau, E.: They see us as less than human: metadehumanization predicts intergroup conflict via reciprocal dehumanization. J. Pers. Soc. Psychol. **110**(3), 343–370 (2016). https://doi.org/10.1037/pspa0000044
- Kuwamura, K., Minato, T., Nishio, S., Ishiguro, H.: Personality distortion in communication through teleoperated robots. In: 2012 IEEE RO-MAN: The 21st IEEE International Symposium on Robot and Human Interactive Communication, Paris, France, pp. 49–54. IEEE (2012). https://doi.org/10.1109/ROMAN.2012.6343730
- 83. Laban, R., Ullmann, L.: The Mastery of Movement (1971)
- 84. Lala, D., Inoue, K., Kawahara, T.: Smooth turn-taking by a robot using an online continuous model to generate turn-taking cues. In: 2019 International Conference on Multimodal Interaction, ICMI 2019, Suzhou, China, pp. 226–234. Association for Computing Machinery (2019). https://doi.org/10.1145/3340555.3353727
- 85. Latour, B.: We Have Never Been Modern. Harvard University Press (2012)
- 86. Latour, B.: Down to Earth: Politics in the New Climatic Regime. Wiley, Hoboken (2018)
- 87. Lee, K.M., Nass, C.: Social-psychological origins of feelings of presence: creating social presence with machine-generated voices. Media Psychol. **7**(1), 31–45 (2005)
- Lee, M.K., Fruchter, N., Dabbish, L.: Making decisions from a distance: the impact of technological mediation on riskiness and dehumanization. In: Proceedings of the 18th ACM Conference on Computer Supported Cooperative Work & Social Computing, CSCW 2015, Vancouver, BC, Canada, pp. 1576–1589. ACM Press (2015). https://doi.org/10.1145/ 2675133.2675288
- Lin, S.F.: Effect of opponent type on moral emotions and responses to video game play. Cyberpsychol. Behav. Soc. Netw. 14(11), 695–698 (2011). https://doi.org/10.1089/cyber. 2010.0523
- Lorenz, T., Weiss, A., Hirche, S.: Synchrony and reciprocity: key mechanisms for social companion robots in therapy and care. Int. J. Soc. Robot. 8(1), 125–143 (2015). https://doi. org/10.1007/s12369-015-0325-8
- 91. Maoz, I.: Evaluating the communication between groups in dispute: equality in contact interventions between Jews and Arabs in Israel. Negot. J. **21**(1), 131–146 (2005). https://doi.org/10.1111/j.1571-9979.2005.00050.x
- Masuda, M., Kato, S.: Motion rendering system for emotion expression of human form robots based on Laban movement analysis. In: 19th International Symposium in Robot and Human Interactive Communication, Viareggio, Italy, pp. 324–329. IEEE (2010). https:// doi.org/10.1109/ROMAN.2010.5598692
- 93. Mehrabian, A., Russell, J.A.: An Approach to Environmental Psychology. The MIT Press (1974)
- Meleady, R., Crisp, R.J., Hodson, G., Earle, M.: On the generalization of intergroup contact: a taxonomy of transfer effects. Curr. Dir. Psychol. Sci. 28(5), 430–435 (2019). https://doi. org/10.1177/0963721419848682
- 95. Michaud, F., et al.: Telepresence robot for home care assistance. In: AAAI Spring Symposium: Multidisciplinary Collaboration for Socially Assistive Robotics, California, USA, pp. 50–55 (2007)

- 96. Minsky, M.: Telepresence (1980)
- 97. Mitchell, W.J., Szerszen, K.A., Lu, A.S., Schermerhorn, P.W., Scheutz, M., MacDorman, K.F.: A mismatch in the human realism of face and voice produces an uncanny valley. i-Perception **2**(1), 10–12 (2011). https://doi.org/10.1068/i0415
- 98. Muri, S.A.: Beyond the face: art therapy and self-portraiture. Arts Psychother. **34**(4), 331–339 (2007). https://doi.org/10.1016/j.aip.2007.05.002
- 99. Nagar, I., Hoter, E., Hasler, B.S.: Intergroup attitudes and interpersonal relationships in online contact between groups in conflict. J. Glob. Inf. Technol. Manag. 1–16 (2021). https://doi.org/10.1080/1097198X.2021.1953318
- 100. Nagendran, A., Steed, A., Kelly, B., Pan, Y.: Symmetric telepresence using robotic humanoid surrogates: robotic symmetric telepresence. Comput. Animation Virtual Worlds **26**(3–4), 271–280 (2015). https://doi.org/10.1002/cav.1638
- Nakata, T., Sato, T., Mori, T., Mizoguchi, H.: Expression of emotion and intention by robot body movement. In: Proceedings of the 5th International Conference on Autonomous Systems (1998)
- 102. Ng, R., Lindgren, R.: Examining the effects of avatar customization and narrative on engagement and learning in video games. In: Proceedings of CGAMES 2013, USA, pp. 87–90 (2013). https://doi.org/10.1109/CGames.2013.6632611
- 103. Nie, J., Pak, M., Marin, A.L., Sundar, S.S.: Can you hold my hand?: physical warmth in human-robot interaction. In: Proceedings of the Seventh Annual ACM/IEEE International Conference on Human-Robot Interaction, HRI 2012, Boston, Massachusetts, USA, p. 201. ACM Press (2012). https://doi.org/10.1145/2157689.2157755
- 104. Nissen, A., Jahn, K.: Between anthropomorphism, trust, and the uncanny valley: a dual-processing perspective on perceived trustworthiness and its mediating effects on use intentions of social robots. In: Hawaii International Conference on System Sciences (2021). https://doi.org/10.24251/HICSS.2021.043
- Noguchi, Y., Tanaka, F.: OMOY: a handheld robotic gadget that shifts its weight to express emotions and intentions. In: Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems, Honolulu, HI, USA, pp. 1–13. ACM (2020). https://doi.org/10.1145/ 3313831.3376775
- Oda, R.K.: Tools and techniques for rhythmic synchronization in networked musical performance. Ph.D. thesis, Princeton University (2017)
- 107. Ogawa, K., et al.: Telenoid: tele-presence Android for communication. In: ACM SIG-GRAPH 2011 Emerging Technologies on SIGGRAPH 2011, Vancouver, British Columbia, Canada, p. 1. ACM Press (2011). https://doi.org/10.1145/2048259.2048274
- Pagotto, L., Voci, A., Maculan, V.: The effectiveness of intergroup contact at work: Mediators and moderators of hospital workers' prejudice towards immigrants. J. Commun. Appl. Soc. Psychol. 20(4), 317–330 (2010). https://doi.org/10.1002/casp.1038
- 109. Paynter, H.M.: Analysis and Design of Engineering Systems. MIT Press (1961)
- Peled, A., Leinonen, T., Hasler, B.: The potential of telepresence robots for intergroup contact. In: Proceedings of the 4th International Conference on Computer-Human Interaction Research and Applications, CHIRA, pp. 210–217, no. 2184–3244 (2020). https://doi.org/10.5220/0010148102100217
- 111. Peled, A.: Soft Robotic Incarnation (2019)
- 112. Peña, J., Wolff, G., Wojcieszak, M.: Virtual reality and political outgroup contact: can avatar customization and common ingroup identity reduce social distance? Soc. Media + Soc. **7**(1), 2056305121993765 (2021). https://doi.org/10.1177/2056305121993765
- 113. Perry, C.: Machine learning and conflict prediction: a use case. Stab. Int. J. Secur. Dev. 2(3), 56 (2013)
- 114. Pettigrew, T.F.: Intergroup contact theory. Annu. Rev. Psychol. **49**(1), 65–85 (1998)

- 115. Pettigrew, T.F., Tropp, L.R.: A meta-analytic test of intergroup contact theory. J. Pers. Soc. Psychol. **90**(5), 751–783 (2006). https://doi.org/10.1037/0022-3514.90.5.751
- Pettigrew, T.F., Tropp, L.R., Wagner, U., Christ, O.: Recent advances in intergroup contact theory. Int. J. Intercult. Relat. 35(3), 271–280 (2011). https://doi.org/10.1016/j.ijintrel.2011. 03.001
- 117. Phillips-Silver, J., Aktipis, C.A., A. Bryant, G.: The ecology of entrainment: foundations of coordinated rhythmic movement. Music Percept. **28**(1), 3–14 (2010). https://doi.org/10.1525/mp.2010.28.1.3
- 118. Preuß, S., Steffens, M.C.: A video intervention for every straight man: the role of preattitudes and emotions in vicarious-contact effects. Group Process. Intergroup Relations 1368430220910462 (2020). https://doi.org/10.1177/1368430220910462
- Rae, I., Takayama, L., Mutlu, B.: The influence of height in robot-mediated communication.
 In: 2013 8th ACM/IEEE International Conference on Human-Robot Interaction (HRI), pp. 1–8 (2013). https://doi.org/10.1109/HRI.2013.6483495
- Ratan, R.A., Hasler, B.: Self-presence standardized: introducing the self-presence questionnaire (SPQ). In: Proceedings of the 12th Annual International Workshop on Presence, vol. 81 (2009)
- 121. Reich-Stiebert, N., Eyssel, F., Hohnemann, C.: Involve the user! Changing attitudes toward robots by user participation in a robot prototyping process. Comput. Hum. Behav. **91**, 290–296 (2019). https://doi.org/10.1016/j.chb.2018.09.041
- 122. Rich, S.I., Wood, R.J., Majidi, C.: Untethered soft robotics. Nat. Electron. **1**(2), 102–112 (2018). https://doi.org/10.1038/s41928-018-0024-1
- Richardson, D.C., Dale, R., Tomlinson, J.M.: Conversation, gaze coordination, and beliefs about visual context. Cogn. Sci. 33(8), 1468–1482 (2009). https://doi.org/10.1111/j.1551-6709.2009.01057.x
- Rifinski, D., Erel, H., Feiner, A., Hoffman, G., Zuckerman, O.: Human-human-robot interaction: robotic object's responsive gestures improve interpersonal evaluation in human interaction. Hum.-Comput. Interact. 1–27 (2020). https://doi.org/10.1080/07370024.2020. 1719839
- 125. Robertson, N.: Robot avatars and the vicarious realm, p. 14 (2020)
- 126. Saguy, T., Tausch, N., Dovidio, J.F., Pratto, F.: The irony of harmony: intergroup contact can produce false expectations for equality. Psychol. Sci. **20**(1), 114–121 (2009). https://doi.org/10.1111/j.1467-9280.2008.02261.x
- 127. Sah, Y.J., Ratan, R., Tsai, H.Y.S., Peng, W., Sarinopoulos, I.: Are you what your avatar eats? Health-behavior effects of avatar-manifested self-concept. Media Psychol. **20**(4), 632–657 (2017). https://doi.org/10.1080/15213269.2016.1234397
- 128. Salem, W.: The anti-normalization discourse in the context of Israeli-Palestinian peace-building. Palestine-Israel J. Polit. Econ. Cult. **12**(1), 100 (2005)
- 129. Schubert, T., Friedmann, F., Regenbrecht, H.: The experience of presence: factor analytic insights. Presence Teleoper. Virtual Environ. **10**(3), 266–281 (2001). https://doi.org/10.1162/105474601300343603
- Schumann, S., Klein, O., Douglas, K., Hewstone, M.: When is computer-mediated intergroup contact most promising? Examining the effect of out-group members' anonymity on prejudice. Comput. Hum. Behav. 77, 198–210 (2017). https://doi.org/10.1016/j.chb.2017. 08.006
- Sevdalis, V., Keller, P.E.: Captured by motion: dance, action understanding, and social cognition. Brain Cogn. 77(2), 231–236 (2011). https://doi.org/10.1016/j.bandc.2011.08.005
- 132. Shafir, T., Tsachor, R.P., Welch, K.B.: Emotion regulation through movement: unique sets of movement characteristics are associated with and enhance basic emotions. Front. Psychol. 6 (2016). https://doi.org/10.3389/fpsyg.2015.02030

- 133. Shen, S., Slovak, P., Jung, M.F.: "Stop. I See a Conflict Happening.": a robot mediator for young children's interpersonal conflict resolution. In: Proceedings of the 2018 ACM/IEEE International Conference on Human-Robot Interaction, Chicago, IL, USA, pp. 69–77. ACM (2018). https://doi.org/10.1145/3171221.3171248
- 134. Sheridan, T.B.: Teleoperation, telerobotics and telepresence: a progress report. Control. Eng. Pract. 3(2), 205–214 (1995). https://doi.org/10.1016/0967-0661(94)00078-U
- 135. Sholt, M., Gavron, T.: Therapeutic qualities of clay-work in art therapy and psychotherapy: a review. Art Ther. **23**(2), 66–72 (2006). https://doi.org/10.1080/07421656.2006.10129647
- 136. Sievers, B., Polansky, L., Casey, M., Wheatley, T.: Music and movement share a dynamic structure that supports universal expressions of emotion. Proc. Natl. Acad. Sci. **110**(1), 70–75 (2013). https://doi.org/10.1073/pnas.1209023110
- 137. Silva, S.: Reification and fetishism: processes of transformation. Theory Cult. Soc. **30**(1), 79–98 (2013). https://doi.org/10.1177/0263276412452892
- Söeffner, J., Nam, C.S.: Co-presence in shared virtual environments: avatars beyond the opposition of presence and representation. In: Jacko, J.A. (ed.) HCI 2007. LNCS, vol. 4550, pp. 949–958. Springer, Heidelberg (2007). https://doi.org/10.1007/978-3-540-73105-4_104
- Spears, R., Postmes, T., Lea, M., Wolbert, A.: When are net effects gross products? Commun. J. Soc. Issues 58(1), 91–107 (2002)
- 140. STANO, S.: The Internet and the Spread of Conspiracy Content (2020)
- 141. Stiehl, W., Lieberman, J., Breazeal, C., Basel, L., Lalla, L., Wolf, M.: Design of a therapeutic robotic companion for relational, affective touch. In: IEEE International Workshop on Robot and Human Interactive Communication, ROMAN 2005, Nashville, TN, USA, pp. 408–415. IEEE (2005). https://doi.org/10.1109/ROMAN.2005.1513813
- 142. Strait, M., Ramos, A.S., Contreras, V., Garcia, N.: Robots racialized in the likeness of marginalized social identities are subject to greater dehumanization than those racialized as white. In: 2018 27th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN), pp. 452–457 (2018). https://doi.org/10.1109/ROMAN.2018. 8525610
- 143. Stupacher, J., Wood, G., Witte, M.: Synchrony and sympathy: social entrainment with music compared to a metronome. Psychomusicology Music Mind Brain 27(3), 158–166 (2017). https://doi.org/10.1037/pmu0000181
- Sullivan, P., Rickers, K.: The effect of behavioral synchrony in groups of teammates and strangers. Int. J. Sport Exercise Psychol. 11(3), 286–291 (2013). https://doi.org/10.1080/ 1612197X.2013.750139
- 145. Sycara, K.P.: Machine learning for intelligent support of conflict resolution. Decis. Support Syst. 10(2), 121–136 (1993). https://doi.org/10.1016/0167-9236(93)90034-Z
- 146. Tanaka, F., Takahashi, T., Matsuzoe, S., Tazawa, N., Morita, M.: Telepresence robot helps children in communicating with teachers who speak a different language. In: Proceedings of the 2014 ACM/IEEE International Conference on Human-robot Interaction, HRI 2014, Bielefeld, Germany, pp. 399–406. ACM Press (2014). https://doi.org/10.1145/2559636. 2559654
- 147. Thrun, S.: Toward a framework for human-robot interaction. Hum.-Comput. Interact. **19**(1–2), 9–24 (2004). https://doi.org/10.1080/07370024.2004.9667338
- Todo, T.: SEER: simulative emotional expression robot. In: ACM SIGGRAPH 2018 Emerging Technologies, Vancouver, British Columbia, Canada, pp. 1–2. ACM (2018). https://doi.org/10.1145/3214907.3214921
- 149. Trovato, G., Cuellar, F., Nishimura, M.: Introducing 'theomorphic robots'. In: 2016 IEEE-RAS 16th International Conference on Humanoid Robots (Humanoids), pp. 1245–1250 (2016). https://doi.org/10.1109/HUMANOIDS.2016.7803429

- Vázquez, M., Carter, E.J., McDorman, B., Forlizzi, J., Steinfeld, A., Hudson, S.E.: Towards robot autonomy in group conversations: understanding the effects of body orientation and gaze. In: 2017 12th ACM/IEEE International Conference on Human-Robot Interaction, HRI, pp. 42–52 (2017)
- 151. Vezzali, L., Hewstone, M., Capozza, D., Giovannini, D., Wölfer, R.: Improving intergroup relations with extended and vicarious forms of indirect contact. Eur. Rev. Soc. Psychol. **25**(1), 314–389 (2014). https://doi.org/10.1080/10463283.2014.982948
- 152. Voci, A., Hewstone, M.: Intergroup contact and prejudice toward immigrants in Italy: the mediational role of anxiety and the moderational role of group salience. Group Process. Intergroup Relations 6(1), 37–54 (2003). https://doi.org/10.1177/1368430203006001011
- 153. Walker, C.Y.Z.K.: Soft grippers not only grasp fruits: from affective to psychotropic HRI. Louis-Philippe Demers's keynote talk 'Experiencing the Machine Alterity' offered unique insights into situated bodies in motion and how we perceive their agency beyond morphological mimicry. Demers is Director of the Creative Lab at QUT, p. 15 (2019)
- Walther, J.B.: Computer-mediated communication: impersonal, interpersonal, and hyperpersonal interaction. Commun. Res. 23(1), 3–43 (1996)
- 155. Walther, J.B., Hoter, E., Ganayem, A., Shonfeld, M.: Computer-mediated communication and the reduction of prejudice: a controlled longitudinal field experiment among Jews and Arabs in Israel. Comput. Hum. Behav. 52, 550–558 (2015). https://doi.org/10.1016/j.chb. 2014.08.004
- 156. Waqas, A., Salminen, J., Jung, S., Almerekhi, H., Jansen, B.J.: Mapping online hate: a scientometric analysis on research trends and hotspots in research on online hate. PLOS ONE 14(9), e0222194 (2019). https://doi.org/10.1371/journal.pone.0222194
- White, F.A., Harvey, L.J., Abu-Rayya, H.M.: Improving intergroup relations in the internet age: a critical review. Rev. Gen. Psychol. 19(2), 129–139 (2015). https://doi.org/10.1037/ gpr0000036
- Willemse, C.J.A.M., Toet, A., van Erp, J.B.F.: Affective and behavioral responses to robotinitiated social touch: toward understanding the opportunities and limitations of physical contact in human-robot interaction. Front. ICT 4, 12 (2017). https://doi.org/10.3389/fict. 2017.00012
- 159. Yee, N., Bailenson, J.N., Ducheneaut, N.: The Proteus effect: implications of transformed digital self-representation on online and offline behavior. Commun. Res. **36**(2), 285–312 (2009). https://doi.org/10.1177/0093650208330254
- 160. Zancanaro, M., Stock, O., Eisikovits, Z., Koren, C., Weiss, P.L.: Co-narrating a conflict: an interactive tabletop to facilitate attitudinal shifts. ACM Trans. Comput.-Hum. Interact. **19**(3), 24:1–24:30 (2012). https://doi.org/10.1145/2362364.2362372
- Zancanaro, M., et al.: Evaluating an automated mediator for joint narratives in a conflict situation. Behav. Inf. Technol. 39(9), 1022–1037 (2020). https://doi.org/10.1080/0144929X. 2019.1637940
- 162. Zhang, S., Zhang, S., Huang, T., Gao, W.: Multimodal deep convolutional neural network for audio-visual emotion recognition. In: Proceedings of the 2016 ACM on International Conference on Multimedia Retrieval, ICMR 2016, pp. 281–284. ACM Press, New York (2016). https://doi.org/10.1145/2911996.2912051
- Zimbardo, P.G.: The human choice: individuation, reason, and order versus deindividuation, impulse, and chaos. Nebr. Symp. Motiv. 17, 237–307 (1969)
- 164. Žižek, S.: First as Tragedy, Then as Farce. Verso (2009)