ON ROAD. ON TRACK. ON AVONS.



MOTORCYCLE PRODUCT & FITMENT GUIDE

ESTABLISHED 1885

AVON TYRES

Contents

Track



3D Ultra Xtreme



3D Ultra Xtreme Slick



3D Ultra Xtreme Rainracer

Hypersport



3D Ultra Evo

Sport Touring



Spirit ST



Storm 3D X-M

Street



Roadrider MKII



StreetRunner

Tour/Cruise/Custom





Cobra Chrome

Adventure Sport



TrailRider



TrekRider

Classic



Speedmaster MKII*



MKII



MKII (4.00-19)



MKII (5.00-16)

Safety Mileage*



AM20/21*



Sidecar Triple Duty*

AM9*

Scooter



Viper Stryke*

*Sizes available at
www.avontyres.com

4 ..... Avon Motorcycle History

6 ..... Technically Speaking

8 ..... 3D Ultra Xtreme ..... Track

3D Ultra Xtreme Slick ..... Track

3D Ultra Xtreme Rainracer ..... Track

9 ..... 3D Ultra Evo ..... Hypersport

10 ..... Spirit ST ..... Sport Touring

Storm 3D X-M ..... Sport Touring

12 ..... Roadrider MKII ..... Street

StreetRunner ..... Street

14 ..... Cobra Chrome – Universal/Trike ..... Tour/Cruise/Custom

16 ..... TrailRider ..... Adventure Sport

TrekRider ..... Adventure Sport

18 ..... Speedmaster MKII AM6 ..... Classic

Safety Mileage MKII AM7 ..... Classic

AM20/AM21 ..... Classic

Sidecar Triple Duty ..... Classic

AM9 ..... Classic

20 ..... Viper Stryke ..... Scooter

22 ..... Fitment Guide

50 ..... Technical Data

Important Note:
While great care has been made to ensure the data contained in this booklet is accurate and up to date, Cooper Tire and Rubber Europe Ltd cannot accept any responsibility for any errors or omissions contained within. We reserve the right to alter specifications at any time and without prior notice. This issue supercedes all previous databooks/fitment guides. Due to the ever changing nature of fitment guides, we strongly recommend checking our website for the most up to date information at **www.avontyres.com**

History



OEM Fitments



ROYAL ENFIELD	
Classic 500, Classic Desert Storm, Classic Chrome, Classic Battle Green, Classic Squadron Blue, Bullet 500	
Avon Roadrider	
90/90-19 Front	110/80-18 Rear
Speedmaster MKII	**Safety Mileage MKII**
3.25-19 54S Front	3.25-19 54S Rear



KTM	
790S Adventure	
Avon TrailRider	
90/90-21 54V Front	150/70R18 70V Rear



Morgan	
ThreeWheeler	
Avon SafetyMileage MKII	
4.00-19 Front	





Triumph	
Bonneville Bobber	
Avon Cobra	
100/90-19 57V Front	150/80 R16 71V Rear
Bonneville Bobber Black	
Avon Cobra	
MT90B16 74H Front	150/80 R16 71V Rear




Triumph	
Rocket 3	
Avon Cobra Chrome	
150/80R17 72V Front	240/50R16 84V Rear




Triumph	
Bonneville Speedmaster	
Avon Cobra	
MT90B16 AV71 Front	150/80R16 AV72 Rear

Technically Speaking


Encompassed within every Avon motorcycle tyre is some of the world's most advanced tyre technology. It's what helps give Avon tyres their edge. This technology has been painstakingly developed and tested over many years and means that regardless of what type of bike you have and where you ride, you can have absolute faith in your tyres.




Hybrid Belt
Ultra strong steel wires of different tensions bound together to make a tape component to form a unique belt system. This belt produces exceptional high speed stability while the flexibility and natural spring properties of steel translate into superb mechanical grip. This is our most advanced belt system yet.



TE (Tri-compound Extrusion)
Three different rubber compounds are extruded into each tread.
Compound 1 – A durable medium compound in the centre of the tyre for improved mileage.
Compound 2 – A soft compound on the edge of the tyre for maximum grip at high lean angles.
Compound 3 – A very soft low hysteresis compound across the entire base of the tread to improve the bond between the other two compounds and the carcass.



A-VBD (Advanced-Variable Belt Density)
Mainly for rear tyres, this is a jointless belt of ultra strong steel and/or aramid cables that are wound around the tyre's circumference. At the centre of the tread the cables are very closely spaced for maximum stability and high wear resistance. The strands are progressively spaced out towards the tread edge to produce the characteristics of a multi-compounded tyre i.e. hard compound in the middle and a soft compound on the edge.



ATAC-TA Tread Profile
(Advanced Tread Arc Combination – Tri Arc)
ATAC varies the tread profile across the tyre for the ultimate in handling and stability however far over your bike is. Works in tandem with A-VBD.



IFG (Inverted Front Grooves)
For the front tyre, a system pioneered by Avon in the late eighties and only now being adopted by the competition, resists 'stepped-wear' and cupping to deliver smooth handling throughout the tyre's life. By significantly reducing uneven tread wear, a further advantage of the IFG configuration is improved wet braking and shorter stopping distances.



RF (Reactive Footprint)
Reactive Footprint technology marries Avon's unique ATAC profile, ES and LPE systems (see below) to produce a footprint which changes size and shape depending on the bike's lean angle for the full life of the tyre. The result is a contact patch that grows as the bike leans, giving more grip in corners. It is also enhanced by Avon's unique variable belt density A-VBD.




SRS-Compound (Super Rich Silica-Compound)
Compounds formulated with large amounts of silica offer enhanced grip in wet and cold conditions. This produces extra grip when the tyre is cold but also reduces excessive heat build up which can affect mileage.



Race-C
Compounds optimised for track performance.



EAF Pattern (Enhanced Aqua Flow)
Front and rear tread patterns are computer designed for maximum throughput of water within the tyre footprint. This propels water away from the contact patch hence aiding water dispersion and maximising wet grip.




ES System (Enhanced Stability System)
The carcass, sidewall and tread pattern are designed to work in harmony so that the stresses absorbed by the tyre are distributed evenly. This reduces localised flexing within the tyre's structure. The result is an increase in grip and stability while at the same time reduces tread wear.




LPE (Lifetime Profile Engineering)
This works in conjunction with ATAC to produce a tyre profile and footprint which even when worn, gives consistent handling and stability for the full life of the tyre.




FFG (Force Following Grooves)
Grooves that work in tandem with the forces being transmitted through the tyre at various lean angles for increased wear resistance, optimum water dispersal, reduced tyre noise and improved mileage.



SBC System
'Spiral and Belted Carcass'. A high level of grip puts high loads through the tyre's carcass; the SBC System features ultra-tough belts underneath the 0 degree belt of A-VBD to cope with the extreme stresses.




WCTA (Wide Custom Tread Arc)
A profile for improved manoeuverability at all speeds.



3D siping: Interlocking three dimensional points hidden in the sipes to improve stability and grip, limit tread flex and allow the tyre to warm up quickly.

Centre section of 'Variable Belt Density' jointless belt:
Steel wires are closely positioned for high-speed stability and even wear.



Shoulder section:
Steel wires are widely spaced to give an increased footprint in corners and significantly increases grip.

Technical Details By Tyre

	Hybrid Belt	TE	A-VBD	ATAC-TA	IFG	RF	SRS	EAF Pattern	ES System	LPE	FFG	Race-C	WCTA	SBC System	3D Sipes
3D Ultra Evo Front	X*		X*	X	X		X	X	X		X				X
3D Ultra Evo Rear	X	X	X	X		X	X	X	X	X	X				X
Spirit ST Front				X	X		X	X	X		X				X
Spirit ST Rear	X	X	X	X		X	X	X	X	X	X			X	X
Storm 3D X-M Front				X	X		X	X	X		X				X
Storm 3D X-M Rear	X	X	X	X		X	X	X	X	X	X			X	X
Roadrider MKII Front				X	X			X			X				
Roadrider MKII Rear				X				X			X				
Roadrider MKII Universal				X				X			X				
StreetRunner Front					X										
StreetRunner Rear															
StreetRunner Universal															
Cobra Chrome Front (Crossply)				X	X			X	X	X	X		X		
Cobra Chrome Front (Radial)				X	X			X	X	X	X		X		
Cobra Chrome Rear (Crossply)				X		X		X	X	X	X		X		
Cobra Chrome Rear (Radial)	X		X	X		X		X	X	X	X		X		
Cobra Chrome Universal				X				X	X		X				
Cobra Chrome Trike				X	X			X	X		X				
TrailRider Front (Crossply)				X	X		X	X	X		X				
TrailRider Front (Radial)				X	X		X	X	X		X				X
TrailRider Rear (Crossply)				X			X	X	X	X	X				
TrailRider Rear (Radial)	X	X	X	X		X	X	X	X	X	X				X
TrekRider Front				X	X			X	X		X				
TrekRider Rear				X				X	X	X	X				
Safety Mileage MKII AM7															
AM20 Front															
AM21 Rear															
Speedmaster MKII AM6															
Sidecar Triple Duty															
AM9 Universal															
Viper Stryke Front															
Viper Stryke Rear															
Viper Stryke Universal															

*120/70ZR17

3D Ultra Xtreme

MANUFACTURED IN THE UK



- Road legal race tyre
- Superb dry weather performance thanks to super-sticky rubber compound
- Very quick to reach working temperature
- Large footprint at extreme lean angles
- 3D siping with interlocking three dimensional points to improve stability and grip, limit tread flex, and allow the tyre to warm up quickly

US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
3D Ultra Xtreme Front – AC1 Supersoft									
90000028577	4500013	**120/70ZR17**	(58W)	MT3.50	3.50 - 3.75	118 / 4.6	600 / 23.6	3.8	552 / 883
3D Ultra Xtreme Front – AC3 Medium									
90000001350	4500011	**120/70ZR17**	(58W)	MT3.50	3.50 - 3.75	118 / 4.6	600 / 23.6	3.8	552 / 883
3D Ultra Xtreme Rear – AC2 Soft									
90000028479	4510016	**160/60ZR17**	(69W)	MT4.50	4.25 - 5.00	162 / 6.4	624 / 24.6	5.2	531 / 849
90000028573	4510017	**180/55ZR17**	(73W)	MT5.50	5.50 - 6.00	180 / 7.1	640 / 25.2	4.5	517 / 828
90000027048	4510014	**180/60ZR17**	(75W)	MT5.00	5.00 - 5.50	190 / 7.5	648 / 25.5	4.5	511 / 818
90000001352	4510012	**190/55ZR17**	(75W)	MT6.00	5.50 - 6.00	191 / 7.5	650 / 25.6	4.5	509 / 815
3D Ultra Xtreme Rear – AC3 Medium									
90000022226	4510013	**160/60ZR17**	(69W)	MT4.50	4.25 - 5.00	162 / 6.4	624 / 24.6	5.2	531 / 849
90000001351	4510011	**180/55ZR17**	(73W)	MT5.50	5.50 - 6.00	180 / 7.1	640 / 25.2	4.5	517 / 828
90000028575	4510018	**180/60ZR17**	(75W)	MT5.00	5.00 - 5.50	190 / 7.5	648 / 25.5	4.5	511 / 818
90000028576	4510019	**190/55ZR17**	(75W)	MT6.00	5.50 - 6.00	191 / 7.5	650 / 25.6	4.5	509 / 815
3D Ultra Xtreme Rear – AC4 Endurance									
90000040368	2510011	**180/60ZR17**	(75W)	MT5.00	5.00 - 5.50	190 / 7.5	648 / 25.5	4.5	511 / 818
90000040369	2510012	**190/55ZR17**	(75W)	MT6.00	5.50 - 6.00	191 / 7.5	650 / 25.6	4.5	509 / 815

3D Ultra Xtreme Slick

MANUFACTURED IN THE UK



US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
3D Ultra Xtreme Slick Front									
90000039289	4470011	**120/70R17**		MT3.50	3.50 - 3.75	117 / 4.6	597 / 23.5		533 / 858
3D Ultra Xtreme Slick Rear – AC3 Medium									
90000039340	4470012	**180/60R17**		MT5.00	5.00 - 5.50	190 / 7.5	648 / 25.5		511 / 818
90000039341	4470013	**190/55R17**		MT6.00	5.50 - 6.00	191 / 7.5	650 / 25.6		509 / 815
3D Ultra Xtreme Slick Rear – AC4 Endurance									
90000040394	4470014	**180/60R17**		MT5.00	5.00 - 5.50	190 / 7.5	648 / 25.5		511 / 818
90000040395	4470015	**190/55R17**		MT6.00	5.50 - 6.00	191 / 7.5	650 / 25.6		509 / 815

3D Ultra Xtreme Rainracer

MANUFACTURED IN THE UK



US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
3D Ultra Xtreme Rainracer Front									
90000039091	15956	**120/70ZR17**		MT3.50	3.50 - 3.75	117 / 4.6	603 / 23.7	3.8	528 / 850
3D Ultra Xtreme Rainracer Rear									
90000039092	15958	**160/60ZR17**		MT5.50	5.50 - 6.00	188 / 7.4	626 / 24.7	5.2	508 / 818
90000039093	15960	**180/55ZR17**		MT5.00	5.00 - 5.50	188 / 7.4	650 / 25.6	5.2	490 / 788
90000039094	16078	**180/60ZR17**		MT5.00	5.00 - 5.50	188 / 7.4	650 / 25.6	5.2	490 / 788
90000039095	16153	**190/50ZR17**		MT6.00	5.50 - 6.00	190 / 7.5	648 / 25.5	5.2	491 / 791

*3D Ultra Xtreme Rainracer does not have 3D sipes

3D Ultra Evo

MANUFACTURED IN THE UK

US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
3D Ultra Evo Front									
90000038853	2370012	**120/60ZR17**	(55W)	MT3.50	3.50 - 3.75	115 / 4.5	583 / 22.9	3.8	568 / 909
90000038854	2370013	**120/70ZR17**	(58W)	MT3.50	3.50 - 3.75	119 / 4.7	600 / 23.6	3.8	552 / 883
90000038852	2370011	**130/70ZR16**	(61W)	MT3.50	3.50 - 4.00	127 / 5.0	588 / 23.1	3.8	563 / 901
3D Ultra Evo Rear									
90000038831	2380011	**150/60ZR17**	(66W)	MT4.25	4.00 - 4.50	157 / 6.2	615 / 24.2	5.2	554 / 886
90000038832	2380012	**160/60ZR17**	(69W)	MT4.50	4.25 - 5.00	162 / 6.4	628 / 24.7	5.2	527 / 844
90000038833	2380013	**180/55ZR17**	(73W)	MT5.50	5.50 - 6.00	179 / 7.0	637 / 25.1	5.2	520 / 832
90000038829	2380014	**190/50ZR17**	(73W)	MT6.00	5.50 - 6.00	192 / 7.6	622 / 24.5	5.2	532 / 852
90000038850	2380015	**190/55ZR17**	(75W)	MT6.00	5.50 - 6.00	190 / 7.5	649 / 25.6	5.2	510 / 816
90000038851	2380016	**200/50ZR17**	(75W)	MT6.25	6.00 - 6.50	202 / 8.0	632 / 24.9	6.0	524 / 838



- Outstanding handling characteristics
- Large footprint at extreme lean angles
- High performance single and multi-compound Super Rich Silica (SRS) treads enhance wet grip
- Ideal for high performance bikes
- 3D siping with interlocking three dimensional points to improve stability and grip, limit tread flex, and allow the tyre to warm up quickly



Spirit ST

MANUFACTURED IN THE UK



US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Spirit ST Front									
90000030031	4030011	**110/70ZR17**	(54W)	MT3.00	3.00 - 3.50	108 / 4.3	593 / 23.3	4.0	558 / 888
90000030100	4030020	**100/90ZR18**	(56W)	MT2.50	2.50 - 2.75	107 / 4.2	636 / 25.0	4.0	521 / 833
90000029983	4030021	**110/80ZR18**	(58W)	MT2.50	2.50 - 3.00	109 / 4.3	633 / 24.9	4.0	523 / 837
90000030026	4030012	**110/80R19**	59V	MT2.50	2.50 - 3.00	109 / 4.3	664 / 26.1	4.0	499 / 798
90000030034	4030013	**120/60ZR17**	(55W)	MT3.50	3.50 - 3.75	117 / 4.6	580 / 22.8	4.0	571 / 913
90000030027	4030014	**120/70ZR17**	(58W)	MT3.50	3.50 - 3.75	118 / 4.6	605 / 23.8	4.0	546 / 874
90000029969	4030015	**120/70ZR18**	(59W)	MT3.50	3.50 - 3.75	119 / 4.7	625 / 24.6	4.0	527 / 843
90000029759	4030016	**120/70ZR19**	(60W)	MT3.50	3.00 - 3.75	118 / 4.6	652 / 25.7	4.0	508 / 813
Spirit ST Rear									
90000030061	4030019	**150/70ZR17**	(69W)	MT4.25	4.00 - 4.50	153 / 6.0	643 / 25.3	8.0	515 / 824
90000030060	4030018	**150/80ZR16**	(71W)	MT3.50	3.50 - 4.25	152 / 6.0	646 / 25.4	8.0	513 / 820
90000030063	4030111	**160/60ZR17**	(69W)	MT4.50	4.25 - 5.00	164 / 6.5	629 / 24.8	8.0	526 / 842
90000030062	4030110	**160/60ZR18**	(70W)	MT4.50	4.25 - 5.00	168 / 6.6	649 / 25.6	8.0	510 / 816
90000030064	4030112	**160/70ZR17**	(73W)	MT4.50	4.25 - 5.00	166 / 6.5	656 / 25.8	8.0	505 / 808
90000030065	4030113	**170/60ZR17**	(72W)	MT4.50	4.50 - 5.50	170 / 6.7	635 / 25.0	8.0	521 / 834
90000030066	4030114	**180/55ZR17**	(73W)	MT5.50	5.50 - 6.00	188 / 7.4	629 / 24.8	8.0	524 / 838
90000030067	4030115	**190/50ZR17**	(73W)	MT6.00	5.50 - 6.00	195 / 7.7	626 / 24.6	8.0	529 / 846
90000030068	4030116	**190/55ZR17**	(75W)	MT6.00	5.50 - 6.00	190 / 7.5	651 / 25.6	8.0	509 / 814
90000030069	4030117	**200/50ZR17**	(75W)	MT6.25	6.00 - 6.50	203 / 8.0	630 / 24.8	8.0	524 / 838
90000030080	4030118	**200/55ZR17**	(78W)	MT6.25	6.00 - 6.50	196 / 7.7	654 / 25.7	8.0	506 / 810

- Ultra-high performance sport touring tyre
- Highly loaded silica compound combined with state of the art polymer technology for excellent wet and dry traction and handling
- Interlocking three dimensional points hidden in the sipes to improve stability and grip, limit tread flex and allow the tyre to warm up quickly (3D Sipes)
- Avon's latest technology construction design gives ultra high performance handling and stability characteristics
- Multi-compound rear tyres for all round tyre performance (TE)



Storm 3D X-M

MANUFACTURED IN THE UK

US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Storm 3D X-M Front									
90000020785	4210013	**110/80ZR18**	(58W)	MT2.50	2.50 - 3.00	109 / 4.3	633 / 24.9	4.0	523 / 837
90000020787	4210015	**120/70ZR18**	(59W)	MT3.50	3.50 - 3.75	119 / 4.7	625 / 24.6	4.0	527 / 843
90000020110	4210011	**120/70ZR17**	(58W)	MT3.50	3.50 - 3.75	118 / 4.6	605 / 23.8	4.0	546 / 874
Storm 3D X-M Rear									
90000020744	4220013	**150/70ZR17**	(69W)	MT4.25	4.00 - 4.50	153 / 6.0	643 / 25.3	8.0	515 / 824
90000020762	4220014	**150/80ZR16**	(71W)	MT3.50	3.50 - 4.25	152 / 6.0	646 / 25.4	8.0	513 / 820
90000020497	4220015	**160/60ZR17**	(69W)	MT4.50	4.25 - 5.00	164 / 6.5	629 / 24.8	8.0	526 / 842
90000020499	4220017	**160/70R17***	79V	MT4.50	4.25 - 5.00	166 / 6.5	656 / 25.8	8.0	505 / 808
90000020780	4220018	**170/60ZR17**	(72W)	MT4.50	4.50 - 5.50	170 / 6.7	635 / 25.0	8.0	521 / 834
90000020111	4220011	**180/55ZR17**	(73W)	MT5.50	5.50 - 6.00	188 / 7.4	629 / 24.8	8.0	524 / 838
90000020112	4220012	**190/50ZR17**	(73W)	MT6.00	5.50 - 6.00	195 / 7.7	626 / 24.6	8.0	529 / 846
90000020781	4220019	**190/55ZR17**	(75W)	MT6.00	5.50 - 6.00	190 / 7.5	651 / 25.6	8.0	509 / 814
90000020782	4220110	**200/50ZR17**	(75W)	MT6.25	6.00 - 6.50	203 / 8.0	630 / 24.8	8.0	524 / 838

*Reinforced



- High performance plus extended mileage
- The X-M version will deliver 15%-20% extra mileage compared to the Storm 2 Ultra
- Interlocking three dimensional points hidden in the sipes to improve stability and grip, limit tread flex and allow the tyre to warm up quickly (3D Sipes)
- High performance single and multi-compound super rich silica tread enhances wet grip (SRS)
- Superb handling and stability characteristics
- Typical fitments: Suzuki Hayabusa, BMW K1300GT, Honda VFR 1200, Kawasaki GTR1400, Suzuki GSX1400
- Tri-compound Extrusion (TE) on rear tyres



Roadrider MKII

MANUFACTURED IN THE UK



- Timeless appearance with cutting-edge performance and aesthetics that suit bikes of all ages
- New tyre construction enhances handling and stability in both wet and dry conditions
- Enhanced sidewall design reduces the effects of ozone degradation

US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Roadrider MKII Front									
90000037455	2130011	**90/90-19***	52V	MT2.15	1.85 - 2.50	99 / 3.9	647 / 25.5	5.0	512 / 819
90000037457	2130012	**90/90-21***	54V	MT2.15	1.85 - 2.50	98 / 3.9	698 / 27.5	5.0	474 / 759
90000037467	2130013	**100/80-17***	52H	MT2.50	2.15 - 2.75	101 / 4.0	595 / 23.4	5.0	557 / 890
90000037458	2130014	**110/80V17**	(57V)	MT2.50	2.15 - 3.00	112 / 4.4	614 / 24.2	5.0	539 / 863
90000037468	2130015	**110/80-17**	57H	MT2.50	2.15 - 3.00	112 / 4.4	614 / 24.2	5.0	539 / 863
90000037459	2130016	**120/70V17**	(58V)	MT3.50	2.75 - 3.75	120 / 4.7	607 / 23.9	5.0	546 / 873
Roadrider MKII Rear									
90000037491	2140011	**4.00-18**	64V	MT2.50	2.15 - 3.00	116 / 4.6	671 / 26.4	7.5	493 / 790
90000037492	2140012	**120/80-18**	62V	MT2.75	2.50 - 3.00	120 / 4.7	652 / 25.7	7.5	508 / 813
90000037493	2140013	**130/70V18**	(63V)	MT3.50	3.00 - 4.00	133 / 5.2	649 / 25.6	7.5	510 / 816
90000037544	2140014	**130/70-18**	63H	MT3.50	3.00 - 4.00	133 / 5.2	649 / 25.6	7.5	510 / 816
90000037494	2140015	**130/80-17**	65V	MT3.00	2.50 - 3.50	136 / 5.4	645 / 25.4	7.5	513 / 821
90000037454	2140016	**130/80-17**	65H	MT3.00	2.50 - 3.50	136 / 5.4	645 / 25.4	7.5	513 / 821
90000037495	2140017	**130/80V18**	(66V)	MT3.00	2.50 - 3.50	137 / 5.4	672 / 26.5	7.5	493 / 788
90000037496	2140018	**130/90-17***	68V	MT3.00	2.50 - 3.50	140 / 5.5	671 / 26.4	7.5	493 / 790
90000037497	2140019	**140/70-17**	66V	MT3.75	3.50 - 4.50	140 / 5.5	641 / 25.2	7.5	517 / 827
90000037456	2140110	**140/70-17**	66H	MT3.75	3.50 - 4.50	140 / 5.5	641 / 25.2	7.5	517 / 827
90000037499	2140111	**140/70V18**	(67V)	MT3.75	3.50 - 4.50	142 / 5.6	666 / 26.2	7.5	497 / 795
90000037560	2140112	**150/70V17**	(69V)	MT4.25	3.50 - 4.50	156 / 6.1	656 / 25.8	7.5	505 / 808
90000037561	2140113	**150/70V18**	(70V)	MT4.25	3.50 - 4.50	154 / 6.1	679 / 26.7	7.5	488 / 780
90000037562	2140114	**150/80V16**	(71V)	MT3.50	3.00 - 4.25	161 / 6.3	655 / 25.8	7.5	506 / 809
90000037563	2140115	**160/80V15**	(74V)	MT3.75	3.00 - 4.50	162 / 6.4	637 / 25.1	7.5	520 / 832
90000037564	2140196	**MT90V16*†**	(74V)	3.00D	2.50 - 3.50	137 / 5.4	646 / 25.4	7.5	513 / 820
Roadrider MKII Universal									
90000037565	2150011	**3.25-19**	54V	MT2.15	1.85 - 2.50	98 / 3.9	664 / 26.1	5.0	499 / 798
90000037567	2150012	**90/90-18***	51V	MT2.15	1.85 - 2.50	97 / 3.8	619 / 24.4	5.0	535 / 856
90000037568	2150013	**100/90-18***	56V	MT2.50	2.15 - 2.75	108 / 4.3	642 / 25.3	5.6	516 / 825
90000037317	2150014	**100/90-18***	56H	MT2.50	2.15 - 2.75	108 / 4.3	642 / 25.3	5.6	516 / 825
90000037569	2150015	**100/90-19***	57V	MT2.50	2.15 - 2.75	109 / 4.3	671 / 26.4	5.6	493 / 790
90000037570	2150016	**110/70V17**	(54V)	MT3.00	2.50 - 3.50	108 / 4.3	593 / 23.3	5.0	558 / 893
90000037318	2150017	**110/70-17**	54H	MT3.00	2.50 - 3.50	108 / 4.3	593 / 23.3	5.0	558 / 893
90000037571	2150018	**110/80V18**	(58V)	MT2.50	2.15 - 3.00	111 / 4.4	640 / 25.2	5.6	517 / 828
90000037572	2150019	**110/90V18**	(61V)	MT2.50	2.15 - 3.00	116 / 4.6	663 / 26.1	5.6	499 / 799
90000037573	2150110	**120/80V16**	(60V)	MT2.75	2.50 - 3.00	126 / 5.0	601 / 23.7	5.6	551 / 882
90000037574	2150111	**120/80-17**	61V	MT2.75	2.50 - 3.00	120 / 4.7	629 / 24.8	7.5	526 / 842
90000037575	2150112	**120/90-17**	64V	MT2.75	2.50 - 3.00	128 / 5.0	649 / 25.6	7.5	510 / 816
90000037576	2150113	**120/90-18**	65V	MT2.75	2.50 - 3.00	127 / 5.0	675 / 26.6	7.5	491 / 785
90000037319	2150114	**130/70-17**	62H	MT3.50	3.00 - 4.00	130 / 5.1	625 / 24.6	7.5	530 / 848
90000037577	2150115	**140/80V17**	(69V)	MT3.50	2.75 - 3.75	143 / 5.6	665 / 26.2	7.5	498 / 797

*Equivalent sizes (see table below) | †Reinforced

90/90-19	52V	3.00-19
90/90-21	54V	3.00-21
100/80-17	52H	3.25-17
130/90-17	68V	5.10-17
MT90V16	(74V)	130/90V16

90/90-18	51V	3.00-18
100/90-18	56V	3.50-18
100/90-18	56H	3.50-18
100/90-19	57V	3.50-19

StreetRunner

US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
StreetRunner Front									
90000024541	8180012	**80/100-17***	53S	MT1.85	1.60 - 2.15	78 / 3.1	590 / 23.2	4.0	561 / 898
StreetRunner Rear									
90000024542	8180013	**100/90-17**	55S	MT2.50	2.15 - 2.75	100 / 3.9	610 / 24.0	5.0	543 / 869
90000024543	8180014	**130/70-17**	62S	MT3.50	3.00 - 4.00	128 / 5.0	612 / 24.1	5.0	541 / 866
StreetRunner Universal									
90000024545	8180016	**2.50-17***	43S	MT1.50	1.35 - 1.60	67 / 2.6	568 / 22.4	5.0	583 / 933
90000024546	8180017	**2.75-17***	47S	MT1.85	1.40 - 1.85	76 / 3.0	584 / 23.0	5.0	567 / 907
90000024547	8180018	**100/80-17**	52S	MT2.50	2.15 - 2.75	99 / 3.9	590 / 23.2	5.0	561 / 898
90000024548	8180019	**3.00-18**	47S	MT1.85	1.60 - 2.15	82 / 3.2	625 / 24.6	5.0	530 / 848
90000024544	8180015	**90/90-18**	51S	MT2.15	1.85 - 2.50	89 / 3.5	620 / 24.4	5.0	534 / 855

*Reinforced
StreetRunner manufactured outside the UK



- Specially designed for smaller CC commuter bikes
- Superb tyre life and all weather grip
- Impressive handling characteristics
- Latest technology in pattern design



STREET

Cobra Chrome

MANUFACTURED IN THE UK



- Unique tyre design with detailed aesthetic features
- Excellent wet braking and stability
- High stability in all conditions delivering precise feel and tyre feedback
- Improved tyre life over its predecessor
- Aimed at the power cruiser/touring/custom market
- Incorporates sports tyre technology for nimble handling
- Incredible stability and longevity – perfect for touring
- Extra wide sizes for custom bikes
- Available in white sidewall for the ultimate statement of individuality

US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile	Whitewall Width mm
Cobra Chrome Front										
90000031650	2120194	**MH90-21***†	56V	MT1.85	1.60 - 2.15	83 / 3.3	688 / 27.1	5.2	479 / 766	
90000031651	2120195	**MH90-21***†	56V	MT1.85	1.60 - 2.15	83 / 3.3	688 / 27.1	5.2	479 / 766	15
90000031649	2120113	**90/90-21**	54H	MT2.15	1.85 - 2.50	94 / 3.7	701 / 27.6	5.2	468 / 749	
90000031439	4120011	**100/90-19**	57V	MT2.50	2.15 - 2.75	109 / 4.3	662 / 26.1	5.2	500 / 800	
90000031630	2120011	**100/90-19**	57V	MT2.50	2.15 - 2.75	110 / 4.3	662 / 26.1	5.2	500 / 800	20
90000031631	2120012	**110/90-19**	62H	MT2.50	2.15 - 3.00	119 / 4.7	682 / 26.9	5.2	487 / 779	
90000031634	4120012	**120/70ZR19**	(60W)	MT3.50	3.00 - 3.75	123 / 4.8	649 / 25.6	4.7	523 / 837	
90000031632	2120093	**120/70-21**†	68V	MT3.50	2.75 - 3.75	120 / 4.7	709 / 27.9	4.8	467 / 747	
90000031633	2120094	**120/70-21**†	68V	MT3.50	2.75 - 3.75	120 / 4.7	709 / 27.9	4.8	467 / 747	17
90000031652	2120196	**MT90B16***†	74H	3.00D	2.50 - 3.50	136 / 5.4	638 / 25.1	5.2	523 / 837	
90000031653	2120197	**MT90B16** *†	74H	3.00D	2.50 - 3.50	132 / 5.2	638 / 25.1	5.2	523 / 837	35
90000031636	2120016	**130/60B19**	61V	MT3.50	3.00 - 4.00	124 / 4.9	644 / 25.4	4.8	514 / 823	
90000031637	2120017	**130/60B21**	63V	MT3.50	3.00 - 4.00	124 / 4.9	695 / 27.4	4.8	476 / 762	
90000031639	4120013	**130/70R18**	63H	MT3.50	3.50 - 4.00	128 / 5.0	647 / 25.5	4.7	517 / 827	
90000031640	4120014	**130/70VR18**	(63V)	MT3.50	3.50 - 4.00	128 / 5.0	647 / 25.5	4.7	517 / 827	
90000031638	2120098	**130/70B18**†	70H	MT3.50	3.00 - 4.00	130 / 5.1	647 / 25.5	4.7	513 / 821	
90000031641	2120019	**130/80B17**	65H	MT3.00	2.50 - 3.50	130 / 5.1	638 / 25.1	4.8	520 / 832	
90000031643	4120015	**140/75R17**	67V	MT3.50	3.50 - 4.25	141 / 5.6	644 / 25.4	4.8	518 / 829	
90000031644	2120111	**150/80-16**	71H	MT3.50	3.00 - 4.25	157 / 6.2	637 / 25.1	5.2	525 / 840	
90000031645	4120016	**150/80R16**	71V	MT3.50	3.50 - 4.25	149 / 5.9	645 / 25.4	4.7	517 / 827	
90000031646	4120017	**150/80R16**	71V	MT3.50	3.50 - 4.25	149 / 5.9	645 / 25.4	4.7	517 / 827	40
90000031647	4120018	**150/80R17**	72V	MT3.50	3.50 - 4.25	150 / 5.9	672 / 26.5	4.7	496 / 794	

†Reinforced | White Wall |

*Equivalent sizes

MH90-21	56V	80/90-21
MT90B16	74H	130/90B16
140/90B16	77H	MU85B16





US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile	Whitewall Width mm
Cobra Chrome Rear										
90000031517	2120398	**MT90B16*†**	74H	3.00D	2.50 - 3.50	133 / 5.2	638 / 25.1	8.7	522 / 835	40
90000031516	2120397	**MT90B16*†**	74H	3.00D	2.50 - 3.50	133 / 5.2	638 / 25.1	8.7	522 / 835	
90000031398	2120118	**140/70B18†**	73H	MT3.75	3.50 - 4.50	140 / 5.5	661 / 26.0	8.7	501 / 802	
90000031399	2120199	**140/90-15†**	76H	MT3.50	2.75 - 3.75	149 / 5.9	633 / 24.9	8.7	530 / 848	
90000031480	2120290	**140/90B16*†**	77H	MT3.50	2.75 - 3.75	143 / 5.6	649 / 25.6	8.7	518 / 829	
90000031481	2120291	**140/90B16*†**	77H	MT3.50	2.75 - 3.75	143 / 5.6	649 / 25.6	8.7	518 / 829	42
90000031482	2120292	**150/70B18†**	76V	MT4.25	3.50 - 4.50	151 / 5.9	667 / 26.3	5.8	496 / 794	25
90000031483	2120293	**150/70VB18†**	(76V)	MT4.25	3.50 - 4.50	151 / 5.9	667 / 26.3	5.8	496 / 794	
90000031484	2120294	**150/80B16†**	77V	MT3.50	3.00 - 4.25	157 / 6.2	640 / 25.2	7.2	518 / 829	
90000031485	2120295	**150/80B16†**	77V	MT3.50	3.00 - 4.25	157 / 6.2	640 / 25.2	7.2	518 / 829	42
90000031486	4120019	**150/80R16**	71V	MT3.50	3.50 - 4.25	152 / 6.0	646 / 25.4	8.0	513 / 820	
90000031487	4120110	**150/80R16**	71V	MT3.50	3.50 - 4.25	154 / 6.1	645 / 25.4	8	513 / 820	40
90000037553	2120496	**150/90B15†**	80H	MT3.50	3.00 - 4.25	162 / 6.4	654 / 25.7	8.7	506 / 810	
90000037550	2120417	**150/90VB15***	(74V)	MT3.50	3.00 - 4.25	162 / 6.4	654 / 25.7	8.7	506 / 810	
90000031489	2120217	**160/70B17†**	79V	MT4.50	3.75 - 5.00	156 / 6.1	662 / 26.1	8.7	500 / 800	
90000031490	2120298	**160/80B16†**	81H	MT3.75	3.00 - 4.50	167 / 6.6	665 / 26.2	8.7	505 / 808	
90000031491	4120111	**170/70R16**	75H	MT4.50	4.50 - 5.50	170 / 6.7	645 / 25.4	8.2	519 / 830	
90000031492	2120299	**170/80B15†**	83H	MT4.00	3.00 - 4.50	170 / 6.7	653 / 25.7	8.7	507 / 811	
90000031518	2120399	**170/80B15†**	83H	MT4.00	3.00 - 4.50	170 / 6.7	653 / 25.7	8.7	507 / 811	52
90000039992	2120418	**180/55B18†**	80H	MT5.50	5.50 - 6.00	178 / 7.0	655 / 25.8	8.7	506 / 809	
90000031494	4120112	**180/55ZR18**	(74W)	MT5.50	5.50 - 6.00	184 / 7.2	655 / 25.8	6.6	514 / 822	
90000031496	4120113	**180/60R16†**	80H	MT5.00	5.00 - 5.50	182 / 7.2	630 / 24.8	8.4	522 / 835	
90000040009	2120419	**180/60B17**	75V	MT5.00	4.25 - 5.50	175 / 6.9	655 / 25.8	8.7	506 / 809	
90000031497	2120392	**180/65B16†**	81H	MT5.00	4.25 - 5.50	185 / 7.3	635 / 25.0	8.3	521 / 834	
90000031498	2120393	**180/65B16†**	81H	MT5.00	4.25 - 5.50	185 / 7.3	635 / 25.0	8.3	521 / 834	35
90000031499	2120314	**180/70B15**	76H	MT5.00	4.25 - 5.50	180 / 7.1	626 / 24.6	8.7	529 / 846	
90000031500	4120114	**180/70R16**	77V	MT5.00	5.00 - 5.50	182 / 7.2	656 / 25.8	8.5	505 / 808	
90000031501	4120115	**180/70R16**	77V	MT5.00	5.00 - 5.50	182 / 7.2	656 / 25.8	8.5	505 / 808	40
90000031502	4120116	**190/60VR17**	(78V)	MT5.00	5.00 - 6.00	188 / 7.4	660 / 26.0	6.8	502 / 803	
90000031503	2120315	**200/30R23†**	74V	MT7.00	6.50 - 7.50	199 / 7.8	709 / 27.9	5.4	467 / 747	
90000031504	4120117	**200/50R17**	75H	MT6.25	6.00 - 6.50	199 / 7.8	631 / 24.8	8	525 / 840	
90000031505	4120118	**200/55VR17**	(78V)	MT6.25	6.00 - 6.50	198 / 7.8	658 / 25.9	6.8	513 / 821	
90000031506	4120119	**200/55VR18**	(79V)	MT6.25	6.00 - 6.50	198 / 7.8	679 / 26.7	6.8	488 / 780	
90000031507	4120210	**200/60VR16**	(79V)	MT5.50	5.50 - 6.25	200 / 7.9	646 / 25.4	7.0	513 / 820	
90000031508	2120316	**200/70B15**	82H	MT5.50	4.75 - 6.25	200 / 7.9	661 / 26.0	7.7	501 / 802	
90000031519	2120410	**230/60B15**	86H	MT6.25	5.50 - 7.00	229 / 9.0	668 / 26.3	8.7	496 / 793	
90000031509	4120211	**240/40VR18**	(79V)	MT8.50	8.00 - 9.00	238 / 9.4	648 / 25.5	9.2	509 / 814	
90000031510	4120212	**240/50R16**	84V	MT7.50	7.00 - 8.00	237 / 9.3	649 / 25.6	7.2	509 / 814	
90000031511	4120213	**250/40VR18**	(81V)	MT9.00	8.50 - 9.50	251 / 9.9	655 / 25.8	6.7	514 / 822	
90000031512	4120214	**260/40VR18**	(84V)	MT9.00	8.50 - 9.50	260 / 10.2	665 / 26.2	6.7	498 / 797	
90000031513	4120215	**280/35VR18**	(84V)	MT10.00	9.50 - 10.50	282 / 11.1	653 / 25.7	6.5	507 / 811	
90000031514	4120216	**300/35VR18**	(87V)	MT10.5	10.00 - 11.00	300 / 11.8	664 / 26.1	6.5	499 / 798	
90000031515	4120217	**330/30R17**	87V	MT11.50	11.00 - 12.50	328 / 12.9	631 / 24.8	6.5	525 / 840	
Cobra Chrome Universal										
90000031654	4120218	**130/60VR23**	(65V)	MT3.50	3.50 - 4.00	124 / 4.9	744 / 29.3	4.8	442 / 707	
Cobra Chrome Trike										
90000031657	2120411	**MT90B16***	74H	3.00D	2.50 - 3.50	133 / 5.2	638 / 25.1	8.7	522 / 835	
90000031656	4120310	**130/70R18**	63V	MT3.50	3.50 - 4.00	128 / 5.0	647 / 25.5	4.7	517 / 827	

†Reinforced | White Wall



TrailRider

MANUFACTURED IN THE UK



- New Super Rich Silica Compound using the very latest compounding technology to enhance wet grip
- Multi-compound treads on radial rears to enhance mileage and grip
- Interlocking three dimensional points hidden in the sipes to improve stability and grip, limit tread flex and allow the tyre to warm up quickly – 3D SIPES (radial tyres)
- High tech carcass construction and next generation compounds deliver superb grip and handling
- 85% on-road, 15% off-road
- M+S marked

US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
TrailRider Front									
90000023891	2230011	**80/90-21***	48S	MT1.85	1.60 - 2.15	84 / 3.3	693 / 27.3	5.6	476 / 762
90000023890	2230012	**90/90-21****	54V	MT2.15	1.85 - 2.50	92 / 3.6	706 / 27.8	5.2	468 / 749
90000037579	2230019	**100/90-19**	57V	MT2.50	2.15 - 2.75	104 / 4.1	666 / 26.2	5.2	497 / 795
90000023887	4230011	**110/80R19**	59V	MT2.50	2.50 - 3.00	109 / 4.3	662 / 26.1	5.2	499 / 798
90000037092	4230413	**110/80R18**	58V	MT2.50	2.50 - 3.00	110 / 4.3	636 / 25.0	5.2	521 / 833
90000027045	4230014	**120/70ZR19**	(60W)	MT3.50	3.00 - 3.75	121 / 4.8	653 / 25.7	5.2	507 / 811
90000023889	4230013	**120/70ZR17**	(58W)	MT3.50	3.50 - 3.75	122 / 4.8	600 / 23.6	5.2	553 / 885
TrailRider Rear									
90000023892	2240011	**110/80-18**	58S	MT2.50	2.15 - 3.00	115 / 4.5	643 / 25.3	10.5	517 / 827
90000023893	2240012	**120/80-18**	62S	MT2.75	2.50 - 3.00	121 / 4.8	662 / 26.1	10.5	497 / 795
90000023894	2240013	**120/90-17**	64S	MT2.75	2.50 - 3.00	123 / 4.8	645 / 25.4	10.5	512 / 819
90000040396	2240114	**130/80-17**	65S	MT3.00	2.50 - 3.50	138 / 5.4	654 / 25.7	10.5	512 / 819
90000023897	2240015	**140/80-18**	70S	MT3.50	2.75 - 3.75	146 / 5.7	686 / 27.0	8.0	483 / 772
90000023896	4240411	**130/80R17**	65H	MT3.00	3.00 - 3.50	133 / 5.2	643 / 25.3	8.0	517 / 827
90000023898	4240412	**140/80R17**	69V	MT3.50	3.50 - 3.75	144 / 5.7	652 / 25.7	8.0	510 / 816
90000023899	4240413	**150/60R17**	66H	MT4.25	4.00 - 4.50	150 / 5.9	613 / 24.1	8.0	539 / 862
90000023900	4240414	**150/70R17**	69V	MT4.25	4.00 - 4.50	153 / 6.0	640 / 25.2	8.0	520 / 832
90000029660	4240011	**150/70R18**	70V	MT4.25	4.00 - 4.50	152 / 6.0	667 / 26.3	8.0	496 / 794
90000023901	4240415	**160/60ZR17**	(69W)	MT4.50	4.25 - 5.00	164 / 6.5	623 / 24.5	8.0	532 / 851
90000027046	4240419	**170/60ZR17**	(72W)	MT4.50	4.50 - 5.50	170 / 6.7	635 / 25.0	8.0	521 / 834
90000023903	4240417	**180/55ZR17**	(73W)	MT5.50	5.50 - 6.00	188 / 7.4	629 / 24.8	8.0	524 / 838

*Replaces 2.75-21
**Replaces 3.00-21

TrekRider

MANUFACTURED IN THE UK

US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
TrekRider Front									
90000037580	2230110	**90/90-21**	54V	MT2.15	1.85 - 2.50	92 / 3.6	701 / 27.6	6.0	472 / 756
90000028156	2230017	**110/80-19**	59V	MT2.50	2.15 - 3.00	113 / 4.4	668 / 26.3	6.0	496 / 793
90000037086	2230111	**120/70-19**	60V	MT3.50	3.00 - 3.75	121 / 4.8	653 / 25.7	5.2	507 / 811
TrekRider Rear									
90000028157	2240016	**130/80-17**	65T	MT3.00	2.50 - 3.50	138 / 5.4	654 / 25.7	10.5	512 / 819
90000028158	2240017	**140/80-17**	69T	MT3.50	2.75 - 3.75	146 / 5.7	659 / 25.9	10.0	502 / 804
90000028159	2240018	**140/80-18**	70T	MT3.50	2.75 - 3.75	147 / 5.8	687 / 27.0	10.0	482 / 771
90000028160	2240110	**150/70-17**	69V	MT4.25	3.50 - 4.50	155 / 6.1	649 / 25.6	10.0	510 / 816
90000040311	2240113	**150/70-18**	70V	MT4.25	3.50 - 4.50	152 / 6.0	684 / 26.9	10.0	484 / 775
90000037087	2240112	**170/60-17**	72V	MT4.50	4.00 - 5.50	167 / 6.6	643 / 25.3	8.5	521 / 834



- 50% on-road, 50% off road
- Smooth and quiet ride
- Bevelled edges to resist tearing
- Sloped grooves to resist movement
- M+S marked

Adventure Sport





Speedmaster MKII (AM6)

MANUFACTURED IN THE UK

US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Speedmaster AM6									
90000000618	1727410	**3.00-19* TT**	54S	1.85	1.60 - 2.15	78 / 3.1	641 / 25.2	3.5	517 / 827
90000000610	1658410	**3.00-20 TT****	50S	1.85	1.60 - 2.15	75 / 3.0	665 / 26.2	3.5	498 / 797
90000000611	1659401	**3.00-21* TT**	57S	1.85	1.60 - 2.15	76 / 3.0	691 / 27.2	3.6	481 / 770
90000000605	1655501	**3.25-17 TT**	50S	2.15	1.85 - 2.50	89 / 3.5	616 / 24.3	3.5	538 / 860
90000000607	1657501	**3.25-19 TT**	54S	2.15	1.85 - 2.50	86 / 3.4	658 / 25.9	4.0	497 / 795
90000000608	1657601	**3.50-19 TT**	57S	2.15	1.85 - 2.50	92 / 3.6	682 / 26.9	3.6	482 / 771

*Reinforced | **Special production only | TT = Tube Type

- Classic ribbed front tyre
- Curved tread profile and ribbed pattern so typical of classic bikes
- Best used in conjunction with the Safety Mileage MKII rear tyre



A **B** **C**

MKII (3.50-19/4.00-18) | MKII (4.00-19) | MKII (5.00-16)

Safety Mileage MKII (AM7)

MANUFACTURED IN THE UK

US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Safety Mileage MKII AM7 – A									
90000000600	1645501	**3.25-17 TT**	50S	2.15	1.85-2.50	89 / 3.5	616 / 24.3	3.5	538 / 860
90000000619	1727610	**3.50-19 TT**	57S	2.15	1.85 - 2.50	93 / 3.7	682 / 26.9	8.1	482 / 771
90000000601	1646801	**4.00-18 TT**	64S	2.50	2.15 - 3.00	111 / 4.4	677 / 26.7	8.1	488 / 781
Safety Mileage MKII AM7 – B									
90000001578	1720011	**4.00-19 TT**	65H	2.50	2.15 - 3.00	110 / 4.3	702 / 27.6	9.2	471 / 754
Safety Mileage MKII AM7 – C									
90000000616	1694901	**5.00-16 TT**	69S	3.00	3.00 - 3.50	131 / 5.2	669 / 26.3	8.1	499 / 798

TT = Tube Type

- Classic block pattern rear tyre
- Available in a variety of different tread patterns designed to suit older bikes
- Modern rubber compounds deliver enhanced durability and performance
- Best used in conjunction with the Speedmaster MKII front tyre

Sidecar Triple Duty

MANUFACTURED IN THE UK



US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Sidecar Triple Duty									
90000000617	1697605	**3.50-19 TT**	57L	2.15	1.85 - 2.50	92 / 3.6	679 / 26.7	9.4	491 / 786

TT = Tube Type

- A great all-rounder for every position
- Although especially suited to the front wheel, these tyres can be used in any position on a sidecar outfit

AM20/AM21

MANUFACTURED IN THE UK



US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
AM20 Front									
90000040363	2740011	**90/90-19**	52H	MT2.15	1.85 - 2.50	95 / 3.7	647 / 25.5	5.0	512 / 819
90000040364	2740012	**90/90-21**	54H	MT2.15	1.85 - 2.50	93 / 3.7	700 / 27.6	5.0	474 / 758
90000040365	2740093	**130/90-16***	73H	3.00D	2.50 - 3.50	138 / 5.4	638 / 25.1	5.0	525 / 840
AM21 Rear									
90000040366	2750091	**MT90-16***	74H	3.00D	2.50 - 3.50	139 / 5.5	650 / 25.6	7.8	517 / 827

*Reinforced

- Accomplished all-rounder
- Tread pattern designed to give first class water dispersal under the contact patch.

AM9

MANUFACTURED IN THE UK



US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
AM9 Universal									
90000040362	1600011	**4.10-19 TT**	61H	2.50	1.85 - 3.00	102 / 4.0	667 / 26.3	7.0	507 / 811

TT = Tube Type

- A great value all-rounder
- Can be fitted either to the front or rear of your bike

Viper Stryke



- Specially designed for modern scooters
- Exceptional tyre life
- Superb handling characteristics
- Comfortable for long distance commuting

US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Viper Stryke Front									
90000025120	2340011	**80/90-14**	40S	MT1.85	1.60-2.15	78 / 3.1	499 / 19.6	5.5	664 / 1062
90000000698	2341011	**100/80-16**	50P	MT2.50	2.15-2.75	100 / 3.9	566 / 22.3	6.0	585 / 936
90000000692	2340411	**110/90-12***	64P	MT2.50	2.15-3.00	110 / 4.3	503 / 19.8	5.5	658 / 1053
90000000693	2340511	**110/90-13**	56P	MT2.50	2.15-3.00	110 / 4.3	528 / 20.8	5.5	627 / 1003
90000000699	2341111	**110/70-16**	52S	MT3.00	2.50-3.50	110 / 4.3	560 / 22.0	6.0	591 / 946
90000000694	2340611	**120/70-13**	53P	MT3.50	2.75-3.75	120 / 4.7	498 / 19.6	5.5	665 / 1064
90000000695	2340711	**120/70-14**	55S	MT3.50	2.75-3.75	120 / 4.7	524 / 20.6	5.5	632 / 1011
90000000696	2340811	**120/80-14**	58S	MT2.75	2.50-3.00	120 / 4.7	548 / 21.6	5.5	604 / 967
90000000697	2340911	**120/70-15**	56S	MT3.50	2.75-3.75	120 / 4.7	549 / 21.6	5.5	603 / 965
Viper Stryke Rear									
90000025123	2350011	**100/90-14***	57S	MT2.50	2.15-2.75	108 / 4.3	538 / 21.2	6.0	615 / 985
90000000707	2352111	**120/80-16**	60P	MT2.75	2.50-3.00	120 / 4.7	598 / 23.5	6.0	554 / 886
90000000701	2351311	**130/70-13***	63P	MT3.50	3.00-4.00	130 / 5.1	509 / 20.0	5.5	651 / 1041
90000000700	2351211	**140/70-12***	65P	MT3.75	3.50-4.50	140 / 5.5	501 / 19.7	6.0	661 / 1057
90000000702	2351411	**140/60-13***	63P	MT3.75	3.50-4.50	140 / 5.5	498 / 19.6	6.0	665 / 1064
90000000704	2351611	**140/60-14***	64S	MT3.75	3.50-4.50	140 / 5.5	524 / 20.6	6.0	632 / 1011
90000000705	2351711	**140/70-14***	68S	MT3.75	3.50-4.50	140 / 5.5	552 / 21.7	6.0	600 / 960
90000000708	2352211	**140/70-16**	65P	MT3.75	3.50-4.50	140 / 5.5	602 / 23.7	6.0	550 / 880
90000000703	2351511	**150/70-13**	64S	MT4.25	3.50-4.50	150 / 5.9	540 / 21.3	6.0	613 / 981
90000000706	2351811	**150/70-14**	66S	MT4.25	3.50-4.50	150 / 5.9	566 / 22.3	6.0	585 / 936
Viper Stryke Universal									
90000025124	2360011	**3.50-10**	51J	MT2.50	1.85-2.50	97 / 3.8	436 / 17.2	5.5	759 / 1215
90000025125	2360012	**90/90-10****	50J	MT2.15	1.85-2.15	87 / 3.4	414 / 16.3	5.5	800 / 1280
90000025127	2360014	**90/90-14**	46S	MT2.15	1.85-2.50	91 / 3.6	515 / 20.3	5.5	643 / 1029
90000025126	2360013	**100/90-10**	56J	MT2.50	2.15-2.50	98 / 3.9	433 / 17.0	5.5	765 / 1224
90000000712	2362311	**120/70-12***	58P	MT3.50	2.75-3.75	126 / 5.0	473 / 18.6	5.5	700 / 1120
90000000713	2362411	**130/70-12***	62P	MT3.50	3.00-4.00	131 / 5.2	487 / 19.2	5.5	680 / 1088
90000000714	2362511	**130/60-13***	60P	MT3.50	3.00-4.00	130 / 5.1	486 / 19.1	5.0	681 / 1090

**Replaces 3.00-10
*Reinforced | Viper Stryke manufactured outside the UK

RT-639RIDER

MANUFACTURED IN THE UK



US Code	Part Number	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile	Weight Grs
TrailRider Front										
90000023891	2230011	**80/90-21***	48S	MT1.85	1.60 - 2.15	84 / 3.3	693 / 27.3	5.6	476 / 762	N/A
90000023890	2230012	**90/90-21****	54V	MT2.15	1.85 - 2.50	92 / 3.6	706 / 27.8	5.2	468 / 749	4.590
90000037579	2230019	**100/90-19**	57V	MT2.50	2.15 - 2.75	104 / 4.1	666 / 26.2	5.2	497 / 795	5.00
90000023887	4230011	**110/80R19**	59V	MT2.50	2.50 - 3.00	109 / 4.3	662 / 26.1	5.2	499 / 798	4.500
90000037092	4230413	**110/80R18**	58V	MT2.50	2.50 - 3.00	110 / 4.3	636 / 25.0	5.2	521 / 833	5.300
90000027045	4230014	**120/70ZR19**	(60W)	MT3.50	3.00 - 3.75	121 / 4.8	653 / 25.7	5.2	507 / 811	5.400
90000023889	4230013	**120/70ZR17**	(58W)	MT3.50	3.50 - 3.75	122 / 4.8	600 / 23.6	5.2	553 / 885	4.400
TrailRider Rear										
90000023423	2240114	**130/90-16**	73H	MT3.00	2.50 - 3.50	127 / 5.0	635 / 25.0	7.0	365 / 805	6.270
90000023793	2240013	**120/90-17**	64H	MT2.75	2.50 - 3.00	127 / 5.0	660 / 26.0	10.5	280 / 615	5.800
90000023243	2240015	**110/80-18**	58H	MT3.50	2.75 - 3.75	102 / 4.0	635 / 25.0	10.5	236 / 520	5.500
90000023893	2240012	**120/80-18**	73H	MT3.00	3.00 - 3.25	145 / 5.7	652 / 25.7	10.5	365 / 805	6.050
90000023163	4240411	**120/80-18**	65H	MT3.00	3.00 - 3.25	145 / 5.7	652 / 25.7	10.5	290 / 640	6.050
90000023983	4240412	**100/90-19**	57H	MT2.50	3.50 - 3.75	102 / 4.0	660 / 26.0	8.0	230 / 505	4.000
90000023713	4240413	**130/90-16**	73H	MT3.50	3.50 - 4.25	127 / 5.0	635 / 25.0	8.0	365 / 805	5.200
90000023433	4240414	**150/80-16**	71H	MT3.50	3.50 - 4.25	153 / 6.0	660 / 26.0	9.0	345 / 760	6.700



- Designed for both on-road and off-road driving, adapting to various driving styles.
- Tread pattern with large V-shaped blocks ensuring good traction and braking.
- Provides good shock absorption for a comfortable ride.
- Good performance in wet conditions, allowing for efficient water evacuation.



Butyl Rubber

Tube Size	Tyre Sizes Imperial	Tyre Sizes Metric	Tube Valve	Tube Type
A10T300	2.75-10	80/90-10	TR87	STD
	3.00-10	90/90-10		
A10T350	3.00-10	90/90-10	TR87	STD
	3.50-10	100/90-10		
A16T130	5.00-16	MT90-16	TR87	STD
	5.10-16	130/90-16		
		140/90-16		
		150/80-16*		
		160/80-16		
A16T131	5.10-16	130/90-16	TR4	STD
A17T120	4.50-17	120/90-17	TR4	STD
	5.10-17	130/70-17		
		130/80-17		
		140/70-17		
		150/60-17		
A17T150	5.00-17	130/90-17	TR4	STD
	5.10-17	140/80-17		
		150/70-17		
		160/60-17		
		160/70-17		
A17T250	2.50-17	70/90-17	TR4	STD
	2.75-17	80/90-17		
A17T300	2.75-17	80/90-17	TR4	STD
	3.00-17	90/90-17		
A18T300	2.75-18	80/90-18	TR4	STD
	3.00-18	90/90-18		
A18T325	3.25-18	100/90-18	TR4	STD
	3.50-18	110/80-18		
		90/90-18		
A19T300	2.75-19	80/90-19	TR4	STD
	3.00-19	90/90-19		
A19T325	3.25-19	100/90-19	TR4	STD
	3.50-19	110/80-19		
		90/90-19		
A21T275	2.75-21	80/90-21	TR4	STD
	3.00-21	90/90-21		
		MH90-21		


*OEM Triumph

Natural Rubber

Tube Size	Tyre Sizes Imperial	Tyre Sizes Metric	Tube Valve	Tube Type
A18T110	3.50-18	110/90-18	TR4	Heavy Duty
	4.00-18	120/80-18		
		120/90-18		
		130/70-18		
		130/80-18		
		100/90-18		
A18T400	4.00-18	100/100-18	TR4	Heavy Duty
	4.50-18	110/100-18		
		120/90-18		
		130/80-18		
		140/80-18		
		110/90-18		
A19T100	4.00-19	100/90-19	TR4	Heavy Duty
	4.50-19	110/90-19		
A21T300	2.75-21	80/90-21	TR4	Heavy Duty
	3.00-21	90/90-21		
		MH90-21		



- Natural rubber
- Fitments for 18" to 21" rims



TR87 VALVE



TR4 VALVE

Fitment Guide

IMPORTANT NOTE
While great care has been made to ensure the data contained in this booklet is accurate and up to date, Cooper Tire & Rubber Europe Ltd cannot accept any responsibility for any errors or omissions contained within. We reserve the right to alter specifications at any time and without prior notice.

This issue supercedes all previous databooks/fitment guides.

Due to the ever changing nature of fitment guides, we strongly recommend checking our website for the most up to date information at **www.avonmotorcycle.com** or **www.avonmoto.com**

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
Aprilia										
50	2004-	MX 50 - Edition 01	100/80-17 52S TL	**Streetrunner AV83**	130/70-17 62S TL	**Streetrunner AV83**	2.75	3.50	2.00 / 29	2.30 / 33
50	2004-	MX 50 - Edition 01	100/80-17 52H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	2.75	3.50	2.00 / 29	2.30 / 33
50	2008-	MX 50 Supermoto	100/80-17 52S TL	**Streetrunner AV83**	130/70-17 62S TL	**Streetrunner AV83**	2.75	3.50	2.00 / 29	2.30 / 33
50	2008-	MX 50 Supermoto	100/80-17 52H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	2.75	3.50	2.00 / 29	2.30 / 33
50	2009-	One 50 2T	120/70-14 55S TL	**Viper Stryke AM63**	120/70-14 55S TL	**Viper Stryke AM63**	3.00	3.50	1.90 / 28	2.20 / 32
50	2005-	Rally 50	80/90-21 48S TL	**Trailrider M+S AV53**	110/80-18 58S TL	**Trailrider M+S AV54**	1.60	2.15	2.00 / 29	2.30 / 33
50	2006-2011	RS 50	100/80-17 52H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	2.75	3.50	2.00 / 29	2.10 / 30
50	2006-2011	RS 50	100/80-17 52S TL	**Streetrunner AV83**	130/70-17 62S TL	**Streetrunner AV83**	2.75	3.50	2.00 / 29	2.10 / 30
50	2011-	RS4 50	100/80-17 52H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	2.75	3.00	2.00 / 29	2.10 / 30
50	2011-	RS4 50	100/80-17 52S TL	**Streetrunner AV83**	130/70-17 62S TL	**Streetrunner AV83**	2.75	3.00	2.00 / 29	2.10 / 30
50	2001-	RX 50 - Rally 50	80/90-21 48S TL	**Trailrider M+S AV53**	110/80-18 58S TL	**Trailrider M+S AV54**	1.60	2.15	2.00 / 29	2.30 / 33
50	2017-	RX 50	80/90-21 48S TL	**Trailrider M+S AV53**	110/80-18 58S TL	**Trailrider M+S AV54**	1.60	2.15	2.00 / 29	2.30 / 33
50	2011-	Sport City One 50 2T	120/70-14 55S TL	**Viper Stryke AM63**	120/70-14 55S TL	**Viper Stryke AM63**	3.00	3.50	1.80 / 26	2.00 / 29
50	2007-	SR 50 Europe - Urban - Vip - Racing - Stealth - WWW	130/60-13 60P TL	**Viper Stryke AM63**	130/60-13 60P TL	**Viper Stryke AM63**	3.50	3.50	1.90 / 28	2.10 / 30
50	2007-	SR 50 Europe - Urban - Vip - Racing - Stealth - WWW	130/60-13 60P TL	**Viper Stryke AM63**	130/60-13 60P TL	**Viper Stryke AM63**	3.50	3.50	1.90 / 28	2.10 / 30
50	2007-	SR 50 LC R - Factory - Street	130/60-13 60P TL	**Viper Stryke AM63**	130/60-13 60P TL	**Viper Stryke AM63**	3.50	3.50	2.00 / 29	2.20 / 32
50	2015-	SR Motard 50	120/70-14 55S TL	**Viper Stryke AM63**	120/70-14 55S TL	**Viper Stryke AM63**	3.00	3.50	2.00 / 29	2.20 / 32
50	2007-	SR 50 Netscaper	130/60-13 60P TL	**Viper Stryke AM63**	130/60-13 60P TL	**Viper Stryke AM63**	3.50	3.50	1.90 / 28	2.10 / 30
50	2006-	SX 50	100/80-17 52S TL	**Streetrunner AV83**	130/70-17 62S TL	**Streetrunner AV83**	2.,75	3.50	2.00 / 29	2.30 / 33
50	2006-	SX 50	100/80-17 52H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	2.,75	3.50	2.00 / 29	2.30 / 33
125	1992-2009+	AF1 Extrema - Extrema	110/70-17 54H TL	**Roadrider MKII**	140/70-17 66H TL	**Roadrider MKII**	2.75	3.50	2.00 / 29	2.30 / 33
125	2011-	RS 125 ABS - 125 Replica ABS Euro 4	100/80-17 52S TL	**Streetrunner AV83**	130/70-17 62S TL	**Streetrunner AV83**	2.75	3.50	2.00 / 29	2.10 / 30
125	2011-	RS 125 ABS - 125 Replica ABS Euro 4	100/80-17 52H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	2.75	3.50	2.00 / 29	2.10 / 30
125	2004-	RS 125 Tuono	110/70ZR17 (54W) TL	**Spirit ST AV75**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	1.80 / 26	2.30 / 33
125	2004-	RS 125 Tuono	110/70ZR17 (54W) TL	**Storm 3D X-M AV65**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	1.80 / 26	2.30 / 33
125	2011-	RS4 125	100/80-17 52S TL	**Streetrunner AV83**	130/70-17 62S TL	**Streetrunner AV83**	2.75	3.50	2.00 / 29	2.30 / 33
125	2011-	RS4 125	100/80-17 52H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	2.75	3.50	2.00 / 29	2.30 / 33
125	2011	RS4 125	110/70ZR17 (54W) TL	**Spirit ST AV75**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	2.75	3.50	2.00 / 29	2.30 / 33
125	2011	RS4 125	110/70ZR17 (54W) TL	**Storm 3D X-M AV65**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	2.75	3.50	2.00 / 29	2.30 / 33
125	2018-	RX 125	90/90-21 54V TL	**Trailrider M+S AV53**	120/80-18 62S TL	**Trailrider M+S AV54**	1.85	2.15	1.70 / 25	2.00 / 29
125	2008-2017	SX 125 Supermoto (11kw + 17kw)	110/70-17 54H TL	**Roadrider MKII**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.10 / 30
125	2008-2017	SX 125 Supermoto (11kw + 17kw)	110/70ZR17 (54W) TL	**Spirit ST AV75**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.10 / 30
125	2008-2017	SX 125 Supermoto (11kw + 17kw)	110/70ZR17 (54W) TL	**Storm 3D X-M AV65**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.10 / 30
125	2018-	SX 125 Supermoto	110/70-17 54H TL	**Roadrider MKII**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.30 / 33
125	2018-	SX 125 Supermoto	110/70ZR17 (54W) TL	**Spirit ST AV75**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.30 / 33
125	2018-	SX 125 Supermoto	110/70ZR17 (54W) TL	**Storm 3D X-M AV65**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.30 / 33
125	2019-	SX 125	100/80-17 52S TL	**Streetrunner AV83**	130/70-17 62S TL	**Streetrunner AV83**	2.50	3.50	2.00 / 29	2.30 / 33
125	2019-	SX 125	100/80-17 52H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	2.50	3.50	2.00 / 29	2.30 / 33
125	2017-	Tuono 125 Euro 4	100/80-17 52S TL	**Streetrunner AV83**	130/70-17 62S TL	**Streetrunner AV83**	2.75	3.50	2.30 / 33	2.50 / 36
125	2017-	Tuono 125 Euro 4	100/80-17 52H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	2.75	3.50	2.30 / 33	2.50 / 36
500	2007-2011	Scarabeo 500 ie	110/70-16 52S TL	**Viper Stryke AM63**	150/70-14 66S TL	**Viper Stryke AM63**	3.00	4.00	2.20 / 32	2.30 / 33
650	2006-	Pegaso 650 Trail	100/90-19 57V TL	**Trailrider M+S AV53**	130/80R17 65H TL	**Trailrider M+S AV54**	2.15	3.00	2.10 / 30	2.30 / 33
650	2006-	Pegaso 650 Trail	100/90-19 57V TL	**Trailrider M+S AV53**	140/80R17 69V TL	**Trailrider M+S AV54**	2.15	3.00	2.10 / 30	2.30 / 33
750	2007-	SL 750 Shiver - GT	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
750	2007-	SL 750 Shiver - GT	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
750	2007-	SL 750 Shiver - GT	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
750	2007-	SL 750 Shiver - GT	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	6.00	2.50 / 36	2.90 / 42
750	2007-	SL 750 Shiver - GT	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/50ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
750	2007-	SL 750 Shiver - GT	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
750	2007-	SL 750 Shiver - GT	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/50ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
750	2008-	SMV 750 Dorsoduro Factory	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.70 / 39
750	2008-	SMV 750 Dorsoduro Factory	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.70 / 39
750	2008-	SMV 750 Dorsoduro Factory	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.70 / 39
750	2008-	SMV 750 Dorsoduro Factory	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	6.00	2.50 / 36	2.70 / 39
850	2006-	NA 850 Mana - GT	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.80 / 41
850	2006-	NA 850 Mana - GT	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.80 / 41
850	2006-	NA 850 Mana - GT	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.80 / 41
850	2006-	NA 850 Mana - GT	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	6.00	2.50 / 36	2.80 / 41
900	2017-	SL 900 Shiver	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
900	2017-	SL 900 Shiver	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
900	2017-	SL 900 Shiver	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
900	2017-	SL 900 Shiver	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	6.00	2.50 / 36	2.90 / 42
900	2018-	SMV 900 Dorsoduro	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
900	2018-	SMV 900 Dorsoduro	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
900	2018-	SMV 900 Dorsoduro	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
900	2018-	SMV 900 Dorsoduro	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2001-2012	ETV 1000 CapoNord - Rally Raid inkl. ABS	110/80R19 59V TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	2.50	4.00	2.50 / 36	2.90 / 42
1000	2001-2012	ETV 1000 CapoNord - Rally Raid inkl. ABS	110/80R19 59V TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	2.50	4.00	2.50 / 36	2.90 / 42
1000	2001-2012	ETV 1000 CapoNord - Rally Raid inkl. ABS	110/80R19 59V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	2.50	4.00	2.50 / 36	2.90 / 42
1000	2001-2012	ETV 1000 CapoNord - Rally Raid inkl. ABS	110/80-19 59V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	2.50	4.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R - Factory	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R - Factory	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R - Factory	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R - Factory	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/50ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R - Factory	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R - Factory	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/50ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R - Factory	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R - Factory	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R - Factory	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R Nera RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R Nera RR	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R Nera RR	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R Nera RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/50ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R Nera RR	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R Nera RR	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/50ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R Nera RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R Nera RR	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2004-2010	RSV 1000 R Nera RR	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2006-2010	RSV 1000 Tuono R - Factory R	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2006-2010	RSV 1000 Tuono R - Factory R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2006-2010	RSV 1000 Tuono R - Factory R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2006-2010	RSV 1000 Tuono R - Factory R	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/50ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2006-2010	RSV 1000 Tuono R - Factory R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2006-2010	RSV 1000 Tuono R - Factory R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/50ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2006-2010	RSV 1000 Tuono R - Factory R	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	-	-
1000	2006-2010	RSV 1000 Tuono R - Factory R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2006-2010	RSV 1000 Tuono R - Factory R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2016-	RSV 4 RF - RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-2016	RSV 4 RR - RF	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-2016	RSV 4 RR - RF	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-2016	RSV 4 RR - RF	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-2016	RSV 4 RR - RF	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-2018	RSV4 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/50ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-2018	RSV4 R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-2018	RSV4 R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/50ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-2018	RSV4 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-2018	RSV4 R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-2018	RSV4 R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-2018	RSV4 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2009-2018	RSV4 Factory	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2009-2018	RSV4 Factory	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2009-2018	RSV4 Factory	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2009-2018	RSV4 Factory	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2011-	RSV4 Factory; R	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/50ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2011-	RSV4 Factory; R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2011-	RSV4 Factory; R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/50ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2011-	RSV4 Factory; R	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2011-	RSV4 Factory; R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2011-	RSV4 Factory; R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2011-	RSV4 Factory; R	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2015	Tuono V4 RR Factory	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2015	Tuono V4 RR Factory	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2015	Tuono V4 RR Factory	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2015	Tuono V4 RR Factory	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2011-2014	Tuono V4R	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2011-2014	Tuono V4R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2011-2014	Tuono V4R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2011-2014	Tuono V4R	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1077	2016-2018	Tuono V4 1100 Factory	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1077	2016-2018	Tuono V4 1100 Factory	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1077	2016-2018	Tuono V4 1100 Factory	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1077	2016-2018	Tuono V4 1100 Factory	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1077	2016-	Tuono V4 1100 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42

Storm 3D X-M not available in North America

Fitment Guide

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
1077	2016-	Tuono V4 1100 RR	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1077	2016-	Tuono V4 1100 RR	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1077	2016-	Tuono V4 1100 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1077	2015	Tuono V4 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1077	2015	Tuono V4 RR	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1077	2015	Tuono V4 RR	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1077	2015	Tuono V4 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1100	2019-	RSV4 1100 Factory	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1100	2019-	Tuono V4 1100 Factory	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1100	2019-	Tuono V4 1100 Factory	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1100	2019-	Tuono V4 1100 Factory	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1100	2019-	Tuono V4 1100 Factory	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2013	Caponord 1200	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.80 / 41
1200	2013	Caponord 1200	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.80 / 41
1200	2013	Caponord 1200	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.80 / 41
1200	2013	Caponord 1200	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	6.00	2.50 / 36	2.80 / 41
1200	2014-2016	Caponord 1200 ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.80 / 41
1200	2014-2016	Caponord 1200 ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.80 / 41
1200	2014-2016	Caponord 1200 ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.80 / 41
1200	2015-	Caponord Rallye	120/70ZR19 (60W) TL	**Spirit ST AV75**	170/60ZR17 (72W) TL	**Spirit ST AV76**	3.00	4.50	2.50 / 36	2.80 / 41
1200	2015-	Caponord Rallye	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	170/60ZR17 (72W) TL	**Trailrider M+S AV54**	3.00	4.50	2.50 / 36	2.80 / 41
1200	2015-	Caponord Rallye	120/70-19 60V TL	**Trekrider M+S AV84**	170/60-17 72V TL	**Trekrider M+S AV85**	3.00	4.50	2.50 / 36	2.80 / 41
1200	2011-	SMV 1200 Dorsoduro	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2011-	SMV 1200 Dorsoduro	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2011-	SMV 1200 Dorsoduro	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2011-	SMV 1200 Dorsoduro	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	6.00	2.50 / 36	2.90 / 42
125-150	2001-	SR 125 - SR 150	130/60-13 60P TL	**Viper Stryke AM63**	130/60-13 60P TL	**Viper Stryke AM63**	3.50	3.50	2.00 / 29	2.30 / 33
125-300	2013-	SR Max 125 ie - SR Max 300 ie	120/70-15 56S TL	**Viper Stryke AM63**	140/60-14 64S TL	**Viper Stryke AM63**	3.50	3.50	2.10 / 30	2.40 / 35
250-300	2007-2011	Scarabeo 250 i.e. - Scarabeo 300 ie.	110/70-16 52S TL	**Viper Stryke AM63**	140/70-14 68S TL	**Viper Stryke AM63**			2.10 / 30	2.40 / 35
450-550	2006-	RXV 450 - 550 - MXV 450	90/90-21 54V TL	**Trailrider M+S AV53**	140/80-18 70S TL	**Trailrider M+S AV54**	1.60	2.15	1.80 / 26	2.00 / 29
450-550	2006-	RXV 450 - 550 - MXV 450	90/90-21 54V TL	**Trekrider M+S AV84**	140/80-18 70T TL	**Trekrider M+S AV85**	1.60	2.15	1.80 / 26	2.00 / 29
450-550	2006-	SXV 450 - 550	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.30 / 33	2.50 / 36
450-550	2006-	SXV 450 - 550	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.30 / 33	2.50 / 36
450-550	2006-	SXV 450 - 550	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.30 / 33	2.50 / 36
450-550	2006-	SXV 450 - 550	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.30 / 33	2.50 / 36
50-125	2009-	Sport City One 4T	120/70-14 55S TL	**Viper Stryke AM63**	120/70-14 55S TL	**Viper Stryke AM63**	3.00	3.50	1.80 / 26	2.00 / 29
50-125	2015-	SR Motard 50 - 125	120/70-14 55S TL	**Viper Stryke AM63**	120/70-14 55S TL	**Viper Stryke AM63**	2.75	3.50	-	-
BMW										
310	2017-	G 310 GS	110/80R19 59V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	3.00	4.00	2.30 / 33	2.30 / 33
310	2017-	G 310 GS	110/80-19 59V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	3.00	4.00	2.30 / 33	2.30 / 33
310	2017-	G 310 GS	110/80R19 59V TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	3.00	4.00	2.30 / 33	2.30 / 33
310	2017-	G 310 GS	110/80R19 59V TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	3.00	4.00	2.30 / 33	2.30 / 33
310	2016-	G 310 R	110/70ZR17 (54W) TL	**Storm 3D X-M AV65**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.20 / 32	2.30 / 33
310	2016-	G 310 R	110/70ZR17 (54W) TL	**Spirit ST AV75**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.20 / 32	2.30 / 33
350	2018-	C 400 X	120/70-15 56S TL	**Viper Stryke AM63**	150/70-14 66S TL	**Viper Stryke AM63**	3.50	4.25	2.40 / 35	2.60 / 38
350	2019-	C 400 GT	120/70-15 56S TL	**Viper Stryke AM63**	150/70-14 66S TL	**Viper Stryke AM63**	3.50	4.25	2.60 / 38	2.60 / 38
450	2008-	G 450 X	90/90-21 54V TL	**Trailrider M+S AV53**	140/80-18 70S TL	**Trailrider M+S AV54**	1.60	2.15	1.80 / 26	2.10 / 30
450	2008-	G 450 X	90/90-21 54V TL	**Trekrider M+S AV84**	140/80-18 70T TL	**Trekrider M+S AV85**	1.60	2.15	1.80 / 26	2.10 / 30
650	2012-	G 650 GS Sertao	90/90-21 54V TL	**Trailrider M+S AV53**	130/80R17 65H TL	**Trailrider M+S AV54**	1.60	3.00	2.10 / 30	2.30 / 33
650	2012-	G 650 GS Sertao	90/90-21 54V TL	**Trailrider M+S AV53**	130/80-17 65S TL	**Trailrider M+S AV54**	1.60	3.00	2.10 / 30	2.30 / 33
650	2012-	G 650 GS Sertao	90/90-21 54V TL	**Trekrider M+S AV84**	130/80-17 65T TL	**Trekrider M+S AV85**	1.60	3.00	2.10 / 30	2.30 / 33
650	2011-	G 650 GS	110/80R19 59V TL	**Trailrider M+S AV53**	140/80R17 69V TL	**Trailrider M+S AV54**	2.50	3.50	2.50 / 36	2.90 / 42
650	2011-	G 650 GS	110/80-19 59V TL	**Trekrider M+S AV84**	140/80-17 69T TL	**Trekrider M+S AV85**	2.50	3.50	2.50 / 36	2.90 / 42
650	2006-2009	G 650 Xchallenge (mit/ohne ABS)	90/90-21 54V TL	**Trailrider M+S AV53**	140/80-18 70S TL	**Trailrider M+S AV54**	16.00	2.50	1.90 / 28	2.20 / 32
650	2006-2009	G 650 Xchallenge (mit/ohne ABS)	90/90-21 54V TL	**Trekrider M+S AV84**	140/80-18 70T TL	**Trekrider M+S AV85**	16.00	2.50	1.90 / 28	2.20 / 32
650	2006-2009	G 650 Xcountry	100/90-19 57V TL	**Trailrider M+S AV53**	130/80R17 65H TL	**Trailrider M+S AV54**	2.50	3.00	2.30 / 33	2.50 / 36
650	2006-2009	G 650 Xcountry	100/90-19 57V TL	**Trailrider M+S AV53**	130/80-17 65S TL	**Trailrider M+S AV54**	2.50	3.00	2.30 / 33	2.50 / 36
650	2006-2009	G 650 Xmoto	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.30 / 33	2.50 / 36
650	2006-2009	G 650 Xmoto	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.30 / 33	2.50 / 36
650	2006-2009	G 650 Xmoto	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.30 / 33	2.50 / 36
650	2006-2009	G 650 Xmoto	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.30 / 33	2.50 / 36
798	2012-2017	F 700 GS	110/80-19 59V TL	**Trekrider M+S AV84**	140/80-17 69T TL	**Trekrider M+S AV85**	2.50	3.50	2.20 / 32	2.50 / 36
798	2012-2017	F 700 GS	110/80R19 59V TL	**Trailrider M+S AV53**	140/80R17 69V TL	**Trailrider M+S AV54**	2.50	3.50	2.20 / 32	2.50 / 36
800	2008-2012	F 650 GS Twin	110/80R19 59V TL	**Trailrider M+S AV53**	140/80R17 69V TL	**Trailrider M+S AV54**	2.50	3.50	2.20 / 32	2.90 / 42
800	2008-2012	F 650 GS Twin	110/80-19 59V TL	**Trekrider M+S AV84**	140/80-17 69T TL	**Trekrider M+S AV85**	2.50	3.50	2.20 / 32	2.90 / 42
800	2008-	F 800 GS - F 800 GS Adventure	90/90-21 54V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	2.15	4.25	2.20 / 32	2.50 / 36
800	2008-	F 800 GS - F 800 GS Adventure	90/90-21 54V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	2.15	4.25	2.20 / 32	2.50 / 36
800	2013-	F 800 GT	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
800	2013-	F 800 GT	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
800	2013-	F 800 GT	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
800	2013-	F 800 GT	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
800	2009-2014	F 800 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
800	2009-2014	F 800 R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42

For the most up to date information please check our website at **www.avontyres.com**

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
800	2009-2014	F 800 R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
800	2009-2014	F 800 R	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
800	2015-	F 800 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
800	2015-	F 800 R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
800	2015-	F 800 R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
800	2015-	F 800 R	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
800	2006-	F 800 S - F 800 ST	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
800	2006-	F 800 S - F 800 ST	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
800	2006-	F 800 S - F 800 ST	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
800	2006-	F 800 S - F 800 ST	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
850	2018-	F 850 GS	90/90-21 54V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	2.15	4.25	2.20 / 32	2.50 / 36
850	2018-	F 850 GS	90/90-21 54V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	2.15	4.25	2.20 / 32	2.50 / 36
850	2019-	F 850 GS Adventure	90/90-21 54V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	2.15	4.25	2.20 / 32	2.50 / 36
850	2019-	F 850 GS Adventure	90/90-21 54V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	2.15	4.25	2.20 / 32	2.50 / 36
853	2018-	F 750 GS	110/80R19 59V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	2.50	4.25	2.20 / 32	2.80 / 41
853	2018-	F 750 GS	110/80-19 59V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	2.50	4.25	2.20 / 32	2.80 / 41
853	2018-	F 750 GS	110/80R19 59V TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	2.50	4.25	2.20 / 32	2.80 / 41
853	2018-	F 750 GS	110/80R19 59V TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	2.50	4.25	2.20 / 32	2.80 / 41
1000	2014-2015	S 1000 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2014-2015	S 1000 R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2014-2015	S 1000 R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2016	S 1000 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2016	S 1000 R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2016	S 1000 R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2017-	S 1000 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2017-	S 1000 R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2017-	S 1000 R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2009-2014	S 1000 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2009-2014	S 1000 RR	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2009-2014	S 1000 RR	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2009-2014	S 1000 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2015	S 1000 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2015	S 1000 RR	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2015	S 1000 RR	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2015	S 1000 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2019-	S 1000 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2019-	S 1000 RR	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2019-	S 1000 RR	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2019-	S 1000 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2016-2018	S 1000 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2016-2018	S 1000 RR	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2016-2018	S 1000 RR	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2016-2018	S 1000 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2013-2014	S 1000 RR HP4	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2013-2014	S 1000 RR HP4	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2013-2014	S 1000 RR HP4	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2013-2014	S 1000 RR HP4	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2015	S 1000 XR	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2015	S 1000 XR	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2015	S 1000 XR	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2016-	S 1000 XR	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2016-	S 1000 XR	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2016-	S 1000 XR	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1170	2007-2010	HP2 Sport	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.20 / 32	2.50 / 36
1170	2007-2010	HP2 Sport	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.20 / 32	2.50 / 36
1170	2007-2010	HP2 Sport	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.20 / 32	2.50 / 36
1170	2016-	R Nine T Scrambler	120/70ZR19 (60W) TL	**Spirit ST AV75**	170/60ZR17 (72W) TL	**Spirit ST AV76**	3.00	4.50	2.50 / 36	2.90 / 42
1170	2016-	R Nine T Scrambler	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	170/60ZR17 (72W) TL	**Trailrider M+S AV54**	3.00	4.50	2.50 / 36	2.90 / 42
1170	2017-	R Nine T Urban GS	120/70ZR19 (60W) TL	**Spirit ST AV75**	170/60ZR17 (72W) TL	**Spirit ST AV76**	3.00	4.50	2.50 / 36	2.90 / 42
1170	2017-	R Nine T Urban GS	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	170/60ZR17 (72W) TL	**Trailrider M+S AV54**	3.00	4.50	2.50 / 36	2.90 / 42
1200	2008-2012	R 1200 GS - Adventure	110/80R19 59V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	2.50	4.00	2.50 / 36	2.90 / 42
1200	2008-2012	R 1200 GS - Adventure	110/80-19 59V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	2.50	4.00	2.50 / 36	2.90 / 42
1200	2008-2012	R 1200 GS - Adventure	110/80R19 59V TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	2.50	4.00	2.50 / 36	2.90 / 42
1200	2008-2012	R 1200 GS - Adventure	110/80R19 59V TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	2.50	4.00	2.50 / 36	2.90 / 42
1200	2013-2018	R 1200 GS - Adventure	120/70ZR19 (60W) TL	**Spirit ST AV75**	170/60ZR17 (72W) TL	**Spirit ST AV76**	3.00	4.50	2.50 / 36	2.90 / 42
1200	2013-2018	R 1200 GS - Adventure	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	170/60ZR17 (72W) TL	**Trailrider M+S AV54**	3.00	4.50	2.50 / 36	2.90 / 42
1200	2013-2018	R 1200 GS - Adventure	120/70-19 60V TL	**Trekrider M+S AV84**	170/60-17 72V TL	**Trekrider M+S AV85**	3.00	4.50	2.50 / 36	2.90 / 42
1200	2016-2018	R 1200 GS - Rallye - Exclusive (ab 09/2016)	120/70ZR19 (60W) TL	**Spirit ST AV75**	170/60ZR17 (72W) TL	**Spirit ST AV76**	3.00	4.50	2.50 / 36	2.90 / 42
1200	2016-2018	R 1200 GS - Rallye - Exclusive (ab 09/2016)	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	170/60ZR17 (72W) TL	**Trailrider M+S AV54**	3.00	4.50	2.50 / 36	2.90 / 42
1200	2016-2018	R 1200 GS - Rallye - Exclusive (ab 09/2016)	120/70-19 60V TL	**Trekrider M+S AV84**	170/60-17 72V TL	**Trekrider M+S AV85**	3.00	4.50	2.50 / 36	2.90 / 42
1200	2016-2018	R 1200 GS Adventure	120/70ZR19 (60W) TL	**Spirit ST AV75**	170/60ZR17 (72W) TL	**Spirit ST AV76**	3.00	4.50	2.50 / 36	2.90 / 42
1200	2016-2018	R 1200 GS Adventure	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	170/60ZR17 (72W) TL	**Trailrider M+S AV54**	3.00	4.50	2.50 / 36	2.90 / 42
1200	2016-2018	R 1200 GS Adventure	120/70-19 60V TL	**Trekrider M+S AV84**	170/60-17 72V TL	**Trekrider M+S AV85**	3.00	4.50	2.50 / 36	2.90 / 42

Storm 3D X-M not available in North America

Fitment Guide

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
1200	2006-2014	R 1200 R (K27)	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2006-2014	R 1200 R (K27)	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2006-2014	R 1200 R (K27)	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2006-2014	R 1200 R (K27)	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 R (K53)	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 R (K53)	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 R (K53)	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 R (K53)	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2011-2014	R 1200 R Classic Speichenrad	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2011-2014	R 1200 R Classic Speichenrad	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2011-2014	R 1200 R Classic Speichenrad	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2011-2014	R 1200 R Classic Speichenrad	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 RS	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 RS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 RS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 RS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2014-2018	R 1200 RT (K52)	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2014-2018	R 1200 RT (K52)	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2014-2018	R 1200 RT (K52)	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2006-2011	R 1200 S 5.50 Felge	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2006-2011	R 1200 S 5.50 Felge	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2006-2011	R 1200 S 5.50 Felge	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2006-2011	R 1200 S 5.50 Felge	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2006-2011	R 1200 S 6.00 Felge	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/50ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2006-2011	R 1200 S 6.00 Felge	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2006-2011	R 1200 S 6.00 Felge	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/50ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2005-2011	R 1200 ST	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2005-2011	R 1200 ST	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2005-2011	R 1200 ST	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2019-	R 1250 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2019-	R 1250 R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2019-	R 1250 R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2019-	R 1250 RS	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2019-	R 1250 RS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2019-	R 1250 RS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2013-2015	R Nine T	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2013-2015	R Nine T	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2013-2015	R Nine T	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2013-2015	R Nine T	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2016-	R Nine T	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2016-	R Nine T	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2016-	R Nine T	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2016-	R Nine T	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Pure	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Pure	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Pure	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Pure	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Racer	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Racer	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Racer	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Racer	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2016-	R Nine T Scrambler X	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2016-	R Nine T Scrambler X	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2016-	R Nine T Scrambler X	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1200	2016-	R Nine T Scrambler X	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1250	2019-	R 1250 GS	120/70ZR19 (60W) TL	**Spirit ST AV75**	170/60ZR17 (72W) TL	**Spirit ST AV76**	3.00	4.50	2.50 / 36	2.90 / 42
1250	2019-	R 1250 GS	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	170/60ZR17 (72W) TL	**Trailrider M+S AV54**	3.00	4.50	2.50 / 36	2.90 / 42
1250	2019-	R 1250 GS	120/70-19 60V TL	**Trekrider M+S AV84**	170/60-17 72V TL	**Trekrider M+S AV85**	3.00	4.50	2.50 / 36	2.90 / 42
1250	2019-	R 1250 GS Adventure	120/70ZR19 (60W) TL	**Spirit ST AV75**	170/60ZR17 (72W) TL	**Spirit ST AV76**	3.00	4.50	2.50 / 36	2.90 / 42
1250	2019-	R 1250 GS Adventure	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	170/60ZR17 (72W) TL	**Trailrider M+S AV54**	3.00	4.50	2.50 / 36	2.90 / 42
1250	2019-	R 1250 GS Adventure	120/70-19 60V TL	**Trekrider M+S AV84**	170/60-17 72V TL	**Trekrider M+S AV85**	3.00	4.50	2.50 / 36	2.90 / 42
1250	2019-	R 1250 RT	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1250	2019-	R 1250 RT	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1250	2019-	R 1250 RT	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2009-2011	K 1300 GT	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2009-2011	K 1300 GT	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 R 5.50 Felge	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 R 5.50 Felge	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 R 5.50 Felge	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 R 6.00 Felge	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 R 6.00 Felge	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 R 6.00 Felge	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 S	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
1300	2009-2016	K 1300 S	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 S	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1600	2018-	K 1600 B - Grand America - Bagger	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.90 / 42	2.90 / 42
1600	2018-	K 1600 B - Grand America - Bagger	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.90 / 42	2.90 / 42
1600	2017-	K 1600 GT - K 1600 GTL	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.90 / 42	2.90 / 42
1600	2017-	K 1600 GT - K 1600 GTL	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.90 / 42	2.90 / 42
1600	2011-2016	K 1600 GT - GTL	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.90 / 42	2.90 / 42
1600	2011-2016	K 1600 GT - GTL	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.90 / 42	2.90 / 42
125-200	2000-	C1 - C1-200	120/70-13 53P TL	**Viper Stryke AM63**	140/70-12 65P TL	**Viper Stryke AM63**	3.50	3.50	1.90 / 28	2.40 / 35
900-1200	2005-2011	R 1200 RT; R 900 RT	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
900-1200	2005-2011	R 1200 RT; R 900 RT	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
900-1200	2005-2011	R 1200 RT; R 900 RT	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
Ducati										
399	2016-	Scrambler Sixty 2	110/80R18 58V TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.00	4.50	2.30 / 33	2.50 / 36
399	2016-	Scrambler Sixty 2	110/80ZR18 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.00	4.50	2.30 / 33	2.50 / 36
399	2016-	Scrambler Sixty 2	110/80ZR18 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.00	4.50	2.30 / 33	2.50 / 36
696	2008-	M 696 - M 696 ABS	120/60ZR17 (55W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.20 / 32	2.40 / 35
696	2008-	M 696 - M 696 ABS	120/60ZR17 (55W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.20 / 32	2.40 / 35
696	2008-	M 696 - M 696 ABS	120/60ZR17 (55W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.20 / 32	2.40 / 35
796	2010-2012	Hypermotard 796	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.40 / 35
796	2010-2012	Hypermotard 796	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.40 / 35
796	2010-2012	Hypermotard 796	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.40 / 35
796	2010-2012	Hypermotard 796	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.20 / 32	2.40 / 35
796	2010-2016	Monster 796 ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.40 / 35
796	2010-2016	Monster 796 ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.40 / 35
796	2010-2016	Monster 796 ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.40 / 35
796	2010-2016	Monster 796 ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.20 / 32	2.40 / 35
800	2014-2016	Scrambler Classic Full Throttle - Flat Track	110/80R18 58V TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.00	5.50	2.50 / 36	2.50 / 36
800	2014-2016	Scrambler Classic Full Throttle - Flat Track	110/80ZR18 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.00	5.50	2.50 / 36	2.50 / 36
800	2014-2016	Scrambler Classic Full Throttle - Flat Track	110/80ZR18 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.00	5.50	2.50 / 36	2.50 / 36
800	2014-2016	Scrambler Icon	110/80R18 58V TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.00	5.50	2.50 / 36	2.50 / 36
800	2014-2016	Scrambler Icon	110/80ZR18 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.00	5.50	2.50 / 36	2.50 / 36
800	2014-2016	Scrambler Icon	110/80ZR18 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.00	5.50	2.50 / 36	2.50 / 36
800	2016-2018	Scrambler Urban Enduro	110/80R18 58V TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.00	5.50	2.30 / 33	2.50 / 36
800	2016-2018	Scrambler Urban Enduro	110/80ZR18 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.00	5.50	2.30 / 33	2.50 / 36
800	2016-2018	Scrambler Urban Enduro	110/80ZR18 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.00	5.50	2.30 / 33	2.50 / 36
803	2017-	Monster 797 - Monster 797+	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.40 / 35
803	2017-	Monster 797 - Monster 797+	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.40 / 35
803	2017-	Monster 797 - Monster 797+	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.40 / 35
803	2017-	Monster 797 - Monster 797+	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.20 / 32	2.40 / 35
803	2017-	Scrambler Cafe Racer	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.50 / 36
803	2017-	Scrambler Cafe Racer	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.50 / 36
803	2017-	Scrambler Cafe Racer	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.50 / 36
803	2017-	Scrambler Cafe Racer	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.50 / 36
803	2017-	Scrambler Desert Sled	120/70ZR19 (60W) TL	**Spirit ST AV75**	170/60ZR17 (72W) TL	**Spirit ST AV76**	3.00	4.50	2.30 / 33	2.50 / 36
803	2017-	Scrambler Desert Sled	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	170/60ZR17 (72W) TL	**Trailrider M+S AV54**	3.00	4.50	2.30 / 33	2.50 / 36
820	2013-	Hypermotard SP 821	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.40 / 35
820	2013-	Hypermotard SP 821	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.40 / 35
820	2013-	Hypermotard SP 821	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.40 / 35
820	2013-	Hypermotard SP 821	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.20 / 32	2.40 / 35
821	2013-	Hypermotard 821	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.40 / 35
821	2013-	Hypermotard 821	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.40 / 35
821	2013-	Hypermotard 821	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.40 / 35
821	2013-	Hypermotard 821	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.20 / 32	2.40 / 35
821	2013-2015	Hyperstrada 821	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.50 / 36
821	2013-2015	Hyperstrada 821	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.50 / 36
821	2013-2015	Hyperstrada 821	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.50 / 36
821	2013-2015	Hyperstrada 821	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.20 / 32	2.50 / 36
821	2018-	Monster 821	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.40 / 35
821	2018-	Monster 821	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.40 / 35
821	2018-	Monster 821	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.40 / 35
821	2018-	Monster 821	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.20 / 32	2.40 / 35
848	2007-	848 - EVO - Dark	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.50 / 36
848	2007-	848 - EVO - Dark	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.50 / 36
848	2007-	848 - EVO - Dark	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.50 / 36
848	2014-	848 Streetfighter	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
848	2014-	848 Streetfighter	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
848	2014-	848 Streetfighter	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
899	2014-	899 Panigale	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	5.00	2.50 / 36	2.50 / 36
899	2014-	899 Panigale	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	5.00	2.50 / 36	2.50 / 36
899	2014-	899 Panigale	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	5.00	2.50 / 36	2.50 / 36
937	2017-	Multistrada 950 - S - SW	120/70ZR19 (60W) TL	**Spirit ST AV75**	170/60ZR17 (72W) TL	**Spirit ST AV76**	3.00	4.50	2.50 / 36	2.50 / 36
937	2017-	Multistrada 950 - S - SW	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	170/60ZR17 (72W) TL	**Trailrider M+S AV54**	3.00	4.50	2.50 / 36	2.50 / 36
937	2017-	Multistrada 950 - S - SW	120/70-19 60V TL	**Trekrider M+S AV84**	170/60-17 72V TL	**Trekrider M+S AV85**	3.00	4.50	2.50 / 36	2.50 / 36

Storm 3D X-M not available in North America

Fitment Guide

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
937	2017-	Supersport 937 - Supersport 937 S	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.50 / 36
937	2017-	Supersport 937 - Supersport 937 S	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.50 / 36
937	2017-	Supersport 937 - Supersport 937 S	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.50 / 36
939	2019-	Hypermotard 950 - 950 SP	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.50 / 36
939	2019-	Hypermotard 950 - 950 SP	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.50 / 36
939	2019-	Hypermotard 950 - 950 SP	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.50 / 36
939	2016-	Hypermotard 939	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.30 / 33	2.50 / 36
939	2016-	Hypermotard 939	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.30 / 33	2.50 / 36
939	2016-	Hypermotard 939	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.30 / 33	2.50 / 36
939	2016-	Hypermotard 939	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.30 / 33	2.50 / 36
939	2015-2017	Hypermotard 939 SP	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.30 / 33	2.50 / 36
939	2015-2017	Hypermotard 939 SP	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.30 / 33	2.50 / 36
939	2015-2017	Hypermotard 939 SP	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.30 / 33	2.50 / 36
939	2015-2017	Hypermotard 939 SP	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.30 / 33	2.50 / 36
939	2018-	Hypermotard 939 SP	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.30 / 33	2.50 / 36
939	2018-	Hypermotard 939 SP	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.30 / 33	2.50 / 36
939	2018-	Hypermotard 939 SP	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.30 / 33	2.50 / 36
939	2018-	Hypermotard 939 SP	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.30 / 33	2.50 / 36
939	2016-	Hyperstrada 939	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.30 / 33	2.50 / 36
939	2016-	Hyperstrada 939	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.30 / 33	2.50 / 36
939	2016-	Hyperstrada 939	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.30 / 33	2.50 / 36
939	2016-	Hyperstrada 939	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.30 / 33	2.50 / 36
959	2016-	959 Panigale	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	5.50	2.30 / 33	2.50 / 36
959	2016-	959 Panigale	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.30 / 33	2.50 / 36
959	2016-	959 Panigale	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.30 / 33	2.50 / 36
959	2018-	959 Panigale - Corse	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	5.50	2.30 / 33	2.50 / 36
959	2018-	959 Panigale - Corse	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.30 / 33	2.50 / 36
959	2018-	959 Panigale - Corse	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.30 / 33	2.50 / 36
1000	2005-2010	GT 1000	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.40 / 35
1000	2005-2010	GT 1000	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.40 / 35
1000	2005-2010	GT 1000	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.40 / 35
1000	2005-	M S2 R 1000ccm	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.40 / 35
1000	2005-	M S2 R 1000ccm	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.40 / 35
1000	2005-	M S2 R 1000ccm	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.40 / 35
1000	2005-	M S2 R 1000ccm	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.20 / 32	2.40 / 35
1000	2005-2009	Sport 1000	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.40 / 35
1000	2005-2009	Sport 1000	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.40 / 35
1000	2005-2009	Sport 1000	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.40 / 35
1000	2005-2009	Sport 1000	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.20 / 32	2.40 / 35
1000	2005-2009	Sport 1000 Biposto	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.40 / 35
1000	2005-2009	Sport 1000 Biposto	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.40 / 35
1000	2005-2009	Sport 1000 Biposto	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.40 / 35
1000	2005-2009	Sport 1000 Biposto	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.20 / 32	2.40 / 35
1079	2018-	Scrambler 1100 - Special - Sport	120/70ZR18 (59W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.30 / 33	2.50 / 36
1098	2006-2010	1098 S	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.20 / 32	2.40 / 35
1098	2006-2010	1098 S	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.20 / 32	2.40 / 35
1098	2006-2010	1098 S	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.20 / 32	2.40 / 35
1098	2009-2015	Streetfighter / Streetfighter S	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.40 / 35	2.40 / 35
1098	2009-2015	Streetfighter / Streetfighter S	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.40 / 35	2.40 / 35
1098	2009-2015	Streetfighter / Streetfighter S	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.40 / 35	2.40 / 35
1100	2008-	Desmosedici RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	-	-
1100	2007-2012	Hypermotard 1100 - EVO SP	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.40 / 35
1100	2007-2012	Hypermotard 1100 - EVO SP	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.40 / 35
1100	2007-2012	Hypermotard 1100 - EVO SP	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.40 / 35
1100	2007-2012	Hypermotard 1100 - EVO SP	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.20 / 32	2.40 / 35
1100	2008-2012	Monster 1100 - S - EVO - ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.40 / 35
1100	2008-2012	Monster 1100 - S - EVO - ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.40 / 35
1100	2008-2012	Monster 1100 - S - EVO - ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.40 / 35
1100	2008-2012	Monster 1100 - S - EVO - ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.20 / 32	2.40 / 35
1100	2006-2010	Multistrada 1100 - S	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.40 / 35
1100	2006-2010	Multistrada 1100 - S	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.40 / 35
1100	2006-2010	Multistrada 1100 - S	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.40 / 35
1100	2006-2010	Multistrada 1100 - S	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.20 / 32	2.40 / 35
1198	2010-2011	1198 - 1198 SP	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.20 / 32	2.40 / 35
1198	2010-2011	1198 - 1198 SP	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.20 / 32	2.40 / 35
1198	2010-2011	1198 - 1198 SP	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.20 / 32	2.40 / 35
1198	2011	1198 SP	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.20 / 32	2.40 / 35
1198	2011	1198 SP	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.20 / 32	2.40 / 35
1198	2011	1198 SP	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.20 / 32	2.40 / 35
1198	2017-	Monster 1200 - Monster 1200 S	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.80 / 41
1198	2017-	Monster 1200 - Monster 1200 S	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.80 / 41
1198	2017-	Monster 1200 - Monster 1200 S	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.80 / 41
1199	2012-2015	1199 Panigale - Panigale R - Panigale S	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.30 / 33	2.40 / 35

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
1199	2015-	1199 Panigale R	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.20 / 32	2.10 / 30
1199	2015-	1199 Superleggera	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.30 / 33	2.40 / 35
1200	2013-2016	Monster 1200 - Monster 1200 S	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2013-2016	Monster 1200 - Monster 1200 S	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2013-2016	Monster 1200 - Monster 1200 S	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2016-	Monster 1200 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.30 / 33	2.50 / 36
1200	2015-2017	Multistrada 1200 - S - D-Air - Pikes-Peak	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2015-2017	Multistrada 1200 - S - D-Air - Pikes-Peak	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2015-2017	Multistrada 1200 - S - D-Air - Pikes-Peak	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2013-2014	Multistrada 1200 - S - GT	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2013-2014	Multistrada 1200 - S - GT	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2013-2014	Multistrada 1200 - S - GT	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2010-2012	Multistrada 1200 - S	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2010-2012	Multistrada 1200 - S	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2010-2012	Multistrada 1200 - S	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2016-2018	Multistrada 1200 Enduro	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	170/60ZR17 (72W) TL	**Trailrider M+S AV54**	3.00	4.50	2.50 / 36	2.50 / 36
1200	2016-2018	Multistrada 1200 Enduro	120/70ZR19 (60W) TL	**Spirit ST AV75**	170/60ZR17 (72W) TL	**Storm 3D X-M AV66**	3.00	4.50	2.50 / 36	2.50 / 36
1200	2016-2018	Multistrada 1200 Enduro	120/70ZR19 (60W) TL	**Spirit ST AV75**	170/60ZR17 (72W) TL	**Spirit ST AV76**	3.00	4.50	2.50 / 36	2.50 / 36
1260	2018-	Multistrada 1260 - S - D-Air - Pikes Peak	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1260	2018-	Multistrada 1260 - S - D-Air - Pikes Peak	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1260	2018-	Multistrada 1260 - S - D-Air - Pikes Peak	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1260	2019-	Multistrada 1260 Enduro - Pro	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	170/60ZR17 (72W) TL	**Trailrider M+S AV54**	3.00	4.50	2.50 / 36	2.50 / 36
1260	2019-	Multistrada 1260 Enduro - Pro	120/70ZR19 (60W) TL	**Spirit ST AV75**	170/60ZR17 (72W) TL	**Spirit ST AV76**	3.00	4.50	2.50 / 36	2.50 / 36
1260	2019-	Multistrada 1260 Enduro - Pro	120/70-19 60V TL	**Trekrider M+S AV84**	170/60-17 72V TL	**Trekrider M+S AV85**	3.00	4.50	2.50 / 36	2.50 / 36
1285	2018-	1299 Panigale R Final Edition	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.20 / 32	2.10 / 30
1299	2015-	1299 Panigale - Panigale S	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.20 / 32	2.10 / 30
1299	2017-	1299 Superleggera	120/70ZR17 (58W) TL	**Spirit ST AV75**	200/55ZR17 (78W) TL	**Spirit ST AV76**	3.50	6.00	2.20 / 32	2.40 / 35
800-1000	2007-	M S2 R 800ccm 1000ccm 07	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.20 / 32	2.40 / 35
800-1000	2007-	M S2 R 800ccm 1000ccm 07	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.20 / 32	2.40 / 35
800-1000	2007-	M S2 R 800ccm 1000ccm 07	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.20 / 32	2.40 / 35
800-1000	2007-	M S2 R 800ccm 1000ccm 07	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.20 / 32	2.40 / 35
Harley-Davidson										
749	2018-	XG 750 A Street Rod	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.80 / 41
749	2018-	XG 750 A Street Rod	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.80 / 41
883	2009-	XL 883 C Custom	MH90-21 56V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2.15	3.00	2.50 / 36	2.70 / 39
883	2009-	XL 883 C Custom	MH90-21 56V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2.15	3.00	2.50 / 36	2.70 / 39
883	2004-2010	XL 883 L	100/90-19 57V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2.15	3.00	2.10 / 30	2.70 / 39
883	2004-2010	XL 883 L	100/90-19 57V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2.15	3.00	2.10 / 30	2.70 / 39
883	2011-2016	XL 883 L Super Low	120/70ZR18 (59W) TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.70 / 39
883	2011-2016	XL 883 L Super Low	120/70ZR18 (59W) TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.70 / 39
883	2011-2016	XL 883 L Super Low	120/70ZR18 (59W) TL	**Spirit ST AV75**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.70 / 39
883	2017-	XL 883 L Super Low	120/70ZR18 (59W) TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.70 / 39
883	2017-	XL 883 L Super Low	120/70ZR18 (59W) TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.70 / 39
883	2017-	XL 883 L Super Low	120/70ZR18 (59W) TL	**Spirit ST AV75**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.70 / 39
883	2018-	XL 883 L Super Low 883	120/70ZR18 (59W) TL	**Spirit ST AV75**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.50	3.00	2.50 / 36	2.70 / 39
883	2018-	XL 883 L Super Low 883	120/70ZR18 (59W) TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.70 / 39
883	2018-	XL 883 L Super Low 883	120/70ZR18 (59W) TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.70 / 39
883	2017	XL 883 N - XL 883 R / Roadster - Iron	100/90-19 57V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2,15-2,50	3.00	2.10 / 30	2.70 / 39
883	2017	XL 883 N - XL 883 R / Roadster - Iron	100/90-19 57V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2,15-2,50	3.00	2.10 / 30	2.70 / 39
883	2018-	XL 883 N Sportster Iron 883	100/90-19 57V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2,15-2,50	3.00	2.10 / 30	2.70 / 39
883	2018-	XL 883 N Sportster Iron 883	100/90-19 57V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2,15-2,50	3.00	2.10 / 30	2.70 / 39
883	2004-2016	XL 883 R - XL 883 N / Roadster - Iron	100/90-19 57V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2,15-2,50	3.00	2.10 / 30	2.70 / 39
883	2004-2016	XL 883 R - XL 883 N / Roadster - Iron	100/90-19 57V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2,15-2,50	3.00	2.10 / 30	2.70 / 39
883	2004-	XL 883 Standard	100/90-19 57V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2,15-2,50	3.00	2.10 / 30	2.70 / 39
883	2004-	XL 883 Standard	100/90-19 57V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2,15-2,50	3.00	2.10 / 30	2.70 / 39
883	2004-2009	XL(H) 53 C Custom (XL883C)	MH90-21 56V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2.15	3.00	2.50 / 36	2.70 / 39
883	2004-2009	XL(H) 53 C Custom (XL883C)	MH90-21 56V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2.15	3.00	2.50 / 36	2.70 / 39
1200	2014-16	XL 1200 T Super Low	120/70ZR18 (59W) TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.70 / 39
1200	2014-16	XL 1200 T Super Low	120/70ZR18 (59W) TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.70 / 39
1200	2017	XL 1200 T Super Low	120/70ZR18 (59W) TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.70 / 39
1200	2017	XL 1200 T Super Low	120/70ZR18 (59W) TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.70 / 39
1202	2011-2017	XL 1200 C - CA - CB Custom; Limitid	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.50 / 36	2.70 / 39
1202	2011-2017	XL 1200 C - CA - CB Custom; Limitid	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 C 1200 Custom	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 C 1200 Custom	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.50 / 36	2.70 / 39
1202	2004-2010	XL 1200 C Custom	MH90-21 56V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2.15	3.00	2.50 / 36	2.70 / 39
1202	2004-2010	XL 1200 C Custom	MH90-21 56V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2.15	3.00	2.50 / 36	2.70 / 39
1202	2013	XL 1200 C Custom 110th Anniversary Edition	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.50 / 36	2.70 / 39
1202	2013	XL 1200 C Custom 110th Anniversary Edition	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.50 / 36	2.70 / 39
1202	2017-	XL 1200 CX Roadster	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	150/70R18 70V TL	**Trailrider M+S AV54**	3.00	4.50	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 CX Sportster Roadster TM	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	150/70R18 70V TL	**Trailrider M+S AV54**	3.00	4.25	2.50 / 36	2.70 / 39
1202	2004-2016	XL 1200 L - XL 1200 R - Low / Roadster	100/90-19 57V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2.15	3.00	2.10 / 30	2.70 / 39
1202	2004-2016	XL 1200 L - XL 1200 R - Low / Roadster	100/90-19 57V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2.15	3.00	2.10 / 30	2.70 / 39

Storm 3D X-M not available in North America

Fitment Guide

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
1202	2008-2012	XL 1200 N 1200 Nightster	100/90-19 57V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2.15	3.00	2.10 / 30	2.70 / 39
1202	2008-2012	XL 1200 N 1200 Nightster	100/90-19 57V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2.15	3.00	2.10 / 30	2.70 / 39
1202	2018-	XL 1200 NS Iron	100/90-19 57V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2.15	3.00	2.10 / 30	2.70 / 39
1202	2018-	XL 1200 NS Iron	100/90-19 57V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2.15	3.00	2.10 / 30	2.70 / 39
1202	2018-	XL 1200 T Sportster Super Low 1200T	120/70ZR18 (59W) TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 T Sportster Super Low 1200T	120/70ZR18 (59W) TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.70 / 39
1202	2012-2016	XL 1200 V Seventy-Two	MH90-21 56V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2.15	3.00	2.50 / 36	2.70 / 39
1202	2012-2016	XL 1200 V Seventy-Two	MH90-21 56V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2.15	3.00	2.50 / 36	2.70 / 39
1202	2010-2016	XL 1200 X Forty-Eight	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.50 / 36	2.70 / 39
1202	2010-2016	XL 1200 X Forty-Eight	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.50 / 36	2.70 / 39
1202	2017	XL 1200 X Forty-Eight	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.50 / 36	2.70 / 39
1202	2017	XL 1200 X Forty-Eight	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 X Forty-Eight - Anniversary	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 X Forty-Eight - Anniversary	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 XS Forty-Eight - Special	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 XS Forty-Eight - Special	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.50 / 36	2.70 / 39
1202	2008-2012	XR 1200 / XR 1200 X	120/70ZR18 (59W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.70 / 39
1202	2008-2012	XR 1200 / XR 1200 X	120/70ZR18 (59W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.70 / 39
1246	2009-	VRSCF V-Rod Muscle	120/70ZR19 (60W) TL	**Cobra Chrome AV91**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	3.00	8.00	2.50 / 36	2.80 / 41
1246	2009-	VRSCF V-Rod Muscle	120/70ZR19 (60W) TL	**Cobra Chrome AV91**	250/40VR18 (81V) TL	**Cobra Chrome AV92**	3.00	8.00	2.50 / 36	2.80 / 41
1247	2012-2012	VRSCDX V-Rod 10th Anniversary Edition	120/70ZR19 (60W) TL	**Cobra Chrome AV91**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	3.00	8.00	2.50 / 36	2.80 / 41
1247	2012-2012	VRSCDX V-Rod 10th Anniversary Edition	120/70ZR19 (60W) TL	**Cobra Chrome AV91**	250/40VR18 (81V) TL	**Cobra Chrome AV92**	3.00	8.00	2.50 / 36	2.80 / 41
1450	2006-	FXSTSI Softail Springer EFI	MH90-21 56V TL	**Cobra Chrome AV91**	200/55VR17 (78V) TL	**Cobra Chrome AV92**	2.15	6.00	2.60 / 38	3.00 / 44
1450	2013	FLTRXSE2 CVO Road Glide 110th Anniversary Edition	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.80 / 41	3.00 / 44
1450	2013	FLTRXSE2 CVO Road Glide Custom	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.80 / 41	3.00 / 44
1584	2017	FLSTFB Fat Boy	140/75R17 67V TL	**Cobra Chrome AV91**	200/55VR17 (78V) TL	**Cobra Chrome AV92**	3.50	6.00	2.60 / 38	3.00 / 44
1584	2017	FLSTFBS Fat Boy S	140/75R17 67V TL	**Cobra Chrome AV91**	200/55VR17 (78V) TL	**Cobra Chrome AV92**	3.50	6.00	2.60 / 38	3.00 / 44
1584	2008-2011	FXCW Rocker / FXCWC Rocker C	90/90-19 52V TL	**Roadrider MKII**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	2.15	8.00	2.10 / 30	2.80 / 41
1584	2008-2011	FXCW Rocker / FXCWC Rocker C	100/90-19 57V TL	**Cobra Chrome AV91**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	2.15	8.00	2.10 / 30	2.80 / 41
1584	2008-2011	FXCW Rocker / FXCWC Rocker C	100/90-19 57V TL	**Cobra Chrome AV91**	250/40VR18 (81V) TL	**Cobra Chrome AV92**	2.15	8.00	2.10 / 30	2.80 / 41
1584	2011-2013	FXS / FXS103 Blackline	MH90-21 56V TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	2.15	3.00	2.50 / 36	3.00 / 44
1584	2011-2013	FXS / FXS103 Blackline	MH90-21 56V TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	2.15	3.00	2.50 / 36	3.00 / 44
1584	2007-	FXSTC Softail Custom	MH90-21 56V TL	**Cobra Chrome AV91**	200/55VR17 (78V) TL	**Cobra Chrome AV92**	2.15	6.00	2.60 / 38	3.00 / 44
1584	2009-2013	FLHR / FLHR103 Road King	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1584	2009-2013	FLHR / FLHR103 Road King	130/70B18 69H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1584	2009-	FLHT Electra Glide Standard	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1584	2009-	FLHT Electra Glide Standard	130/70B18 69H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1584	2004-2009	FLHTC-I Electra Glide Classic / EFI	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1584	2004-2009	FLHTC-I Electra Glide Classic / EFI	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1584	2009	FLTR Road Glide	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1584	2015-2016	FLTRXS Road Glide Special	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.80 / 41	3.00 / 44
1584	2012	FLTRXSE Screamin Eagle Road Glide Special	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.80 / 41	3.00 / 44
1584	2009-2016	FLHTCUTG Ultra Classic Trike	MT90B16 74H TL	**Cobra Chrome Trike AV91**	205/65R15 94V TL	**AVON ZV7**	3.00	5.50	-	-
1584	2010-2011	FLHXXX Street Glide Trike	MT90B16 74H TL	**Cobra Chrome Trike AV91**	205/65R15 94V TL	**AVON ZV7**	3.00	5.50	-	-
1584	2014-2016	FLRT Tri Glide Ultra	MT90B16 74H TL	**Cobra Chrome Trike AV91**	205/65R15 94V TL	**AVON ZV7**	3.00	5.50	-	-
1690	2017	FXDB103 Street Bob	100/90-19 57V TL	**Cobra Chrome AV91**	160/70B17 79V TL	**Cobra Chrome AV92**	2.50	4.50	2.50 / 36	2.80 / 41
1690	2013-2016	FXDBA-B-C103 Street Bob Limited	100/90-19 57V TL	**Cobra Chrome AV91**	160/70B17 79V TL	**Cobra Chrome AV92**	2.50	4.50	2.50 / 36	2.80 / 41
1690	2013	FXDCANV Super Glide Custom 110th Anniversary Edition	100/90-19 57V TL	**Cobra Chrome AV91**	160/70B17 79V TL	**Cobra Chrome AV92**	2.50	4.50	2.50 / 36	2.80 / 41
1690	2017	FXDF103 Dyna Fat Bob	MT90B16 74H TL	**Cobra Chrome AV91**	180/70R16 77V TL	**Cobra Chrome AV92**	3.00	5.00	2.50 / 36	2.80 / 41
1690	2017	FXDF103 Dyna Fat Bob	MT90B16 74H TL	**Cobra Chrome WW AV91**	180/70R16 77V TL	**Cobra Chrome WW AV92**	3.00	5.00	2.50 / 36	2.80 / 41
1690	2017-	FXDL103 Low Rider	100/90-19 57V TL	**Cobra Chrome AV91**	160/70B17 79V TL	**Cobra Chrome AV92**	2.50	4.50	2.50 / 36	2.80 / 41
1690	2017	FXDWG103 Wide Glide	MH90-21 56V TL	**Cobra Chrome AV91**	180/60B17 75V TL	**Cobra Chrome AV92**	2.15	4.50	2.50 / 36	2.80 / 41
1690	2017	FLS Softail Slim	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2017	FLS Softail Slim	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2016-	FLSTC Heritage Classic	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2016-	FLSTC Heritage Classic	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2013	FLSTC Heritage Classic 110th Anniversary Edition	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2013	FLSTC Heritage Classic 110th Anniversary Edition	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2013	FLSTC Heritage Classic 110th Anniversary Edition	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2013	FLSTC Heritage Classic 110th Anniversary Edition	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2017-	FLSTC Heritage Softail Classic	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2017-	FLSTC Heritage Softail Classic	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2003-2015	FLSTC/I Heritage Classic / EFI	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2003-2015	FLSTC/I Heritage Classic / EFI	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTC103 Heritage Classic	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTC103 Heritage Classic	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTC103 Heritage Classic	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTC103 Heritage Classic	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2008	FLSTC-I Heritage Softail	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2008	FLSTC-I Heritage Softail	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2008	FLSTC-I Heritage Softail	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44

For the most up to date information please check our website at **www.avontyres.com**

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
1690	2008	FLSTC-I Heritage Softail	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTF103 / FLSTFB103 Fat Boy	140/75R17 67V TL	**Cobra Chrome AV91**	200/55VR17 (78V) TL	**Cobra Chrome AV92**	3.50	6.00	2.60 / 38	3.00 / 44
1690	2013	FLSTFB103 Fat Boy 110th Anniversary Edition	140/75R17 67V TL	**Cobra Chrome AV91**	200/55VR17 (78V) TL	**Cobra Chrome AV92**	3.50	6.00	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTN103 Softail Deluxe	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTN103 Softail Deluxe	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTN103 Softail Deluxe	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTN103 Softail Deluxe	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1690	2017	FXDLS Low Rider S	100/90-19 57V TL	**Cobra Chrome AV91**	160/70B17 79V TL	**Cobra Chrome AV92**	2.50	4.50	2.50 / 36	2.80 / 41
1690	2009-2013	FLHP / FLHP103 Road King Police	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690	2014-2016	FLHP Road King Police	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690	2017-	FLHP Road King Police	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690	2014-2016	FLHR / FLHRC Road King / Classic	MT90B16 74H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690	2013	FLHR ANV Road King 110th Anv. Edition	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690	2013	FLHR ANV Road King 110th Anv. Edition	130/70B18 69H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1690	2016	FLHRXS Road King Special	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.50	2.60 / 38	3.00 / 44
1690	2014-2016	FLHTCUTC Electra Glide Ultra Classic Low	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690	2010-2013	FLHTK / FLHTK103 Electra Glide Ultra Limited	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690	2010-2013	FLHTK / FLHTK103 Electra Glide Ultra Limited	130/70B18 69H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1690	2013	FLHTK Electra Glide Ultra Limited 110th Anniversary	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690	2013	FLHTK Electra Glide Ultra Limited 110th Anniversary	130/70B18 69H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1690	2014-2016	FLHTK/FLHTKL Electra Glide Ultra Limited / Low	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690	2017-	FLHTP Electra Glide Police	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690	2014-2016	FLHTP Electra Glide Police 2014-2016	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690	2009-2013	FLHTP/FLHTP103 Electra Glide Police	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690	2009-2013	FLHTP/FLHTP103 Electra Glide Police	130/70B18 69H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1690	2014-2016	FLHX/FLHXS Street Glide / Special	130/60B19 61H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1690	2014-	FLHTKSE CVO Screamin Eagle Electra Glide Ultra Limited	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690	2011	FLTRUSE CVO Road Glide Ultra	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690	2017	FXSE CVO Pro Street Breakout	130/60B19 61V TL	**Cobra Chrome AV91**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	3.50	8.00	2.60 / 38	3.00 / 44
1690	2017	FXSE CVO Pro Street Breakout	130/60B19 61V TL	**Cobra Chrome AV91**	250/40VR18 (81V) TL	**Cobra Chrome AV92**	3.50	8.00	2.60 / 38	3.00 / 44
1690	2017	FXSE CVO Pro Street Breakout	130/60B19 61V TL	**Cobra Chrome AV91**	260/40VR18 (84V) TL	**Cobra Chrome AV92**	3.50	8.00	2.60 / 38	3.00 / 44
1691	2016	FXSB Breakout	130/60B21 63V TL	**Cobra Chrome AV91**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	3.50	8.00	2.80 / 41	3.00 / 44
1691	2016	FXSB Breakout	130/60B21 63V TL	**Cobra Chrome AV91**	250/40VR18 (81V) TL	**Cobra Chrome AV92**	3.50	8.00	2.80 / 41	3.00 / 44
1691	2016	FXSB Breakout	130/60B21 63V TL	**Cobra Chrome AV91**	260/40VR18 (84V) TL	**Cobra Chrome AV92**	3.50	8.00	2.80 / 41	3.00 / 44
1691	2017	FXSB Breakout	130/60B21 63V TL	**Cobra Chrome AV91**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	3.50	8.00	2.80 / 41	3.00 / 44
1691	2017	FXSB Breakout	130/60B21 63V TL	**Cobra Chrome AV91**	250/40VR18 (81V) TL	**Cobra Chrome AV92**	3.50	8.00	2.80 / 41	3.00 / 44
1691	2017	FXSB Breakout	130/60B21 63V TL	**Cobra Chrome AV91**	260/40VR18 (84V) TL	**Cobra Chrome AV92**	3.50	8.00	2.80 / 41	3.00 / 44
1691	2013-2015	FXSB103 Breakout	130/60B21 63V TL	**Cobra Chrome AV91**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	3.50	8.00	2.80 / 41	3.00 / 44
1691	2013-2015	FXSB103 Breakout	130/60B21 63V TL	**Cobra Chrome AV91**	250/40VR18 (81V) TL	**Cobra Chrome AV92**	3.50	8.00	2.80 / 41	3.00 / 44
1745	2017-	FLDX Sport Glide	130/70VR18 (63V) TL	**Cobra Chrome AV91**	180/70R16 77V TL	**Cobra Chrome AV92**	3.50	5.00	2.50 / 36	2.80 / 41
1745	2017	FXDB Street Bob	100/90-19 57V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2.50	3.00	2.50 / 36	2.80 / 41
1745	2017	FXDB Street Bob	100/90-19 57V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2.50	3.00	2.50 / 36	2.80 / 41
1745	2018-	FLDE DeLuxe	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1745	2018-	FLDE DeLuxe	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1745	2018-	FLHC Heritage Classic	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1745	2018-	FLHC Heritage Classic	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1745	2018-	FLSB Sport Glide	130/70B18 69H TL	**Cobra Chrome AV91**	180/70R16 77V TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1745	2018-	FLSL Softail Slim	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1745	2018-	FLSL Softail Slim	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1745	2018-	FXBB Street Bob	100/90-19 57V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2.50	3.00	2.50 / 36	2.80 / 41
1745	2018-	FXBB Street Bob	100/90-19 57V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2.50	3.00	2.50 / 36	2.80 / 41
1745	2018-	FXBR Breakout	130/60B21 63V TL	**Cobra Chrome AV91**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	3.50	8.00	2.60 / 38	3.00 / 44
1745	2018-	FXBR Breakout	130/60B21 63V TL	**Cobra Chrome AV91**	250/40VR18 (81V) TL	**Cobra Chrome AV92**	3.50	8.00	2.60 / 38	3.00 / 44
1745	2018-	FXBR Breakout	130/60B21 63V TL	**Cobra Chrome AV91**	260/40VR18 (84V) TL	**Cobra Chrome AV92**	3.50	8.00	2.60 / 38	3.00 / 44
1745	2018-	FXFB Fat Bob 107	150/80-16 71H TL	**Cobra Chrome AV91**	180/70R16 77V TL	**Cobra Chrome AV92**	3.00	5.00	2.50 / 36	2.80 / 41
1745	2018-	FXLR Low Rider	110/90-19 62H TL	**Cobra Chrome AV91**	180/70R16 77V TL	**Cobra Chrome AV92**	2.50	5.00	2.50 / 36	2.80 / 41
1745	2017-	FLHR / FLHRC Road King / Classic	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1745	2017	FLHRXS Road King Special	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.50	2.60 / 38	3.00 / 44
1745	2017-	FLHTK/FLHTKL Electra Glide Ultra Limited / Low	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1745	2018-	FLHXS / ANX Street Glide Special	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.80 / 41	3.00 / 44
1745	2017	FLHXS Street Glide Special	130/60B19 61V TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.50	2.60 / 38	3.00 / 44
1745	2017-	FLTRU Road Glide Ultra	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1745	2018-	FLTRU Road Glide Ultra	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1745	2018-	FLTRX Road Glide	130/60B19 61V TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1745	2017-	FLTRXS Road Glide Special	130/60B19 61V TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.80 / 41	3.00 / 44
1745	2018-	FLHTCUTG Tri Glide Ultra	MT90B16 74H TL	**Cobra Chrome Trike AV91**	205/65R15 94V TL	**AVON ZV7**	3.00	5.50	-	-
1745	2017-	FLHTCUTG Ultra Classic Trike	MT90B16 74H TL	**Cobra Chrome Trike AV91**	205/65R15 94V TL	**AVON ZV7**	3.00		-	-
1745	2017-	FLRT Freewheeler	MT90B16 74H TL	**Cobra Chrome Trike AV91**	205/65R15 94V TL	**AVON ZV7**	3.00	5.50	-	-
1745	2018-	FLRT Freewheeler	130/60B19 61V TL	**Cobra Chrome AV91**	205/65R15 94V TL	**AVON ZV7**	3.50	5.50	-	-
1801	2017-	FLSS Softail Slim S	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1801	2017-	FLSS Softail Slim S	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44

Storm 3D X-M not available in North America

Fitment Guide

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
1801	2015-2016	FLHTCULTC Electra Glide Ultra Classic Low	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1801	2013-2014	FLHRSE CVO Road King	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.50	2.50 / 36	2.80 / 41
1801	2013	FLHRSE5 CVO Road King 110th Anniversary Edition	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.50	2.50 / 36	2.80 / 41
1801	2011-2013	FLHTCUSE6/7/8 CVO Screamin Eagle Electra Glide Ultra Class	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1801	2013	FLHTCUSE8 CVO Screamin Eagle Electra Glide 110th Anniversary	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1801	2011-2012	FLHXSE2/3 CVO Screamin Eagle Street Glide	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.50	2.80 / 41	3.00 / 44
1801	2015-2016	FLHXSE4 CVO Screamin Eagle Street Glide	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.50	2.80 / 41	3.00 / 44
1801	2014-2015	FLSTNSE/2 CVO Softail Deluxe	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1801	2014-2015	FLSTNSE/2 CVO Softail Deluxe	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1801	2014-2015	FLSTNSE/2 CVO Softail Deluxe	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1801	2014-2015	FLSTNSE/2 CVO Softail Deluxe	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1801	2011	FLTRSE CVO Road Glide	130/70B18 69H TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.50	2.80 / 41	3.00 / 44
1801	2015-2016	FLTRUSE CVO Road Glide Ultra	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1801	2010-2010	FXDFSE2 CVO Screamin Eagle Fat Bob	MT90B16 74H TL	**Cobra Chrome AV91**	180/70R16 77V TL	**Cobra Chrome AV92**	3.00	5.00	2.50 / 36	2.80 / 41
1801	2010-2010	FXDFSE2 CVO Screamin Eagle Fat Bob	MT90B16 74H TL	**Cobra Chrome WW AV91**	180/70R16 77V TL	**Cobra Chrome WW AV92**	3.00	5.00	2.50 / 36	2.80 / 41
1801	2013-2014	FXSBSE CVO Breakout	130/60B21 63V TL	**Cobra Chrome AV91**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	3.50	8.00	2.80 / 41	3.00 / 44
1801	2013-2014	FXSBSE CVO Breakout	130/60B21 63V TL	**Cobra Chrome AV91**	250/40VR18 (81V) TL	**Cobra Chrome AV92**	3.50	8.00	2.80 / 41	3.00 / 44
1802	2009	FXDFSE Screamin Eagle Dyna	MT90B16 74H TL	**Cobra Chrome AV91**	180/70R16 77V TL	**Cobra Chrome AV92**	3.00	5.00	2.50 / 36	2.80 / 41
1802	2009	FXDFSE Screamin Eagle Dyna	MT90B16 74H TL	**Cobra Chrome WW AV91**	180/70R16 77V TL	**Cobra Chrome WW AV92**	3.00	5.00	2.50 / 36	2.80 / 41
1802	2009-2010	FLHTCUSE4/5 CVO Screamin Eagle Electra Glide Ultra Class	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1802	2009-2010	FLHTCUSE4/5 CVO Screamin Eagle Electra Glide Ultra Class	130/70B18 69H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1802	2010	FLHTCUSE5-BLK CVO Screamin Eagle Electra Glide Ultra Class	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1802	2010	FLHTCUSE5-BLK CVO Screamin Eagle Electra Glide Ultra Class	130/70B18 69H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1802	2010	FLHXSE CVO Screamin Eagle Street Glide	130/70B18 69H TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.50	2.80 / 41	3.00 / 44
1802	2009	FLTRSE3 CVO Screamin Eagle Road Glide	130/70B18 69H TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.80 / 41	3.00 / 44
1802	2017	FLTRUSE CVO Road Glide Ultra	130/60B21 63V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.50	2.80 / 41	3.00 / 44
1802	2009-2009	FXSTSSE3 CVO Scream. Eagle Softail Springer	130/70VR18 (63V) TL	**Cobra Chrome AV91**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	3.50	6.00	2.60 / 38	3.00 / 44
1868	2018-	FLHCS Heritage Classic 114 Anniversary	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1868	2018-	FLHCS Heritage Classic 114 Anniversary	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1868	2018-	FXBRS Breakout 114 - Anniversary	130/60B21 63V TL	**Cobra Chrome AV91**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	3.50	8.00	2.60 / 38	3.00 / 44
1868	2018-	FXBRS Breakout 114 - Anniversary	130/60B21 63V TL	**Cobra Chrome AV91**	250/40VR18 (81V) TL	**Cobra Chrome AV92**	3.50	8.00	2.60 / 38	3.00 / 44
1868	2018-	FXBRS Breakout 114 - Anniversary	130/60B21 63V TL	**Cobra Chrome AV91**	260/40VR18 (84V) TL	**Cobra Chrome AV92**	3.50	8.00	2.60 / 38	3.00 / 44
1868	2018-	FXDR	120/70ZR19 (60W) TL	**Cobra Chrome AV91**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	3.00	8.00	2.50 / 36	2.80 / 41
1868	2018-	FXDR	120/70ZR19 (60W) TL	**Cobra Chrome AV91**	250/40VR18 (81V) TL	**Cobra Chrome AV92**	3.00	8.00	2.50 / 36	2.80 / 41
1868	2018-	FXDR	120/70ZR19 (60W) TL	**Cobra Chrome AV91**	260/40VR18 (84V) TL	**Cobra Chrome AV92**	3.00	8.00	2.50 / 36	2.80 / 41
1868	2019-	FXDR - FXDRS Softail 114	120/70ZR19 (60W) TL	**Cobra Chrome AV91**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	3.00	8.00	2.50 / 36	2.80 / 41
1868	2018-	FXDR - FXDRS Softail 114	120/70ZR19 (60W) TL	**Cobra Chrome AV91**	250/40VR18 (81V) TL	**Cobra Chrome AV92**	3.00	8.00	2.50 / 36	2.80 / 41
1868	2018-	FXDR - FXDRS Softail 114	120/70ZR19 (60W) TL	**Cobra Chrome AV91**	260/40VR18 (84V) TL	**Cobra Chrome AV92**	3.00	8.00	2.50 / 36	2.80 / 41
1868	2018-	FXFBS Fat Bob 114	150/80-16 71H TL	**Cobra Chrome AV91**	180/70R16 77V TL	**Cobra Chrome AV92**	3.00	5.00	2.50 / 36	2.80 / 41
1868	2018-	FLHRXS Road King Special	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.50	2.60 / 38	3.00 / 44
1868	2018-	FLTRXS Road Glide Special	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.80 / 41	3.00 / 44
1868	2018-	Ultra Limited / Low	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.50 / 36	2.80 / 41
1868	2017-	FLHTKSE CVO Limited 2017-	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.50 / 36	2.80 / 41
1868	2017-	FLHTKSE CVO Screamin Eagle Electra Glide Ultra Limited	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1868	2017	FLHXSE CVO Screamin Eagle Street Glide	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.50	2.80 / 41	3.00 / 44
1923	2018-	FLHTKSE CVO Limited Anniversary	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.50 / 36	2.80 / 41
1923	2018-	FLHXSE CVO Street Glide	130/60B19 61V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.50	2.80 / 41	3.00 / 44
1923	2018-	FLTRXSE CVO Road Glide	130/60B21 63V TL	**Cobra Chrome AV91**	180/55B18 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.80 / 41	3.00 / 44
1131-1246	2007-2010	VRSCAW/A V-Rod	120/70ZR19 (60W) TL	**Cobra Chrome AV91**	240/40VR18 (79V) TL	**Cobra Chrome AV92**	3.00	8.00	2.50 / 36	2.80 / 41
1131-1246	2007-2010	VRSCAW/A V-Rod	120/70ZR19 (60W) TL	**Cobra Chrome AV91**	250/40VR18 (81V) TL	**Cobra Chrome AV92**	3.00	8.00	2.50 / 36	2.80 / 41
1450-1584	2006-2015	FXDCI Super Glide Custom	100/90-19 57V TL	**Cobra Chrome AV91**	160/70B17 79V TL	**Cobra Chrome AV92**	2.50	4.50	2.50 / 36	2.80 / 41
1450-1584	2006-2011	FXST/I Softail Standard	MH90-21 56V TL	**Cobra Chrome AV91**	200/55VR17 (78V) TL	**Cobra Chrome AV92**	2.15	6.00	2.60 / 38	3.00 / 44
1450-1584-1690	2003-2015	FLSTC/I Heritage Classic / EFI	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1450-1584-1690	2003-2015	FLSTC/I Heritage Classic / EFI	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1450-1584-1690	2005-2016	FLSTN/I Softail Deluxe / EFI	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1450-1584-1690	2005-2016	FLSTN/I Softail Deluxe / EFI	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1450-1584-1690	2005-2016	FLSTN/I Softail Deluxe / EFI	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1450-1584-1690	2005-2016	FLSTN/I Softail Deluxe / EFI	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1450-1584-1801	2006-2017	FXD/I Super Glide	100/90-19 57V TL	**Cobra Chrome AV91**	160/70B17 79V TL	**Cobra Chrome AV92**	2.50	4.50	2.50 / 36	2.80 / 41
1450-1585-1801	2006-2011	FXDLI Low Rider	100/90-19 57V TL	**Cobra Chrome AV91**	160/70B17 79V TL	**Cobra Chrome AV92**	2.50	4.50	2.50 / 36	2.80 / 41
1584-1690	2012-2016	FLS / FLS103 Softail Slim	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1584-1690	2012-2016	FLS / FLS103 Softail Slim	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1584-1690	2006-2016	FLSTF/B Fat Boy / Lo / S / Special	140/75R17 67V TL	**Cobra Chrome AV91**	200/55VR17 (78V) TL	**Cobra Chrome AV92**	3.50	6.00	2.60 / 38	3.00 / 44
1584-1690	2017	FLSTN Softail Deluxe	MT90B16 74H TL	**Cobra Chrome AV91**	140/90B16 77H TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1584-1690	2017	FLSTN Softail Deluxe	MT90B16 74H TL	**Cobra Chrome WW AV91**	140/90B16 77H TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44

For the most up to date information please check our website at **www.avontyres.com**

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
1584-1690	2017	FLSTN Softail Deluxe	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1584-1690	2017	FLSTN Softail Deluxe	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.00	2.60 / 38	3.00 / 44
1584-1690	2008-2011	FLSTSB Cross Bones	MT90B16 74H TL	**Cobra Chrome AV91**	200/55VR17 (78V) TL	**Cobra Chrome AV92**	3.00	6.00	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHRC Road King Classic	MT90B16 74H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHRC Road King Classic	MT90B16 74H TL	**Cobra Chrome WW AV91**	180/65B16 81H TL	**Cobra Chrome WW AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHRC Road King Classic	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHRC Road King Classic	130/70B18 69H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1584-1690	2011-2012	FLHRC103 Road King Classic	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1584-1690	2011-2012	FLHRC103 Road King Classic	130/70B18 69H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHTC / FLHTC103 Electra Glide Classic	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHTC / FLHTC103 Electra Glide Classic	130/70B18 69H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1584-1690	2009-	FLHTCU / FLHTU103 Ultra Classic Electra Glide	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHX/FLHX103 Street Glide	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHX/FLHX103 Street Glide	130/70B18 69H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1584-1690	2010-2013	FLTRX/FLTRX103 Road Glide Custom	130/70B18 69H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1584-1690-1801	2006-2016	FXDB-I / FXDB103 Street Bob	100/90-19 57V TL	**Cobra Chrome AV91**	160/70B17 79V TL	**Cobra Chrome AV92**	2.50	4.50	2.50 / 36	2.80 / 41
1584-1690-1801	2008-2017	FXDF Fat Bob	MT90B16 74H TL	**Cobra Chrome AV91**	180/70R16 77V TL	**Cobra Chrome AV92**	3.00	5.00	2.50 / 36	2.80 / 41
1584-1690-1801	2008-2017	FXDF Fat Bob	MT90B16 74H TL	**Cobra Chrome WW AV91**	180/70R16 77V TL	**Cobra Chrome WW AV92**	3.00	5.00	2.50 / 36	2.80 / 41
1584-1691	2012-2016	FLD / FLD103 Switchback	130/70B18 69H TL	**Cobra Chrome AV91**	160/70B17 79V TL	**Cobra Chrome AV92**	3.50	4.50	2.50 / 36	2.80 / 41
1585-1690-1801	2010-2016	FXDWG Wide Glide	MH90-21 56V TL	**Cobra Chrome AV91**	180/60B17 75V TL	**Cobra Chrome AV92**	2.15	4.50	2.50 / 36	2.80 / 41
1690-1745	2011-2016	FLTRU/FLTRU103 Road Glide Ultra	130/80B17 65H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	5.00	2.60 / 38	3.00 / 44
1690-1745	2011-2016	FLTRU/FLTRU103 Road Glide Ultra	130/70B18 69H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1690-1801	2014-2016	FXDL103 / FXDLS Low Rider / S	100/90-19 57V TL	**Cobra Chrome AV91**	160/70B17 79V TL	**Cobra Chrome AV92**	2.50	4.50	2.50 / 36	2.80 / 41
Honda										
50	2012-2017	NSC 50 WH Vision / NSC 50 MPD Vision	80/90-14 40S TL	**Viper Stryke AM63**	90/90-14 46S TL	**Viper Stryke AM63**	1.85	1.85	2.00 / 29	2.25 / 33
110	2011-	NSC 110 WH Vision / NSC 110 MPD Vision	80/90-14 40S TL	**Viper Stryke AM63**	90/90-14 46S TL	**Viper Stryke AM63**	1.85	1.85	2.00 / 29	2.25 / 33
125	2012-	AFS 110 - 2 SH - CSR - Wave 110 i	2.50-17 43S TL	**Streetrunner AV83**	2.75-17 47S TL	**Streetrunner AV83**	1.40	4.60	2.00 / 29	2.25 / 33
125	2014-2016	ANC 125 (SH Mode)	100/80-16 50P TL	**Viper Stryke AM63**	120/80-16 60P TL	**Viper Stryke AM63**			-	-
125	2018-	C 125 A ; Super CUB 125	2.50-17 43S TL	**Streetrunner AV83**	2.75-17 47S TL	**Streetrunner AV83**	1.85	1.85	2.00 / 29	2.30 / 33
125	2016-	CB 125 F - GLR 125	2.75-18 48S TL	**Streetrunner AV83**	90/90-18 51S TL	**Streetrunner AV83**	1.85	2.15	1.75 / 26	2.25 / 34
125	2014-2016	CB 125 F - GLR 125	90/90-18 51S TL	**Streetrunner AV83**	90/90-18 51S TL	**Streetrunner AV83**	1.85	2.15	1.75 / 25	2.25 / 33
125	2014-2016	CB 125 F - GLR 125	90/90-18 51S TL	**Streetrunner AV83**	100/90-18 56V TL	**Roadrider MKII**	1.85	2.15	1.75 / 25	2.25 / 33
125	2017-	CB 125 F - GLR 125	90/90-18 51S TL	**Streetrunner AV83**	90/90-18 51S TL	**Streetrunner AV83**	1.85	2.15	1.75 / 25	2.25 / 33
125	2017-	CB 125 F - GLR 125	90/90-18 51S TL	**Streetrunner AV83**	100/90-18 56V TL	**Roadrider MKII**	1.85	2.15	1.75 / 25	2.25 / 33
125	2009-	CBF 125 - CBF 125 M	80/100-17 53S TL	**Streetrunner AV83**	100/90-17 55S TL	**Streetrunner AV83**	1.85	2.15	1.75 / 25	2.25 / 33
125	2009-	CBF 125 - CBF 125 M	100/80-17 52H TL	**Roadrider MKII**	120/80-17 61V TL	**Roadrider MKII**	1.85	2.15	1.75 / 25	2.25 / 33
125	2009-	CBF 125 - CBF 125 M	100/80-17 52H TL	**Roadrider MKII**	110/70-17 54H TL	**Roadrider MKII**	1.85	2.15	1.75 / 25	2.25 / 33
125	2018-	CBF 125 NA - CBF 125 R	110/70ZR17 (54W) TL	**Spirit ST AV75**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.25 / 33
125	2018-	CBF 125 NA - CBF 125 R	110/70ZR17 (54W) TL	**Storm 3D X-M AV65**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.25 / 33
125	2018-	CBF 125 NA - CBF 125 R	110/70-17 54H TL	**Roadrider MKII**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.25 / 33
125	2004-2010	CBR 125 R	100/80-17 52H TL	**Roadrider MKII**	110/70-17 54H TL	**Roadrider MKII**	1.85	2.15	2.50 / 36	2.50 / 36
125	2004-2010	CBR 125 R	2.75-17 47S TL	**Streetrunner AV83**	100/80-17 52S TL	**Streetrunner AV83**	1.85	2.15	2.50 / 36	2.50 / 36
125	2011-	CBR 125 R	100/80-17 52S TL	**Streetrunner AV83**	130/70-17 62S TL	**Streetrunner AV83**	2.50	3.50	1.75 / 25	2.25 / 33
125	2011-	CBR 125 R	100/80-17 52H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	2.50	3.50	1.75 / 25	2.25 / 33
125	2002-2009	Dylan 125 - SES 125	110/90-13 56P TL	**Viper Stryke AM63**	130/70-13 63P TL	**Viper Stryke AM63**			1.80 / 26	2.20 / 32
125	2003-	FES 125 Pantheon (4 Takt Motor)	110/90-13 56P TL	**Viper Stryke AM63**	130/70-12 62P TL	**Viper Stryke AM63**	2.75	3.50	2.00 / 29	2.50 / 36
125	2013-	MSX 125 / Grom	120/70-12 58P TL	**Viper Stryke AM63**	130/70-12 62P TL	**Viper Stryke AM63**	2.75	3.50	2.00 / 29	2.00 / 29
125	2017-	MSX 125 A	120/70-12 58P TL	**Viper Stryke AM63**	130/70-12 62P TL	**Viper Stryke AM63**	2.75	3.50	2.00 / 29	2.00 / 29
125	2000-	NES 125 @125	110/90-13 56P TL	**Viper Stryke AM63**	130/70-13 63P TL	**Viper Stryke AM63**			-	-
125	2017-	NSS 125 AD / Forza 125	120/70-15 56S TL	**Viper Stryke AM63**	140/70-14 68S TL	**Viper Stryke AM63**	3.50	4.00	2.00 / 29	2.25 / 33
125	2015-	NSS 125 AD / Forza 125	120/70-15 56S TL	**Viper Stryke AM63**	140/70-14 68S TL	**Viper Stryke AM63**	3.50	4.00	2.00 / 29	2.30 / 33
125	2014-2017	PCX 125/150 LED - WW 125/150 EX2	90/90-14 46S TL	**Viper Stryke AM63**	100/90-14 57S TL	**Viper Stryke AM63**	1.85	2.15	2.00 / 29	2.50 / 36
125	2006-	PS 125i / PES 125	110/90-13 56P TL	**Viper Stryke AM63**	130/70-13 63P TL	**Viper Stryke AM63**			1.80 / 26	2.10 / 30
125	2009-2012	SH 125 (i) D (RR Drum Brake)	100/80-16 50P TL	**Viper Stryke AM63**	120/80-16 60P TL	**Viper Stryke AM63**	2.50	2.75	1.75 / 25	2.25 / 33
125	2013-2016	SH 125 A (SH125i) / SH 125 AD	100/80-16 50P TL	**Viper Stryke AM63**	120/80-16 60P TL	**Viper Stryke AM63**	2.50	2.75	1.75 / 25	2.25 / 33
125	2017-2019	SH 125 D - SH 125 AD	100/80-16 50P TL	**Viper Stryke AM63**	120/80-16 60P TL	**Viper Stryke AM63**	2.50	2.75	1.75 / 25	2.25 / 33
125	2020-	SH 125 i	100/80-16 50P TL	**Viper Stryke AM63**	120/80-16 60P TL	**Viper Stryke AM63**	2.50	2.75	1.75 / 25	2.25 / 33
125	2007-	S-Wing	110/90-13 56P TL	**Viper Stryke AM63**	130/70-12 62P TL	**Viper Stryke AM63**			1.80 / 26	2.00 / 29
125	2012-2013	PCX 125 EXP - WW 125	90/90-14 46S TL	**Viper Stryke AM63**	100/90-14 57S TL	**Viper Stryke AM63**	1.85	2.15	2.00 / 29	2.50 / 36
125	2009-	XL 125 V - Varadero 125	100/90-18 56H TL	**Roadrider MKII**	130/80-17 65H TL	**Roadrider MKII**	2.15	2.75	2.00 / 29	2.30 / 33
125	2003-	XR 125 SM Supermotard	110/70-17 54H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**			-	-
125	2003-	XR 125 SM Supermotard	110/70-17 54H TL	**Roadrider MKII**	130/70-17 62S TL	**Streetrunner AV83**			-	-
150	2020-	SH 150 i	100/80-16 50P TL	**Viper Stryke AM63**	120/80-16 60P TL	**Viper Stryke AM63**	2.50	2.75	1.75 / 25	2.25 / 33
150	2013-	SH150AD (idle stop)	100/80-16 50P TL	**Viper Stryke AM63**	120/80-16 60P TL	**Viper Stryke AM63**	2.50	2.75	1.75 / 25	2.25 / 33
223	2002-	FTR 223	120/90-18 65V TL	**Roadrider MKII**	120/90-18 65V TL	**Roadrider MKII**			-	-
250	2017-	CFR 250 LA	90/90-21 54V TL	**Trailrider M+S AV53**	120/80-18 62S TL	**Trailrider M+S AV54**	1.60	2.15	1.50 / 22	1.50 / 22
250	2017-	CFR 250 RA	90/90-21 54V TL	**Trailrider M+S AV53**	120/80-18 62S TL	**Trailrider M+S AV54**	1.60	2.15	1.50 / 22	1.75 / 25
250	2012-2013	CRF 250 L	90/90-21 54V TL	**Trailrider M+S AV53**	120/80-18 62S TL	**Trailrider M+S AV54**	1.60	2.50	1.50 / 22	1.50 / 22
250	2017-	CRF 250 LA	90/90-21 54V TL	**Trailrider M+S AV53**	120/80-18 62S TL	**Trailrider M+S AV54**	1.60	2.15	1.50 / 22	1.50 / 22
250	2014-	CRF 250 M	110/70-17 54H TL	**Roadrider MKII**	130/70-17 62S TL	**Streetrunner AV83**	2.75	3.50	2.00 / 29	2.00 / 29
250	2017-	CRF 250 RA	90/90-21 54V TL	**Trailrider M+S AV53**	120/80-18 62S TL	**Trailrider M+S AV54**	1.60	2.15	1.50 / 22	1.75 / 25

Storm 3D X-M not available in North America

Fitment Guide

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
250	2017-	CRF 250 Rally	90/90-21 54V TL	**Trailrider M+S AV53**	120/80-18 62S TL	**Trailrider M+S AV54**	1.60	2.15	1.50 / 22	1.75 / 25
250	2001-2009	Jazz 250	110/90-13 56P TL	**Viper Stryke AM63**	130/70-12 62P TL	**Viper Stryke AM63**			1.80 / 26	2.20 / 32
250	2004-2009	PS 250 Big Ruckus	110/90-12 64P TL	**Viper Stryke AM63**	130/70-12 62P TL	**Viper Stryke AM63**			-	-
250	2001-2009	Reflex 250	110/90-13 56P TL	**Viper Stryke AM63**	130/70-12 62P TL	**Viper Stryke AM63**			1.80 / 26	2.10 / 30
250	2009-	VTR 250	110/70-17 54H TL	**Roadrider MKII**	140/70-17 66H TL	**Roadrider MKII**			2.00 / 29	2.30 / 33
286	2018-	CB 300 R (CBF 300 NA)	110/70ZR17 (54W) TL	**Spirit ST AV75**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.25 / 33
286	2018-	CB 300 R (CBF 300 NA)	110/70ZR17 (54W) TL	**Storm 3D X-M AV65**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.25 / 33
286	2018-	CB 300 R (CBF 300 NA)	110/70-17 54H TL	**Roadrider MKII**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.25 / 33
300	2018-	CBF 300 NA - CB 300 R	110/70ZR17 (54W) TL	**Spirit ST AV75**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.25 / 33
300	2018-	CBF 300 NA - CB 300 R	110/70ZR17 (54W) TL	**Storm 3D X-M AV65**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.25 / 33
300	2014-	CBR 300 R / RA	110/70-17 54H TL	**Roadrider MKII**	140/70-17 66H TL	**Roadrider MKII**	2.75	4.00	2.00 / 29	2.25 / 33
300	2019-	NSS 300 A / Forza 300	120/70-15 56S TL	**Viper Stryke AM63**	140/70-14 68S TL	**Viper Stryke AM63**	3.50	4.00	2.00 / 29	2.25 / 33
400	2006-	FJS 400 D	120/80-14 58S TL	**Viper Stryke AM63**	140/90-15 76H TL	**Cobra Chrome AV92**				
500	2013-2016	CB 500 F	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
500	2013-2016	CB 500 F	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
500	2013-2016	CB 500 F	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.90 / 42
500	2013-2016	CB 500 F	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
500	2017-	CB 500 F	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	5.00	2.50 / 36	2.90 / 42
500	2017-	CB 500 F	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	5.00	2.50 / 36	2.90 / 42
500	2017-	CB 500 F	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	5.00	2.50 / 36	2.90 / 42
500	2017-	CB 500 F	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	5.00	2.50 / 36	2.90 / 42
500	2019-	CB 500 FA - CB 500 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	5.00	2.50 / 36	2.90 / 42
500	2019-	CB 500 FA - CB 500 R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	5.00	2.50 / 36	2.90 / 42
500	2019-	CB 500 FA - CB 500 R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	5.00	2.50 / 36	2.90 / 42
500	2019-	CB 500 FA - CB 500 R	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	5.00	2.50 / 36	2.90 / 42
500	2013-	CB 500 X	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
500	2013-	CB 500 X	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
500	2013-	CB 500 X	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.90 / 42
500	2013-	CB 500 X	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
500	2019-	CB 500 XA	110/80R19 59V TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
500	2019-	CB 500 XA	110/80R19 59V TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
500	2019-	CB 500 XA	110/80R19 59V TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
500	2017-2018	CB 500 XA	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
500	2017-2018	CB 500 XA	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
500	2017-2018	CB 500 XA	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.90 / 42
500	2017-2018	CB 500 XA	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
500	2013-2016	CBR 500 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	5.00	2.50 / 36	2.90 / 42
500	2013-2016	CBR 500 R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	5.00	2.50 / 36	2.90 / 42
500	2013-2016	CBR 500 R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	5.00	2.50 / 36	2.90 / 42
500	2013-2016	CBR 500 R	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	5.00	2.50 / 36	2.90 / 42
500	2017-2018	CBR 500 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	5.00	2.50 / 36	2.90 / 42
500	2017-2018	CBR 500 R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	5.00	2.50 / 36	2.90 / 42
500	2017-2018	CBR 500 R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	5.00	2.50 / 36	2.90 / 42
500	2017-2018	CBR 500 R	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	5.00	2.50 / 36	2.90 / 42
500	2019-	CBR 500 RA	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	5.00	2.50 / 36	2.90 / 42
500	2019-	CBR 500 RA	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	5.00	2.50 / 36	2.90 / 42
500	2019-	CBR 500 RA	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	5.00	2.50 / 36	2.90 / 42
500	2019-	CBR 500 RA	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	5.00	2.50 / 36	2.90 / 42
500	2017-	CMX 500 A - Rebel	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.50	2.00 / 29	2.00 / 29
500	2017-	CMX 500 A - Rebel	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.50	2.00 / 29	2.00 / 29
600	2008-	CBF 600 - ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	5.00	2.50 / 36	2.90 / 42
600	2008-	CBF 600 - ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	5.00	2.50 / 36	2.90 / 42
600	2008-	CBF 600 - ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	5.00	2.50 / 36	2.90 / 42
600	2008-	CBF 600 - ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	5.00	2.50 / 36	2.90 / 42
600	2011-	CBR 600 F	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
600	2011-	CBR 600 F	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
600	2011-	CBR 600 F	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
600	2007-2009	CBR 600 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
600	2007-2009	CBR 600 RR	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
600	2007-2009	CBR 600 RR	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
600	2011-2013	CBR 600 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
600	2011-2013	CBR 600 RR	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
600	2011-2013	CBR 600 RR	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
600	2013-	CBR 600 RR	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
600	2013-	CBR 600 RR	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
600	2013-	CBR 600 RR	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
600	2009-2011	CBR 600 RR - CBR 600 RA ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
600	2009-2011	CBR 600 RR - CBR 600 RA ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
600	2009-2011	CBR 600 RR - CBR 600 RA ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
600	2007-2011	Hornet 600 - ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
600	2007-2011	Hornet 600 - ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
600	2007-2011	Hornet 600 - ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
600	2007-2011	Hornet 600 - ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42

For the most up to date information please check our website at **www.avontyres.com**

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
600	2003-	Silver Wing - FJS 600 - Silver Wing ABS	120/80-14 58S TL	**Viper Stryke AM63**	150/70-13 64S TL	**Viper Stryke AM63**	2.75	4.50	2.10 / 30	2.50 / 36
600	2011-	SW-T 600	120/80-14 58S TL	**Viper Stryke AM63**	150/70-13 64S TL	**Viper Stryke AM63**	2.75	4.50	2.30 / 33	2.50 / 36
650	2014-2016	CB 650 FA	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
650	2014-2016	CB 650 FA	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
650	2014-2016	CB 650 FA	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
650	2014-2016	CB 650 FA	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
650	2017-2018	CB 650 FA	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
650	2017-2018	CB 650 FA	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
650	2017-2018	CB 650 FA	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
650	2017-2018	CB 650 FA	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
650	2014-2016	CBR 650 FA	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
650	2014-2016	CBR 650 FA	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
650	2014-2016	CBR 650 FA	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
650	2017-	CBR 650 FA	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
650	2017-	CBR 650 FA	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
650	2017-	CBR 650 FA	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
650	2017-	CBR 650 FA	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
650	2017-	CBR 650 FA	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
650	2017-	CBR 650 FA	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
680	2008-	DN-01	130/70-17 62H TL	**Roadrider MKII**	190/50ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
680	2008-	DN-01	130/70-17 62H TL	**Roadrider MKII**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
700	2014-	CTX 700 A - D	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
700	2014-	CTX 700 A - D	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
700	2014-	CTX 700 A - D	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.90 / 42
700	2014-	CTX 700 A - D	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
700	2014-	CTX 700 N - ND	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
700	2014-	CTX 700 N - ND	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
700	2014-	CTX 700 N - ND	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.90 / 42
700	2014-	CTX 700 N - ND	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
700	2012-	Integra 700 D	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
700	2012-	Integra 700 D	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
700	2012-	Integra 700 D	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.90 / 42
700	2012-	Integra 700 D	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
700	2012-	NC 700 SA - SD	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
700	2012-	NC 700 SA - SD	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
700	2012-	NC 700 SA - SD	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.90 / 42
700	2012-	NC 700 SA - SD	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
700	2012-	NC 700 XA - XD	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
700	2012-	NC 700 XA - XD	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
700	2012-	NC 700 XA - XD	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.90 / 42
700	2012-	NC 700 XA - XD	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
700	2006-2010	NT 700 V-VA Deauville	120/70ZR17 (58W) TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
700	2006-2010	NT 700 V-VA Deauville	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
700	2006-2010	NT 700 V-VA Deauville	120/70V17 (58V) TL	**Roadrider MKII**	150/70V17 (69V) TL	**Roadrider MKII**	3.50	4.50	2.50 / 36	2.90 / 42
700	2006-2010	NT 700 V-VA Deauville	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
700	2010-	NT 700 V-VA Deauville - ital. Produktion	120/70ZR17 (58W) TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
700	2010-	NT 700 V-VA Deauville - ital. Produktion	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
700	2010-	NT 700 V-VA Deauville - ital. Produktion	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
700	2008-	Transalp XL 700 V-VA	100/90-19 57V TL	**Trailrider M+S AV53**	130/80R17 65H TL	**Trailrider M+S AV54**	2.15	3.50	2.00 / 29	2.80 / 41
700	2008-	XL 700 V Transalp	100/90-19 57V TL	**Trailrider M+S AV53**	130/80R17 65H TL	**Trailrider M+S AV54**	2.15	3.50	2.30 / 33	2.80 / 41
750	2014-	Integra NC 750 D	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
750	2014-	Integra NC 750 D	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
750	2014-	Integra NC 750 D	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.90 / 42
750	2014-	Integra NC 750 D	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
750	2016-	Integra NC 750 D A3 - Indegra NC 750 D 35kw A2	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
750	2016-	Integra NC 750 D A3 - Indegra NC 750 D 35kw A2	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
750	2016-	Integra NC 750 D A3 - Indegra NC 750 D 35kw A2	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.90 / 42
750	2016-	Integra NC 750 D A3 - Indegra NC 750 D 35kw A2	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
750	2014-	NC 750 J - NM4 Vultus	120/70ZR18 (59W) TL	**Spirit ST AV75**	200/50ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.25	2.25 / 33	2.50 / 36
750	2014-	NC 750 J - NM4 Vultus	120/70ZR18 (59W) TL	**Storm 3D X-M AV65**	200/50ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.25	2.25 / 33	2.50 / 36
750	2016-	NC 750 J - NM4 Vultus	120/70ZR18 (59W) TL	**Spirit ST AV75**	200/50ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.25	2.25 / 33	2.50 / 36
750	2016-	NC 750 J - NM4 Vultus	120/70ZR18 (59W) TL	**Storm 3D X-M AV65**	200/50ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.25	2.25 / 33	2.50 / 36
750	2016-	NC 750 S - SD A3 - NC 750 S - SD 35 kw A2	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
750	2016-	NC 750 S - SD A3 - NC 750 S - SD 35 kw A2	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
750	2016-	NC 750 S - SD A3 - NC 750 S - SD 35 kw A2	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.90 / 42
750	2016-	NC 750 S - SD A3 - NC 750 S - SD 35 kw A2	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
750	2014-	NC 750 SA ABS - SD ABS+DCT	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
750	2014-	NC 750 SA ABS - SD ABS+DCT	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
750	2014-	NC 750 SA ABS - SD ABS+DCT	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.90 / 42
750	2014-	NC 750 SA ABS - SD ABS+DCT	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
750	2016-	NC 750 X - XD A3 - NC 750 X - XD 35kw A2	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42

Storm 3D X-M not available in North America

Fitment Guide

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
750	2016-	NC 750 X - XD A3 - NC 750 X - XD 35kw A2	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
750	2016-	NC 750 X - XD A3 - NC 750 X - XD 35kw A2	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.90 / 42
750	2016-	NC 750 X - XD A3 - NC 750 X - XD 35kw A2	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
750	2014-	NC 750 XA - XD	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.50 / 36	2.90 / 42
750	2014-	NC 750 XA - XD	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.50 / 36	2.90 / 42
750	2014-	NC 750 XA - XD	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.50 / 36	2.90 / 42
750	2014-	NC 750 XA - XD	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.50 / 36	2.90 / 42
750	2007-	VT 750 C2 Shadow Spirit - Shadow Black	90/90-21 54V TL	**Roadrider MKII**	160/80V15 (74V) TL	**Roadrider MKII**	2.15	3.50	2.30 / 33	2.50 / 36
750	2008-	VT 750 C2A Shadow Phantom 2010	120/90-17 64V TL	**Roadrider MKII**	160/80V15 (74V) TL	**Roadrider MKII**	3.00	3.50	2.30 / 33	2.50 / 36
750	2010-	VT 750 S	100/90-19 57V TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	2.15	3.50	2.30 / 33	2.70 / 39
750	2010-	VT 750 S	100/90-19 57V TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	2.15	3.50	2.30 / 33	2.70 / 39
800	2011-2014	Crossrunner	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
800	2011-2014	Crossrunner	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
800	2011-2014	Crossrunner	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
800	2011-2014	Crossrunner	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
800	2017-	VFR 800 F	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
800	2017-	VFR 800 F	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
800	2017-	VFR 800 F	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
800	2017-	VFR 800 F	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
800	2014-2016	VFR 800 F	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
800	2014-2016	VFR 800 F	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
800	2014-2016	VFR 800 F	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
800	2014-2016	VFR 800 F	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
800	2017-	VFR 800 X Crossrunner	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
800	2017-	VFR 800 X Crossrunner	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
800	2017-	VFR 800 X Crossrunner	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
800	2017-	VFR 800 X Crossrunner	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
800	2015-2016	VFR 800 X Crossrunner	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
800	2015-2016	VFR 800 X Crossrunner	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
800	2015-2016	VFR 800 X Crossrunner	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
800	2015-2016	VFR 800 X Crossrunner	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
900	2002-	Hornet 900	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
900	2002-	Hornet 900	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
900	2002-	Hornet 900	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1000	2008-	CB 1000 R - ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1000	2008-	CB 1000 R - ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1000	2008-	CB 1000 R - ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1000	2008-	CB 1000 R - ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1000	2018-	CB 1000 RA	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2018-	CB 1000 RA	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2018-	CB 1000 RA	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2018-	CB 1000 RA	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2018-	CB 1000 RA	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2018-	CB 1000 RA	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2006-2010	CBF 1000	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	5.00	2.50 / 36	2.90 / 42
1000	2006-2010	CBF 1000	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	5.00	2.50 / 36	2.90 / 42
1000	2006-2010	CBF 1000	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	5.00	2.50 / 36	2.90 / 42
1000	2006-2010	CBF 1000	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	5.00	2.50 / 36	2.90 / 42
1000	2010-	CBF 1000	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	5.00	2.50 / 36	2.90 / 42
1000	2010-	CBF 1000	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	5.00	2.50 / 36	2.90 / 42
1000	2010-	CBF 1000	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	5.00	2.50 / 36	2.90 / 42
1000	2010-	CBF 1000	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	5.00	2.50 / 36	2.90 / 42
1000	2017-	CBR 1000 RA Fireblade - S1	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2017-	CBR 1000 RA Fireblade - S1	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2017	CBR 1000 RA Fireblade - S1	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/50ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2008-2010	CBR 1000 RR Fireblade	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/50ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2008-2010	CBR 1000 RR Fireblade	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2008-2010	CBR 1000 RR Fireblade	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/50ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2008-2010	CBR 1000 RR Fireblade	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-	CBR 1000 RR Fireblade ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/50ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-	CBR 1000 RR Fireblade ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-	CBR 1000 RR Fireblade ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/50ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2014-	CBR 1000 RR Fireblade RA-SA	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/50ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2014-	CBR 1000 RR Fireblade RA-SA	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2014-	CBR 1000 RR Fireblade RA-SA	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/50ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2017-	CBR 1000 RR Fireblade S2	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2017-	CBR 1000 RR Fireblade S2	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2017	CBR 1000 RR Fireblade S2	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/50ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2017-	CBR 1000 RR Fireblade S2	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2017-2019	CRF 1000 A - CRF 1000 D (DTC) Africa Twin	90/90-21 54V TL	**Trailrider M+S AV53**	150/70R18 70V TL	**Trailrider M+S AV54**	2.15	4.00	2.50 / 36	2.80 / 41
1000	2017-2019	CRF 1000 A - CRF 1000 D (DTC) Africa Twin	90/90-21 54V TL	**Trekider M+S AV84**	150/70-18 70V TL	**Trekrider M+S AV85**	2.15	4.00	2.50 / 36	2.80 / 41
1000	2018-2019	CRF 1000 A2 Africa Twin Adventure Sports	90/90-21 54V TL	**Trailrider M+S AV53**	150/70R18 70V TL	**Trailrider M+S AV54**	2.15	4.00	2.50 / 36	2.80 / 41
1000	2018-2019	CRF 1000 A2 Africa Twin Adventure Sports	90/90-21 54V TL	**Trekrider M+S AV84**	150/70-18 70V TL	**Trekrider M+S AV85**	2.15	4.00	2.50 / 36	2.80 / 41

For the most up to date information please check our website at **www.avontyres.com**

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
1000	2018-2019	CRF 1000 D2 (DCT) Africa Twin Adventure Sports	90/90-21 54V TL	**Trailrider M+S AV53**	150/70R18 70V TL	**Trailrider M+S AV54**	2.15	4.00	2.50 / 36	2.80 / 41
1000	2018-2019	CRF 1000 D2 (DCT) Africa Twin Adventure Sports	90/90-21 54V TL	**Trekrider M+S AV84**	150/70-18 70V TL	**Trekrider M+S AV85**	2.15	4.00	2.50 / 36	2.80 / 41
1000	2016-2019	CRF 1000 L Africa Twin	90/90-21 54V TL	**Trailrider M+S AV53**	150/70R18 70V TL	**Trailrider M+S AV54**	2.15	4.00	2.50 / 36	2.80 / 41
1000	2016-	RC 213 V-S - RC 1000 VS	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2016-	RC 213 V-S - RC 1000 VS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2010-	XL 1000 V Varadero	110/80R19 59V TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	2.50	4.00	2.50 / 36	2.80 / 41
1000	2010-	XL 1000 V Varadero	110/80R19 59V TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	2.50	4.00	2.50 / 36	2.80 / 41
1000	2010-	XL 1000 V Varadero	110/80R19 59V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	2.50	4.00	2.50 / 36	2.80 / 41
1000	2010-	XL 1000 V Varadero	110/80-19 59V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	2.50	4.00	2.50 / 36	2.80 / 41
1000	2003-	XL 1000 V Varadero mit und ohne ABS	110/80R19 59V TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	2.50	4.00	2.50 / 36	2.80 / 41
1000	2003-	XL 1000 V Varadero mit und ohne ABS	110/80R19 59V TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	2.50	4.00	2.50 / 36	2.80 / 41
1000	2003-	XL 1000 V Varadero mit und ohne ABS	110/80R19 59V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	2.50	4.00	2.50 / 36	2.80 / 41
1000	2003-	XL 1000 V Varadero mit und ohne ABS	110/80-19 59V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	2.50	4.00	2.50 / 36	2.80 / 41
1000	2016-2019	CRF 1000 L Africa Twin	90/90-21 54V TL	**Trekrider M+S AV84**	150/70-18 70V TL	**Trekrider M+S AV85**	2.15	4.00	2.50 / 36	2.80 / 41
1100	2013-	CB 1100	110/80V18 (58V) TL	**Roadrider MKII**	140/70V18 (67V) TL	**Roadrider MKII**	2.50	4.00	2.50 / 36	2.90 / 42
1100	2017-	CB 1100 CA - EX	110/80V18 (58V) TL	**Roadrider MKII**	140/70V18 (67V) TL	**Roadrider MKII**	2.50	4.00	2.50 / 36	2.90 / 42
1100	2014-	CB 1100 EX (Drahtspeiche)	110/80V18 (58V) TL	**Roadrider MKII**	140/70V18 (67V) TL	**Roadrider MKII**	2.50	4.00	2.50 / 36	2.90 / 42
1100	2017-	CB 1100 NA - RS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1100	2017-	CB 1100 NA - RS	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1100	2017-	CB 1100 NA - RS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1100	2017-	CB 1100 NA - RS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1100	2000-	CB 1100 SF X-Eleven	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1100	2000-	CB 1100 SF X-Eleven	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1100	2000-	CB 1100 SF X-Eleven	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1100	2000-	CB 1100 SF X-Eleven	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1100	2007-	VT 1100 C Shadow Aero	120/90-17 64V TL	**Roadrider MKII**	160/80V15 (74V) TL	**Roadrider MKII**			2.30 / 33	2.50 / 36
1200	2010-	VFR 1200 F - ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2010-	VFR 1200 F - ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2010-	VFR 1200 F - ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1200	2011-2015	VFR 1200 X Crosstourer	110/80R19 59V TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	2.50	4.00	2.50 / 36	2.90 / 42
1200	2011-2015	VFR 1200 X Crosstourer	110/80R19 59V TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	2.50	4.00	2.50 / 36	2.90 / 42
1200	2011-2015	VFR 1200 X Crosstourer	110/80R19 59V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	2.50	4.00	2.50 / 36	2.90 / 42
1200	2011-2015	VFR 1200 X Crosstourer	110/80-19 59V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	2.50	4.00	2.50 / 36	2.90 / 42
1200	2016-	VFR 1200 X Crosstourer	110/80R19 59V TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	2.50	4.00	2.50 / 36	2.90 / 42
1200	2016-	VFR 1200 X Crosstourer	110/80R19 59V TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	2.50	4.00	2.50 / 36	2.90 / 42
1200	2016-	VFR 1200 X Crosstourer	110/80R19 59V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	2.50	4.00	2.50 / 36	2.90 / 42
1200	2016-	VFR 1200 X Crosstourer	110/80-19 59V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	2.50	4.00	2.50 / 36	2.90 / 42
1300	2005-	CB 1300	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2005-	CB 1300	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2005-	CB 1300	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2005-	CB 1300	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2005-	CB 1300 ABS - S-ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2005-	CB 1300 ABS - S-ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2005-	CB 1300 ABS - S-ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2005-	CB 1300 ABS - S-ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2013-	CTX 1300	130/70VR18 (63V) TL	**Cobra Chrome AV91**	200/50ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.25	2.50 / 36	2.90 / 42
1300	2013-	CTX 1300	130/70VR18 (63V) TL	**Cobra Chrome AV91**	200/50ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.25	2.50 / 36	2.90 / 42
1300	2013-	CTX 1300	130/70VR18 (63V) TL	**Cobra Chrome AV91**	200/50R17 75H TL	**Cobra Chrome AV92**	3.50	6.25	2.50 / 36	2.90 / 42
1300	2010-2012	VR 1300 CS - CSA Sabre	90/90-21 54H TL	**Cobra Chrome AV91**	170/80B15 83H TL	**Cobra Chrome AV92**			2.30 / 33	2.80 / 41
1300	2010-2012	VT 1300 CR - CRA Stateline- Interstate	140/80V17 (69V) TL	**Roadrider MKII**	170/80B15 83H TL	**Cobra Chrome AV92**			2.30 / 33	2.80 / 41
1300	2004-2009	VTX 1300 C	110/90-19 62H TL	**Cobra Chrome AV91**	170/80B15 83H TL	**Cobra Chrome AV92**	3.00	3.50	2.30 / 33	2.80 / 41
1300	2010-2013	VTX 1300 X	140/80V17 (69V) TL	**Roadrider MKII**	170/80B15 83H TL	**Cobra Chrome AV92**	3.00	3.50	2.30 / 33	2.80 / 41
1800	2014-2017	GL 1800 C - F 6 C	130/60B19 61V TL	**Cobra Chrome AV91**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.80 / 41
1800	2014-2017	GL 1800 C - F 6 C	130/60B19 61V TL	**Cobra Chrome AV91**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.80 / 41
1800	2001-2012	GL 1800 Gold Wing	130/70R18 63H TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.50	2.85 / 41	2.90 / 42
1800	2012-2014	GL 1800 Gold Wing	130/70R18 63H TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.50	2.85 / 41	2.90 / 42
1800	2015-	Gold Wing - F 6 B	130/70R18 63H TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.85 / 41	2.90 / 42
1800	2001-	VTX 1800 C	130/70R18 63H TL	**Cobra Chrome AV91**	180/70R16 77V TL	**Cobra Chrome AV92**	3.50	5.00	2.25 / 33	2.50 / 36
1800	2005-	VTX 1800 F Sport Cruiser	130/70R18 63H TL	**Cobra Chrome AV91**	180/55ZR18 (74W) TL	**Cobra Chrome AV92**	3.50	5.50	2.50 / 36	2.90 / 42
125-150	2014-2017	PCX 125/150 - WW 125 EX2	90/90-14 46S TL	**Viper Stryke AM63**	100/90-14 57S TL	**Viper Stryke AM63**	1.85	2.15	2.00 / 29	2.50 / 36
125-150	2010-2011	PCX 125/150 - WW 125/150 EX2	90/90-14 46S TL	**Viper Stryke AM63**	100/90-14 57S TL	**Viper Stryke AM63**	1.85	2.15	2.00 / 29	2.50 / 36
Indian										
999	2016-	Scout Sixty	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.50	3.50	2.50 / 36	2.80 / 41
999	2016-	Scout Sixty	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.50	3.50	2.50 / 36	2.80 / 41
1130	2015-	Scout	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.50	3.50	2.50 / 36	2.90 / 42
1130	2015-	Scout	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.50	3.50	2.50 / 36	2.90 / 42
1130	2017-	Scout Bobber	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.50	3.50	2.50 / 36	2.90 / 42
1130	2017-	Scout Bobber	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.50	3.50	2.50 / 36	2.90 / 42
1203	2019-	FTR 1200 / FTR 1200 S	120/70ZR19 (60W) TL	**Trailrider M+S AV53**	150/70R18 70V TL	**Trailrider M+S AV54**	3.00	4.25	2.50 / 36	2.90 / 42
1811	2013-2017	Chief Classic	MT90B16 74H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1811	2013-2017	Chief Classic	MT90B16 74H TL	**Cobra Chrome WW AV91**	180/65B16 81H TL	**Cobra Chrome WW AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1811	2018-	Chief Classic	MT90B16 74H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44

Storm 3D X-M not available in North America

Fitment Guide

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
1811	2018-	Chief Classic	MT90B16 74H TL	**Cobra Chrome WW AV91**	180/65B16 81H TL	**Cobra Chrome WW AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1811	2015-2017	Chief Dark Horse	MT90B16 74H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1811	2015-2017	Chief Dark Horse	MT90B16 74H TL	**Cobra Chrome WW AV91**	180/65B16 81H TL	**Cobra Chrome WW AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1811	2018-	Chief Dark Horse	MT90B16 74H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1811	2018-	Chief Dark Horse	MT90B16 74H TL	**Cobra Chrome WW AV91**	180/65B16 81H TL	**Cobra Chrome WW AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1811	2013-	Chief Vintage	MT90B16 74H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1811	2013-	Chief Vintage	MT90B16 74H TL	**Cobra Chrome WW AV91**	180/65B16 81H TL	**Cobra Chrome WW AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1811	2013-	Chieftain	MT90B16 74H TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	2.90 / 42
1811	2018-	Chieftain	MT90B16 74H TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	2.90 / 42
1811	2018-	Chieftain Classic	MT90B16 74H TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	2.90 / 42
1811	2015-2017	Chieftain Dark Horse	130/60B19 61V TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	2.90 / 42
1811	2018-	Chieftain Dark Horse	130/60B19 61V TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	2.90 / 42
1811	2015-2017	Chieftain Limited	130/60B19 61V TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	2.90 / 42
1811	2018-	Chieftain Limited	130/60B19 61V TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	2.90 / 42
1811	2015-2017	Roadmaster	MT90B16 74H TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.50 / 36	2.90 / 42
1811	2018-	Roadmaster	MT90B16 74H TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.50 / 36	2.90 / 42
1811	2015-2017	Roadmaster Classic	MT90B16 74H TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.50 / 36	2.90 / 42
1811	2018-	Roadmaster Classic	MT90B16 74H TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.50 / 36	2.90 / 42
1811	2018-	Raodmaster Elite	MT90B16 74H TL	**Cobra Chrome AV91**	180/60R16 80H TL	**Cobra Chrome AV92**	3.50	5.00	2.50 / 36	2.90 / 42
1811	2016-2017	Springfield - Dark Horse	MT90B16 74H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1811	2016-2017	Springfield - Dark Horse	MT90B16 74H TL	**Cobra Chrome WW AV91**	180/65B16 81H TL	**Cobra Chrome WW AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1811	2018-	Springfield - Dark Horse	MT90B16 74H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.50	5.00	2.60 / 38	3.00 / 44
1811	2018-	Springfield - Dark Horse	MT90B16 74H TL	**Cobra Chrome WW AV91**	180/65B16 81H TL	**Cobra Chrome WW AV92**	3.50	5.00	2.60 / 38	3.00 / 44
Kawasaki										
125	2016-	J 125 - J 125 SE	120/80-14 58S TL	**Viper Stryke AM63**	150/70-13 64S TL	**Viper Stryke AM63**	3.00	4.00	2.10 / 30	2.50 / 36
125	2019-	Ninja 125	100/80-17 52S TL	**Streetrunner AV83**	130/70-17 62S TL	**Streetrunner AV83**	2.75	3.50	2.00 / 29	2.25 / 33
125	2019-	Z 125	100/80-17 52S TL	**Streetrunner AV83**	130/70-17 62S TL	**Streetrunner AV83**	2.75	3.50	2.00 / 29	2.25 / 33
250	2005-	250 Super Sherpa	90/90-21 54V TL	**Trailrider M+S AV53**	110/80-18 58S TL	**Trailrider M+S AV54**			1.80 / 26	2.00 / 29
250	2008-	EX 250 J	110/70-17 54H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	2.50	3.50	2.00 / 29	2.20 / 32
250	2012-	KLX 250 SF	110/70-17 54H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	3.00	3.50	1.80 / 26	2.00 / 29
250	2006-2013	Ninja 250 R	110/70-17 54H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	2.75	3.50	2.00 / 29	2.50 / 36
250	2014-	Ninja 250 SL	100/80-17 52H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	2.75	3.50	2.00 / 29	2.50 / 36
250	2014-	Z 250 SL	100/80-17 52H TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**			2.00 / 29	2.50 / 36
250	2014-	Z 250 SL	100/80-17 52S TL	**Streetrunner AV83**	130/70-17 62S TL	**Streetrunner AV83**			2.00 / 29	2.50 / 36
300	2013-2017	J 300 ab 2013	120/80-14 58S TL	**Viper Stryke AM63**	150/70-13 64S TL	**Viper Stryke AM63**	3.00	4.00	2.10 / 30	2.50 / 36
300	2018-	J 300 ab 2018	120/80-14 58S TL	**Viper Stryke AM63**	150/70-13 64S TL	**Viper Stryke AM63**	3.00	4.00	2.10 / 30	2.50 / 36
300	2012-	Ninja 300	110/70-17 54H TL	**Roadrider MKII**	140/70-17 66H TL	**Roadrider MKII**	2.75	4.00	2.00 / 29	2.25 / 33
300	2017-	Versys-X 300	100/90-19 57V TL	**Roadrider MKII**	130/80-17 65H TL	**Roadrider MKII**	2.15	3.00	2.00 / 29	2.25 / 33
300	2017-	Versys-X 300	100/90-19 57V TL	**Trailrider M+S AV53**	130/80-17 65S TL	**Trailrider M+S AV54**	2.15	3.00	2.00 / 29	2.25 / 33
300	2015-	Z 300	110/70-17 54H TL	**Roadrider MKII**	140/70-17 66H TL	**Roadrider MKII**	3.00	4.00	2.00 / 29	2.25 / 33
400	2017-	Ninja 400	110/70ZR17 (54W) TL	**Spirit ST AV75**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.25 / 33
400	2017-	Ninja 400	110/70ZR17 (54W) TL	**Storm 3D X-M AV65**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.25 / 33
400	2017-	Ninja 400	110/70V17 (54V) TL	**Roadrider MKII**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.00	2.00 / 29	2.25 / 33
400	2019-	Z 400	110/70ZR17 (54W) TL	**Spirit ST AV75**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.50	2.00 / 29	2.25 / 33
400	2019-	Z 400	110/70ZR17 (54W) TL	**Storm 3D X-M AV65**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.00	4.50	2.00 / 29	2.25 / 33
400	2005-	ZR 400 Zephyr	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	150/60ZR17 (66W) TL	**3D Ultra EVO AV80**	3.50	4.00	2.30 / 33	2.50 / 36
400	2005-	ZR 400 Zephyr	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	150/60R17 66H TL	**Trailrider M+S AV54**	3.50	4.00	2.30 / 33	2.50 / 36
500	2007-	500 R Ninja	110/70V17 (54V) TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	3.00	4.50	2.30 / 33	2.50 / 36
500	1986-2009	GPZ 500 S 25KW	110/70V17 (54V) TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	3.00	3.50	2.25 / 33	2.50 / 36
500	2000-2009	GPZ 500 S 37KW-44KW	110/70V17 (54V) TL	**Roadrider MKII**	130/70-17 62H TL	**Roadrider MKII**	3.00	3.50	2.25 / 33	2.50 / 36
500	2005-	Vulcan 500 LTD	100/90-19 57V TL	**Cobra Chrome AV91**	140/90-15 76H TL	**Cobra Chrome AV92**	2.15	3.00	2.00 / 29	2.50 / 36
600	2007-2009	Ninja ZX-6R	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
600	2007-2009	Ninja ZX-6R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
600	2007-2009	Ninja ZX-6R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
600	2009-2012	Ninja ZX-6R	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
600	2009-2012	Ninja ZX-6R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
600	2009-2012	Ninja ZX-6R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
636	2013-2018	Ninja ZX-6R 636	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
636	2013-2018	Ninja ZX-6R 636	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
636	2013-2018	Ninja ZX-6R 636	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
636	2019-	Ninja ZX-6R (636)	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
636	2019-	Ninja ZX-6R (636)	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
636	2019-	Ninja ZX-6R (636)	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
649	2017-	Z 650 ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.25 / 33	2.50 / 36
649	2017-	Z 650 ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.25 / 33	2.50 / 36
649	2017-	Z 650 ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.25 / 33	2.50 / 36
649	2017-	Z 650 ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.25 / 33	2.50 / 36
650	2006-2009	ER-6F - ER-6F ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.30 / 33	2.50 / 36
650	2006-2009	ER-6F - ER-6F ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.30 / 33	2.50 / 36
650	2006-2009	ER-6F - ER-6F ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.30 / 33	2.50 / 36
650	2006-2009	ER-6F - ER-6F ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.30 / 33	2.50 / 36
650	2009-2012	ER-6F - ER-6F ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.30 / 33	2.50 / 36
650	2009-2012	ER-6F - ER-6F ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.30 / 33	2.50 / 36
650	2009-2012	ER-6F - ER-6F ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.30 / 33	2.50 / 36

For the most up to date information please check our website at **www.avontyres.com**

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
650	2009-2012	ER-6F - ER-6F ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.30 / 33	2.50 / 36
650	2012-	ER-6F - ER-6F ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.30 / 33	2.50 / 36
650	2012-	ER-6F - ER-6F ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.30 / 33	2.50 / 36
650	2012-	ER-6F - ER-6F ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.30 / 33	2.50 / 36
650	2012-	ER-6F - ER-6F ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.30 / 33	2.50 / 36
650	2006-2009	ER-6N - ER-6N ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.25 / 33	2.50 / 36
650	2006-2009	ER-6N - ER-6N ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.25 / 33	2.50 / 36
650	2006-2009	ER-6N - ER-6N ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.25 / 33	2.50 / 36
650	2006-2009	ER-6N - ER-6N ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.25 / 33	2.50 / 36
650	2009-2012	ER-6N - ER-6N ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.25 / 33	2.50 / 36
650	2009-2012	ER-6N - ER-6N ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.25 / 33	2.50 / 36
650	2009-2012	ER-6N - ER-6N ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.25 / 33	2.50 / 36
650	2009-2012	ER-6N - ER-6N ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.25 / 33	2.50 / 36
650	2012-	ER-6N - ER-6N ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.25 / 33	2.50 / 36
650	2012-	ER-6N - ER-6N ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.25 / 33	2.50 / 36
650	2012-	ER-6N - ER-6N ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.25 / 33	2.50 / 36
650	2012-	ER-6N - ER-6N ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.25 / 33	2.50 / 36
650	2000-2018	KLR 650 E	90/90-21 54V TL	**Trailrider M+S AV53**	120/90-17 64S TL	**Trailrider M+S AV54**	1.85	2.50	2.00 / 29	2.50 / 36
650	2000-2018	KLR 650 E	90/90-21 54V TL	**Trailrider M+S AV53**	130/80-17 65S TL	**Trailrider M+S AV54**	1.85	2.50	2.00 / 29	2.50 / 36
650	2000-2018	KLR 650 E	90/90-21 54V TL	**Trekrider M+S AV84**	130/80-17 65T TL	**Trekrider M+S AV85**	1.85	2.50	2.00 / 29	2.50 / 36
650	2017-2019	Ninja 650 ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.25 / 33	2.50 / 36
650	2017-2019	Ninja 650 ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.25 / 33	2.50 / 36
650	2017-2019	Ninja 650 ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.25 / 33	2.50 / 36
650	2006-2010	Versys	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.25 / 33	2.50 / 36
650	2006-2010	Versys	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.25 / 33	2.50 / 36
650	2006-2010	Versys	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.25 / 33	2.50 / 36
650	2006-2010	Versys	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.25 / 33	2.50 / 36
650	2010-2015	Versys	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.25 / 33	2.50 / 36
650	2010-2015	Versys	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.25 / 33	2.50 / 36
650	2010-2015	Versys	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.25 / 33	2.50 / 36
650	2010-2015	Versys	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.25 / 33	2.50 / 36
650	2015-2018	Versys 650 - Tourer - Grand Tourer	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.25 / 33	2.50 / 36
650	2015-2018	Versys 650 - Tourer - Grand Tourer	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.25 / 33	2.50 / 36
650	2010-2015	Versys ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.25 / 33	2.50 / 36
650	2010-2015	Versys ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.25 / 33	2.50 / 36
650	2010-2015	Versys ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	160/60ZR17 (69W) TL	**Trailrider M+S AV54**	3.50	4.50	2.25 / 33	2.50 / 36
650	2010-2015	Versys ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	160/60ZR17 (69W) TL	**3D Ultra EVO AV80**	3.50	4.50	2.25 / 33	2.50 / 36
650	2015-2016	Vulcan S	120/70ZR18 (59W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.25 / 33	2.50 / 36
650	2015-2016	Vulcan S	120/70ZR18 (59W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.25 / 33	2.50 / 36
650	2018-	Vulcan S - Cafe - Sport - Light Tourer	120/70ZR18 (59W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.25 / 33	2.50 / 36
650	2018-	Vulcan S - Cafe - Sport - Light Tourer	120/70ZR18 (59W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.25 / 33	2.50 / 36
650	2017-	Vulcan S - Vulcan S Cafe	120/70ZR18 (59W) TL	**Spirit ST AV75**	160/60ZR17 (69W) TL	**Spirit ST AV76**	3.50	4.50	2.25 / 33	2.50 / 36
650	2017-	Vulcan S - Vulcan S Cafe	120/70ZR18 (59W) TL	**Storm 3D X-M AV65**	160/60ZR17 (69W) TL	**Storm 3D X-M AV66**	3.50	4.50	2.25 / 33	2.50 / 36
750	2007-	Z 750 - Z 750 ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
750	2007-	Z 750 - Z 750 ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
750	2007-	Z 750 - Z 750 ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
750	2007-	Z 750 - Z 750 ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
750	2004-2009	Z 750	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
750	2004-2009	Z 750	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
750	2004-2009	Z 750	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
750	2004-2009	Z 750	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
750	2011-	Z 750 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
750	2011-	Z 750 R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
750	2011-	Z 750 R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
750	2011-	Z 750 R	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
750	2003-	ZXR 750 - ZXR 750 R	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
750	2003-	ZXR 750 - ZXR 750 R	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
750	2003-	ZXR 750 - ZXR 750 R	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
800	2011-2018	W 800	100/90-19 57V TL	**Roadrider MKII**	130/80V18 (66V) TL	**Roadrider MKII**	2.15	2.75	2.00 / 29	2.25 / 33
800	2013-2016	Z 800	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
800	2013-2016	Z 800	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
800	2013-2016	Z 800	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
800	2013-2016	Z 800	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
800	2013-2016	Z 800e	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
800	2013-2016	Z 800e	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
800	2013-2016	Z 800e	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
800	2013-2016	Z 800e	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
900	2005-	VN 900 Classic - Vulcan 900 Classic	MT90B16 74H TL	**Cobra Chrome AV91**	180/70B15 76H TL	**Cobra Chrome AV92**	3.00	4.50	2.25 / 33	2.80 / 41
900	2011-	VN 900 Classic Light Tourer	MT90B16 74H TL	**Cobra Chrome AV91**	180/70B15 76H TL	**Cobra Chrome AV92**	3.00	4.50	2.25 / 33	2.80 / 41
900	2017-2018	Z 900 ABS	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
900	2017-2018	Z 900 ABS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
900	2017-2018	Z 900 ABS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
900	2017-2018	Z 900 ABS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42

Storm 3D X-M not available in North America

cc	Year	Model	Front size	Range	Rear size	Range	Front rim	Rear rim	Front bar/psi	Rear bar/psi
1000	2011-2015	YZF-R1 - R1	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/55ZR17 (75W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2011-2015	YZF-R1 - R1	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/55ZR17 (75W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1000	2011-2015	YZF-R1 - R1	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/55ZR17 (75W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1100	2000-2011	XVS 1100 A - Drag Star Classic	130/90-16 73H TL	**AM20**	170/80B15 83H TL	**Cobra Chrome AV92**	3.00	4.50	2.25 / 33	2.50 / 36
1100	2000-2011	XVS 1100 A - Drag Star Classic	MT90B16 74H TL	**Cobra Chrome AV91**	170/80B15 83H TL	**Cobra Chrome AV92**	3.00	4.50	2.25 / 33	2.50 / 36
1100	2000-2011	XVS 1100 A - Drag Star Classic	MT90B16 74H TL	**Cobra Chrome WW AV91**	170/80B15 83H TL	**Cobra Chrome WW AV92**	3.00	4.50	2.25 / 33	2.50 / 36
1100	2000-2011	XVS 1100 - Drag Star	MT90B16 74H TL	**Cobra Chrome AV91**	170/80B15 83H TL	**Cobra Chrome AV92**	3.00	4.50	2.25 / 33	2.50 / 36
1100	2000-2011	XVS 1100 - Drag Star	MT90B16 74H TL	**Cobra Chrome WW AV91**	170/80B15 83H TL	**Cobra Chrome WW AV92**	3.00	4.50	2.25 / 33	2.50 / 36
1100	2000-2011	XVS 1100 - Drag Star	130/90-16 73H TL	**AM20**	170/80B15 83H TL	**Cobra Chrome AV92**	3.00	4.50	2.25 / 33	2.50 / 36
1200	2018-	XT 1200 ZE Super Tenere	110/80R19 59V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	2.50	4.00	2.25 / 33	2.90 / 42
1200	2018-	XT 1200 ZE Super Tenere	110/80R19 59V TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	2.50	4.00	2.25 / 33	2.90 / 42
1200	2018-	XT 1200 ZE Super Tenere	110/80-19 59V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	2.50	4.00	2.25 / 33	2.90 / 42
1200	2017-2017	XT 1200 Z Super Tenere	110/80R19 59V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	2.50	4.00	2.25 / 33	2.90 / 42
1200	2017-2017	XT 1200 Z Super Tenere	110/80R19 59V TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	2.50	4.00	2.25 / 33	2.90 / 42
1200	2017-2017	XT 1200 Z Super Tenere	110/80R19 59V TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	2.50	4.00	2.25 / 33	2.90 / 42
1200	2017-2017	XT 1200 Z Super Tenere	110/80-19 59V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	2.50	4.00	2.25 / 33	2.90 / 42
1200	2014-2016	XT 1200 Z ABS Super Ténéré ABS	110/80R19 59V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	2.50	4.00	2.25 / 33	2.90 / 42
1200	2014-2016	XT 1200 Z ABS Super Ténéré ABS	110/80R19 59V TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	2.50	4.00	2.25 / 33	2.90 / 42
1200	2014-2016	XT 1200 Z ABS Super Ténéré ABS	110/80R19 59V TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	2.50	4.00	2.25 / 33	2.90 / 42
1200	2014-2016	XT 1200 Z ABS Super Ténéré ABS	110/80-19 59V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	2.50	4.00	2.25 / 33	2.90 / 42
1200	2010-2013	XT 1200 Z ABS - XT 1200 Z Super Ténéré ABS	110/80R19 59V TL	**Trailrider M+S AV53**	150/70R17 69V TL	**Trailrider M+S AV54**	2.50	4.00	2.25 / 33	2.90 / 42
1200	2010-2013	XT 1200 Z ABS - XT 1200 Z Super Ténéré ABS	110/80R19 59V TL	**Spirit ST AV75**	150/70ZR17 (69W) TL	**Spirit ST AV76**	2.50	4.00	2.25 / 33	2.90 / 42
1200	2010-2013	XT 1200 Z ABS - XT 1200 Z Super Ténéré ABS	110/80R19 59V TL	**Storm 3D X-M AV65**	150/70ZR17 (69W) TL	**Storm 3D X-M AV66**	2.50	4.00	2.25 / 33	2.90 / 42
1200	2010-2013	XT 1200 Z ABS - XT 1200 Z Super Ténéré ABS	110/80-19 59V TL	**Trekrider M+S AV84**	150/70-17 69V TL	**Trekrider M+S AV85**	2.50	4.00	2.25 / 33	2.90 / 42
1298	2006-2013	FJR 1300 / A / AS	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.70 / 39	2.90 / 42
1298	2006-2013	FJR 1300 / A / AS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.70 / 39	2.90 / 42
1298	2006-2013	FJR 1300 / A / AS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.70 / 39	2.90 / 42
1298	2006-2013	FJR 1300 / A / AS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.70 / 39	2.90 / 42
1298	2013-2015	FJR 1300 A / AE / AS	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1298	2013-2015	FJR 1300 A / AE / AS	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1298	2013-2015	FJR 1300 A / AE / AS	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1298	2013-2015	FJR 1300 A / AE / AS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1298	2016-	FJR 1300 A / AE / AS	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1298	2016-	FJR 1300 A / AE / AS	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2007-2014	XJR 1300	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2007-2014	XJR 1300	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2007-2014	XJR 1300	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2007-2014	XJR 1300	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2015-	XJR 1300	120/70ZR17 (58W) TL	**Spirit ST AV75**	180/55ZR17 (73W) TL	**Spirit ST AV76**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2015-	XJR 1300	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	180/55ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2015-	XJR 1300	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	180/55ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2015-	XJR 1300	120/70ZR17 (58W) TL	**Trailrider M+S AV53**	180/55ZR17 (73W) TL	**Trailrider M+S AV54**	3.50	5.50	2.50 / 36	2.90 / 42
1300	2007-	XVS 1300 A - Midnight Star	MT90B16 74H TL	**Cobra Chrome AV91**	170/70R16 75H TL	**Cobra Chrome AV92**	3.00	4.50	2.50 / 36	2.80 / 41
1300	2007-	XVS 1300 A - Midnight Star	MT90B16 74H TL	**Cobra Chrome AV91**	180/65B16 81H TL	**Cobra Chrome AV92**	3.00	4.50	2.50 / 36	2.80 / 41
1300	2007-	XVS 1300 A - Midnight Star	MT90B16 74H TL	**Cobra Chrome WW AV91**	180/65B16 81H TL	**Cobra Chrome WW AV92**	3.00	4.50	2.50 / 36	2.80 / 41
1670	2005-2012	MT-01	120/70ZR17 (58W) TL	**Spirit ST AV75**	190/50ZR17 (73W) TL	**Spirit ST AV76**	3.50	6.00	2.50 / 36	2.90 / 42
1670	2005-2012	MT-01	120/70ZR17 (58W) TL	**Storm 3D X-M AV65**	190/50ZR17 (73W) TL	**Storm 3D X-M AV66**	3.50	6.00	2.50 / 36	2.90 / 42
1670	2005-2012	MT-01	120/70ZR17 (58W) TL	**3D Ultra EVO AV79**	190/50ZR17 (73W) TL	**3D Ultra EVO AV80**	3.50	6.00	2.50 / 36	2.90 / 42
1700	2004-	XV 1700 Road Star - Midnight - Silverado	MT90B16 74H TL	**Cobra Chrome AV91**	150/80B16 77V TL	**Cobra Chrome AV92**	3.00	3.50	2.90 / 42	3.00 / 44
1700	2004-	XV 1700 Road Star - Midnight - Silverado	MT90B16 74H TL	**Cobra Chrome WW AV91**	150/80B16 77V TL	**Cobra Chrome WW AV92**	3.00	3.50	2.90 / 42	3.00 / 44
1900	2006-2016	XV 1900 Midnight Star	130/70R18 63H TL	**Cobra Chrome AV91**	190/60VR17 (78V) TL	**Cobra Chrome AV92**	4.00	5.50	2.50 / 36	2.80 / 41
1900	2006-2016	XV 1900 Midnight Star	130/70R18 63H TL	**Cobra Chrome AV91**	200/55VR17 (78V) TL	**Cobra Chrome AV92**	4.00	5.50	2.50 / 36	2.80 / 41
1900	2006-2015	XV 1900 Roadliner	130/70R18 63H TL	**Cobra Chrome AV91**	190/60VR17 (78V) TL	**Cobra Chrome AV92**	3.50	6.00	2.50 / 36	2.90 / 42
1900	2006-2015	XV 1900 Roadliner	130/70R18 63H TL	**Cobra Chrome AV91**	200/55VR17 (78V) TL	**Cobra Chrome AV92**	3.50	6.00	2.50 / 36	2.90 / 42
1900	2006-2014	XV 1900 Stratoliner	130/70R18 63H TL	**Cobra Chrome AV91**	190/60VR17 (78V) TL	**Cobra Chrome AV92**	3.50	6.00	2.50 / 36	2.90 / 42
1900	2006-2014	XV 1900 Stratoliner	130/70R18 63H TL	**Cobra Chrome AV91**	200/55VR17 (78V) TL	**Cobra Chrome AV92**	3.50	6.00	2.50 / 36	2.90 / 42
	2019-	Tenere 700	90/90-21 54V TL	**Trekrider M+S AV84**	150/70-18 70V TL	**Trekrider M+S AV85**				

Storm 3D X-M not available in North America

The SERVICE DESCRIPTION consists of a Load Index and a Speed Symbol.

Speed Symbol
The SPEED SYMBOL indicates the maximum speed at which the tyre can carry a load corresponding to its Load Index under service conditions specified by Cooper-Avon Tyres.

These speeds are shown in Table 1 and apply to tyres when in good condition, inflated to the correct pressure, operating within their specific load capacity and fitted to the correct size rim. Speeds quoted are the maximum speed of which the tyre is capable, not the speed at which it is normally ridden. V, W and Z rated tyres may also be used at higher speeds but at reduced loadings. For guidance only Table 3 can be used to calculate loads at specific speeds on V, W and Z tyres.

ALL MAXIMUM SPEEDS REFERRED TO IN THIS DATA BOOK ARE SUBJECT TO APPLICABLE LEGAL SPEEDS.

Load Index
The LOAD INDEX is a numerical code associated with the maximum load a tyre can carry (except for loads at speeds above 130 mph (210 km/h) – see Table 2/2a) at the speed indicated by its Speed Symbol under service conditions specified by Avon Tyres. You should only fit replacement tyres bearing the precise speed and load index referred to in the motorcycle manufacturer's handbook. Before you make any variation please consult Avon Tyres to ensure that the replacement tyre is a correct fitment for your motorcycle.

Table 1 Speed Symbol

Speed Symbol	L	P	S	T	H	V	(V)	W	(W)	ZR
Max mph	75	93	112	118	130	149	>149*	169	>169*	>149
Max km/h	120	150	180	190	210	240	>240*	270	>270*	>240km/h*

Note: the maximum approved speed may be marked on the tyre eg V260.
*at reduced loading

Table 2 Load Index – kgs

LI	kg	LI	kg	LI	kg	LI	kg	LI	kg	LI	kg	LI	kg
41	145	49	185	57	230	65	290	73	365	81	462	89	580
42	150	50	190	58	236	66	300	74	375	82	475	90	600
43	155	51	195	59	243	67	307	75	387	83	487	91	615
44	160	52	200	60	250	68	315	76	400	84	500	92	630
45	165	53	206	61	257	69	325	77	412	85	515	93	650
46	170	54	212	62	265	70	335	78	425	86	530	94	670
47	175	55	218	63	272	71	345	79	437	87	545	95	690
48	180	56	224	64	280	72	355	80	450	88	560	96	710

Table 2a Load Index – lbs

LI	Lbs	LI	Lbs	LI	Lbs	LI	Lbs	LI	Lbs	LI	Lbs	LI	Lbs
41	320	49	408	57	507	65	639	73	805	81	1019	89	1279
42	331	50	419	58	520	66	661	74	827	82	1047	90	1323
43	342	51	430	59	536	67	677	75	853	83	1074	91	1355
44	353	52	441	60	551	68	694	76	882	84	1102	92	1389
45	364	53	454	61	567	69	716	77	908	85	1135	93	1433
46	375	54	467	62	584	70	739	78	937	86	1168	94	1477
47	386	55	481	63	600	71	761	79	963	87	1201	95	1521
48	397	56	494	64	617	72	783	80	992	88	1235	96	1565

Table 3 Variation in Load Carrying Capacity

Maximum Speed mph (km/h)	VARIATION IN LOAD CARRYING CAPACITY (%)		
	Speed Symbol		
	H	V	W
130 (210)	100	100	100
137 (220)	–	95	100
143 (230)	–	90	100
149 (240)	–	85	100
155 (250)	–	–	95
161 (260)	–	–	85
168 (270)	–	–	75

Inflation Pressures

Basic pressures are quoted in Table 4 but, subject to agreement between the tyre and vehicle manufacturers, the pressures used in practice may be different. They shall take into account not only the load, but also the tyre construction, road holding, maximum speed, the orientation of the tyre, the operating conditions and the mechanical characteristics of the vehicle. In particular for higher speeds, increases in pressure are essential for safety reasons.

These increases are determined by agreement with the tyre manufacturer. In the absence of any such agreement, for speeds above 93 mph (150 km/h) the basic inflation pressure (bar) versus speed at the maximum load of the tyre, to be used for standard load tyres, is given in Table 4. The actual pressure is to be adjusted for the design maximum load acting on the wheel.

Table 4 Basic Inflation Pressure (bar) versus Speed at the maximum Load of the tyre

Speed Capability of the vehicle mph (km/h)	Speed Symbol								
	Q	R	S	T	U	H	V	W	Y
<99 (<160)	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
106 (170)		2.6	2.6	2.6	2.6	2.6	2.6	2.5	2.5
112 (180)			2.6	2.6	2.6	2.6	2.6	2.5	2.5
118 (190)				2.7	2.7	2.7	2.7	2.5	2.5
124 (200)					2.7	2.7	2.7	2.6	2.5
130 (210)						2.8	2.8	2.7	2.5
137 (220)							2.8	2.8	2.5
143 (230)							2.8	2.9	2.6
149 (240)							2.8	3.0	2.7
155 (250)								3.0	2.8
161 (260)								3.0	2.9
168 (270)								3.0	3.0
174 (280)									3.0
180 (290)									3.0
186 (300)									3.0

1.0 bar = 100kPa

Basic inflation pressure (bar) versus speed at the maximum load of the tyre, to be used for standard tyres in the absence of agreement with the tyre manufacturer (1) (2)

1 For intermediate maximum speeds, linear interpolation is permitted.
2 Rounding of the inflation pressure figures is performed to the nearest 0.1 bar. (In the case of Extra Load or Reinforced tyres, the figures in the above are increased by 0.4 bar).

Metric 90%	Metric 80%	Imperial	Imperial 90%
60/90	70/80	2.25	
70/90	80/80	2.50	
80/90	90/80	2.75/3.00	3.10
90/90	100/80	3.00/3.25	3.60
100/90	110/80	3.50	4.10
110/90	120/80	3.75/4.00	4.25/85
120/90	130/80	4.00/4.25	4.60
130/90	140/80 / 150/80	4.50/5.00	5.10
140/90	160/80	5.00	
150/90	170/80		

Care must be taken when fitting tyre sizes that are different to OE that the wheel rim is wide enough and that there is enough clearance for the tyre.

Alpha numeric/metric size conversion		Rim width equivalents	
Alpha numeric	Metric	WM	Inch
MH90	80/90	WM0	1.40
MJ90	90/90	WM1	1.60
MM90	100/90	WM2	1.85
MN90	110/90	WM3	2.15
MP85	110/90	WM4	2.50
MR90	120/90	WM5	3.00
MT90	130/90		
MU85/MU90	140/90		
MV85	150/80 / 150/90		

SAFETY WARNING: disregarding any of the safety precautions and instructions contained in this book may result in tyre failure or explosion causing serious personal injury or death.

How to get the best results from your tyres

SELECT THE CORRECT TYPE OF TYRE FOR YOUR MACHINE
Use combined information from owners handbook and tyre manufacturers fitment guide, to fit the correct tyres which meet with the motorcycles requirements.

PRESSURES ARE VITALLY IMPORTANT
Warning! Driving on any tyre that does not have the correct inflation pressure is dangerous. Keep your tyres inflated to the correct pressure for load and speed as shown in your motorcycle manufacturer's handbook. Any underinflated tyre builds up excessive heat that may result in sudden tyre destruction.
The correct inflation pressures for your tyres must be maintained as a minimum.

PRESSURE TESTING
Test pressures at least once a week with an accurate tyre pressure gauge when tyres are cold and always before long journeys. Do not 'bleed' air off when tyres are hot as pressures rise due to heat but fall again when the tyres cool.

VALVE CORES AND CAPS
Loss of pressure may sometimes be due to valve cores not seating properly or being worn. Check valve cores, tighten for correct seating or replace as necessary. Always fit valve caps (finger tight) as they keep dust from the valve mechanism and act as an extra seal.

TUBELESS TYRES
Valves should be kept in good condition and replaced when a new tyre is fitted.

WIRE WHEELS
Ensure that proprietary rim tapes are in good condition; a protruding spoke head can damage a tube and cause a puncture.

ALIGNMENT
Ensure wheels are correctly aligned and inspect regularly. Be aware of your tyres through frequent visual examination and before any long journey. Worn tyres are more susceptible to damage and road holding is reduced in the wet. To maintain full stability on high performance machines it is advisable to change the tyres before the legal 1mm ($^1/_{32}$") remaining pattern depth is reached.

DAMAGED TYRES
Damage which exposes the casing is dangerous and contravenes tyre legislation. Replace damaged tyres immediately.

STONES
Remove any stones or nails which may become embedded in the treads of tyres. If left they will eventually penetrate through the casing and cause a puncture, leading to breakdown on the road or even an accident.

OIL AND GREASE
Rubber deteriorates when in contact with oil and grease. Remove from tyres using a cloth slightly damped with petrol.

CARE OF TUBES
Repairs to tubes should ideally be carried out by an expert and should be vulcanised – hot or cold process. It is recommended that a new tube should be fitted with a new tyre. Tubes which have given long service become stretched and when fitted with new tyres may fail prematurely because of creasing or thinning of the tube rubber. Tubes with several repairs should be discarded.

REPAIRS TO TUBELESS TYRES
The main advantage of a tubeless tyre is its ability to withstand penetration by nails etc without a rapid loss of air. This also means that a rider can be unaware of a puncture and if the tyre continues to be used for long distances, the area of damage will spread and could become serious. Tyres must therefore be inspected regularly for nails etc, and repairs carried out as quickly as possible.

In instances where deflation has occurred, such as a nail penetration, it is essential to remove the tyre from the rim for a full external and internal examination before attempting any form of temporary or permanent repair.

Providing there is not other damage to the tread or casing Cooper-Avon recommends that only certain types of repairs should be carried out and these only in the crown area of the tyre. Plug repairs to punctures in the shoulder or sidewall area of the tyre are not recommended.

It is essential to follow the material manufacturer's instructions. Repair by buffing the tubeless lining and applying a cold cure, or vulcanised repair, of minimum 25mm (1") diameter to seal a penetration of not more than 3mm ($^1/_8$") diameter. The external hole should be sealed with rubber sealant to prevent the ingress of moisture which could affect the casing cords.

NB. Straight plug type repairs must not be attempted as there may be insufficient tread rubber and casing material to provide sufficient security for the plug location.

In the event of an emergency 'get-you-home' repair, it is permissible to use an inner tube of the correct size and type but the Motorcycle Manufacturers' Instruction Manual should be consulted. In some instances, an adaptor collar may be required if car-type rubber tubeless valves of greater diameter than the standard metal type have been used originally.

If tyre foam filler repairs are used as an emergency measure the tyre will have to be replaced when you return home. The chemicals in these products decompose the rubber linings of tyres.

For repairs other than those already described, a tyre fitter, working to the BS159F repair condition standard and expert in permanent repairs, should be consulted. If any major reinforcement is required to repair the damage the tyre must not be used, particularly on a high performance machine, because of possible problems with impaired vehicle stability and imbalance at speed.

These recommendations may appear to be over-cautious, but riders who have experienced sudden tyre deflation will appreciate how dangerous this can be.

BALANCE
Avon tyres are made to fine tolerances but it is essential that the tyre/wheel assemblies should be balanced – particularly if high speed runs are contemplated. The wheels themselves should run true to within 1mm ($^1/_{32}$") and be free from distortion. Tubeless tyres and wheel assemblies can be balanced by using self-adhesive or clip-on weights. Spoked wheels should be balanced by using spoke weights, or by wrapping the outer end of the spoke adjacent to the light spot with lead wire until the wheel, freely rotating on its bearing, shows no tendency from one particular section (a heavy spot) to swing to the bottom-most point. If using lead wire, bind the lower end with the adhesive tape to prevent moving. Fine balance is more important on front than rear wheels.

ON THE ROAD
Drive reasonably. Excessive acceleration and braking shortens tyre life considerably. Some uneven wear on front tyres is inevitable due to the effect of braking and cornering, particularly if the machine is used to its full capacity.

Tread Wear

A summary of the various factors that can cause abnormal wear.

UNDERINFLATION/OVER-LOADING
These conditions, singly or in combination, cause undue tread distortion resulting in irregular wear. More seriously they may result in the sudden failure of the casing due to excessive tyre flexing.

SPEED
High speed means rapid tread wear, not only because of the speed itself but because of the harder acceleration and extra braking entailed.

CLIMATIC CONDITIONS
Tread wear is usually more rapid in summer than in winter because of the higher ambient temperatures and drier conditions of the roads.

OIL AND GREASE
Tread rubber rapidly absorbs oil and grease and its resistance to wear deteriorates in consequence.

STOPPING AND STARTING
Fierce acceleration and hard braking subject the tread to severe strains. Rapid wear results.

ROAD SURFACES
Rough road surfaces lead to cut treads and lower mileages – reduce speed accordingly.

MECHANICAL IRREGULARITIES
Mechanical defects which cause severe tread wear include distorted wheels, incorrect brake adjustment, worn dampers, excessive tolerances on steering head or swinging arm bearings, and incorrect frame/wheel alignment.

UNBALANCED WHEELS
Any unbalanced rotating weight such as heavy spots on the rims, security bolts etc., can cause irregular tread wear.

Correct Inflation

Tyre pressures govern tyre life. They also have a profound effect on stability and anti-skid properties.

The compressed air within the tyre assembly carries the entire load of machine and rider so it is vital to maintain correct pressures.



CORRECT INFLATION
The correct pressure ensures maximum mileages with satisfactory cushioning, stability and road holding properties. The tyre is kept at the contour at which it was designed to run.



UNDER INFLATION
Insufficient air pressure or the wrong tyre fitment accelerates tread wear and creates undue stress on the tyre casing. It also increases the risk of accidental damage, adversely affects handling and increases power absorption.



OVER INFLATION
Excessively high pressure causes rapid wear in the centre of the tread. There is also a greater danger of casing fracture and tread cutting.

Tyre and Rim Fitments

Avon motorcycle tyres have been designed to be fitted to the following rim contours:

1. **WM Series (flat ledge bead seat)**
2. **MT or TL (5° taper bead seat)***
3. **CP (Contre Pente or reverse 4° taper)**
4. **3.00D x 16***

*Including those wider rims which incorporate safety humps.

Avon motorcycle tyres MUST NOT be fitted to CM contour rims which are principally fitted to some Harley Davidson motorcycles.

INTERCHANGEABILITY OF TYRES

Standard (100% height to width ratio) tyres such as the Speedmaster MKII and SM MKII may be replaced with (90%, 80%, 70% or 60% height to width ratio) provided that load carrying capacity, rim size and physical dimensions are taken into account. Roadrider tyres may be selected by comparing data shown in this manual, or if in doubt use the Avon Fitment Guide.

NB. These possible interchanges are based on rim sizes only. It is important that the tyres selected have at least the load capacity of the tyres replaced and that there is adequate clearance when fitted.

Cylindrical Bead Seat Rim (WM Series)



MT 5° Tapered Rim



Optional CP Contour



WM1	WM2	WM3																								
MT1.60	MT1.85	MT2.15	MT2.50	MT2.75	MT3.00	MT3.50	MT3.75	MT4.00	MT4.25	MT4.50	MT4.75	MT5.00	MT5.50	MT6.00	MT6.25	MT6.50	MT7.00	MT8.00	MT8.50	MT9.00	MT9.50	MT10.0	MT10.50	MT11.00	MT12.00	MT12.25
Imperial - Diagonal																										
2.75	**2.75**																									
3.00	**3.00**	3.00																								
	3.25	**3.25**	3.25																							
	3.50	**3.50**	3.50																							
		4.00	**4.00**	4.00	4.00																					
		4.10	**4.10**	4.10	4.10																					
		4.60	4.60	**4.60**	4.60																					
					***5.00**	5.00																				
			5.10	5.10	***5.10**	5.10																				
< 45 Metric Series - Radial																										
																		240	**240**	240						
																			250	**250**	250					
																				280	**280**	280				
																						300	**300**	300		
																								330	**330**	330
'50' and '55' Metric Series - Radial, Diagonal																										
													180	180												
													190	**190**												
														200	**200**	200										
																220	**220**	220								
																	240	**240**	240							
'60' and '65' and '70' Metric Series - Radial, Diagonal																										
			(110)	(110)	**110**																					
				(120)	(120)	**120**	120																			
					(130)	**130**	130	130																		
						(140)	140	140	140	140																
						(150)	(150)	**150**	150	150																
							(160)	(160)	160	**160**		160														
								(170)	170	**170**		170	170													
									(180)	(180)		**180**	180													
											(200)	(200)	**200**	200	200											
												(230)	(230)	(230)	**230**	230										
'80' and '90' Metric Series - Radial, Diagonal																										
(80)	**80**	80																								
	(90)	**90**	90																							
		(100)	**100**	100																						
		(110)	**110**	110	110																					
			120	**120**	120																					
			130	130	**130***	130																				
				140	140	**140**	140																			
					150	**150**	150	150																		
						(160)	**160**	160	160	160																
						(170)	(170)	**170**	170	170																

The recommended/measuring rim is in **bold.** Sizes in brackets are for diagonal only, not radial. *For tyre sizes 130/90-16, 5.00-16 and 5.10-16, a 3.00D rim is permitted.

Storage of Tyres

INTRODUCTION
In view of the harmful influence of temperature, humidity and light, inside storage is essential and should comply to BS AU50: Part 1: Section 8: 1989.

HUMIDITY
The store room should be cool, dry and moderately ventilated. Moist conditions should be avoided. Care must be taken to ensure no condensation occurs.

LIGHT
There should be protection from sunlight and strong artificial light with a high ultra-violet content. Room lighting with ordinary incandescent lamps is preferable to fluorescent tubes.

TEMPERATURE
The storage temperature should be below 77°F (25°C) and preferably below 59°F (15°C). At temperatures exceeding 77°F (25°C) certain forms of deterioration may be accelerated sufficiently to affect the ultimate service life. Direct contact with pipes and radiators must be avoided.

The effects of low temperature are not permanently deleterious, but can cause the products to stiffen. Care should be taken therefore to avoid distorting them during handling at that temperature.
When they are taken from low temperature storage for immediate use, their temperature should be raised to approximately 68°F (20°C) throughout before they are put into service.

OXYGEN, OZONE AND CHEMICAL AGENTS
As ozone is particularly harmful, storage rooms should not contain any equipment generating ozone such as fluorescent lighting, mercury vapour lamps, electric motors or other equipment which may produce sparks or other electrical discharges. Combustion gases and vapours which may produce ozone via photochemical processes should also be excluded.

Solvents, fuels, lubricants, chemicals, acids, disinfectants and the like should not be kept in the store rooms. Rubber solutions should be stored in a separate room and the administrative regulations on the storage and handling of inflammable liquids must be observed.

DEFORMATION
Products should be stored in a relaxed condition free from tension, compression or other deformation since these may cause cracking or permanent distortion.

ROTATION OF STOCKS
To avoid deterioration storage time must be minimised. Stocks should be issued from the stores in rotation so that those remaining in storage are of the latest manufacture or delivery.

SHORT TERM STORAGE
For short term storage (up to 4 weeks) tyres can be stacked horizontally, one on top of another, on wooden gratings but the height of the stacks should not exceed 4 ft (1.20 metres). After 4 weeks the tyres should be restacked, reversing the order of the tyres.

LONG TERM STORAGE
For long term storage tyres should be stored upright in a single layer on shelf racks with at least 4" (10 cm) clearance above the floor. To avoid deformation it is advisable to rotate them slightly once a month. Avon Motorcycle Tyres recommend tires should be used within 5 years of the manufacturing date on the tyre. The tyre should then be removed after a total of 7 years from the manufacturing date. Tyres beyond this date will not be warranteed.

Important Information

Tyres are the only part of your motorcycle which are in contact with the road. Safety in acceleration, braking, steering and cornering all depend on a relatively small area of road contact. It is therefore of paramount importance that tyres should be maintained in good condition at all times, and that, when the time comes to change them, suitable replacements are professionally fitted.

It is essential that you refer to your machine manufacturer's handbook when buying and fitting replacement tyres. Changes in tyre size, type and construction should not be made without first seeking advice from the machine or tyre manufacturer, since fitting the wrong tyre may have an adverse effect on handling, safety and wear.

Avon motorcycle tyres are only for use on vehicles for which motorcycle tyres were originally specified by the vehicle manufacturer, any other use may be dangerous.

Motorcycle tyres which have been subject to use on rolling roads (Dynos) must no longer be used for subsequent, normal service. Use of Avon motorcycle tyres on a rolling road (Dyno) will invalidate the tyre warranty. All tests on rolling roads (Dynos) must be carried out with test tyres, special tyres reserved for maintenance purposes, or tyres which are worn out or downgraded.

For fitment recommendations please see Cooper Tire UK Motorcycle Fitment Chart or consult Cooper Tire Customer Service Division. All speeds stated in this brochure are subject to observance of the appropriate national speed limits.

Fitting Precautions

An inflated tyre contains a huge amount of trapped energy. When released in the form of an explosion, this energy can kill or seriously injure the unwary. Tyre changing can be dangerous and should only be carried out by trained personnel. It is strongly advised that the following precautions are taken when fitting or removing tyres.

1 Wheels do not have an infinite life and particular attention should be paid to the detection of corrosion, damage, distortion and cracking. Under no circumstances should hot work be carried out to any wheel to which a tyre is fitted. The inflation of tyres with nitrogen does not make hot work safe. Do not heat up any wheel when it is fitted with a tyre using direct heat (i.e. naked flame) from hot working equipment or forced air space heaters. Violent explosions can occur. Unsuitable wheels should be discarded; no attempt should be made to repair them.

2 It is essential that all tyre/wheel assemblies are inflated inside a safety cage or within a portable safety inflation device. Defective beads, poor bead seating are typical causes of an explosive deflation. In all cases an in-line pressure gauge should be used, and air line controls must be of the 'dead man handle' type. An assembly under inflation must never be left unattended. Air line should be fitted with a clip-on chuck and be at least 3 metres in length.

3 Examine the tyre for damage both inside and out. Damaged tyres can explode during inflation.

4 Before fitting ensure the tyre and the tube (if required) are in good condition and compatible in size.

5 Always use an approved bead lubricant when fitting a tyre to avoid damage to the tyre and ensure correct bead setting.

6 Make a physical check of the tyre/wheel assembly before attempting to inflate.

7 Establish the approved pressure for the tyre/wheel assembly. Inflate GENTLY to no more than 1 Bar (14.5psi) and again check that the assembly is fitting correctly, before continuing inflation to approved pressure.

8 Always before inflation of the tyre, the wheel should be placed inside a safety cage or within a portable safety inflation device.

Important Fitment Advice

It is essential that you refer to your motorcycle manufacturer's handbook when buying and fitting replacement tyres. Changes in tyre size, type and construction should not be made without first seeking advice from the motorcycle or tyre manufacturer, since fitting the wrong tyre may have an adverse effect on handling, safety and wear.

Avon motorcycle tyres are only for use on vehicles for which motorcycle tyres were originally specified by the vehicle manufacturer, any other use may be dangerous.

Motorcycle tyres which have been subject to use on rolling roads (Dynos) must no longer be used for subsequent, normal service. All tests on rolling roads (Dynos) must be carried out with test tyres, special tyres reserved for maintenance purposes, or tyres which are worn out or downgraded.

For fitment information, please see Avon Tyres' Motorcycle Application Guide or consult Cooper Tire, Motorcycle Technical Product Dept. For any non-listed fitments, contact Cooper Tire via the website, Motorcycle Helpline Tel: 0870 9029276. Fax: (01225) 791301.

All speed stated in this list are subject to observance of the appropriate national speed limits.

WARNING
Before fitting an Avon motorcycle tyre, refer to our Motorcycle Data & Fitment Guide – it contains important information concerning safety.

TYRE NOTATIONS AND MARKINGS
Tyre notations in this publication fall into three distinct categories according to their construction type.

CROSSPLY TYRES
Crossply tyres are denoted by the inclusion of a dash within the notation. E.G. 230/60-15 86H

BIAS BELTED TYRES
Bias Belted tyres are denoted by the inclusion of a letter 'B' within the notation. E.G. 140/90B16 77H

RADIAL TYRES
Radial tyres are denoted by the inclusion of a letter 'R' within the notation. E.G. 120/70R17 (73W)

In all cases, the speed rating is incorporated within the speed and load index following the notation.

NOTE: The introduction of European Regulations ECE R75 has resulted in a more precise expression of speed indices. For example, almost all 'Z-rated' tyres now carry a 'W' within the load speed marking. Whereas the 'Z' indicates a tyre's capacity to run over 149mph (240kph), the letter 'W' indicates that it is capable of running at 168mph (270kph) or higher if the speed and load index is enclosed within brackets.

Actual tyre sidewall markings will continue to include the speed symbol within the notation.

FITMENT TABLE	
REAR	**FRONT**
RADIAL	RADIAL / CROSS PLY / BIAS BELTED
BIAS BELTED	CROSS PLY / BIAS BELTED
CROSS PLY	CROSS PLY

AVON MOTORCYCLE TYRES STANDARD LIMITED WARRANTY
Every first quality tire bearing our name and serial number and not branded "NA", or "DA" for BLEM [i]tires, and not used for racing, is warranted to be free of defects in workmanship and material during the life of the original tread design. Original tread life is completed when the tire is worn to 2 remaining 32nds (1.5mm). Avon Motorcycle Tyres recommend tires should be used within 5 years of the manufacturing date on the tire. Tire should then be removed after a total of 7 years from the manufacturing date. Tires beyond this date will not be warrantied.

If, upon presentation of a tire, our examination shows a tire is eligible for adjustment credit under the terms of the warranty, we will make a reasonable allowance on the purchase of a new tire based on the current "Suggested Retail Price". Any such allowance will be based on the tread wear remaining as set forth in the adjustment policy available from the company.

This warranty is made for the exclusive benefit of the original owner actually using these products, is not assignable, and no claim will be recognized unless submitted on our standard claim form duly filled out and signed by the owner, dealer, or distributor.

This warranty does not in any way extend to any consequential damages or losses.

There is no other warranty, or liability, expressed or implied, applicable to these products. No representative has the authority to make any representation, promise, or agreement except as stated herein.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

TIRE ADJUSTMENT POLICY
Any Avon Motorcycle Tyre that does not deliver satisfactory service due to a balance, out of round or a ride complaint problem will be replaced without charge within the first 2/32nds (1.5mm) of the tire's tread life. After 2/32nds (1.5mm) of wear, tires with the aforementioned conditions are not warrantable.

Any Avon Motorcycle Tyre that becomes unserviceable as a result of an eligible adjustable condition during the first 50% of tread wear will be replaced FREE OF CHARGE. A tire worn beyond 50% of tread wear that exhibits an eligible adjustable condition will be replaced on a pro-rated basis only.

No adjustments will be made in cases of abuse by user, such as, but not limited to:
- Road hazard*
- Cut by vehicle
- Trued tires
- Nail holes, cuts, punctures*
- Under or over inflation
- Run flat
- Wheel alignment


*Some exceptions may apply. See Road Hazard Policy for further details.

TIRES: RADIAL VERSUS BIAS
While running a bias ply front tire and a radial rear tire can be acceptable in certain applications, you should never run radial front and bias rear as this can create an instability issue.

Avon Motorcycle Tyres is not responsible for abnormal wear due to suspension modifications and/or improper maintenance.

MOTORCYCLE TYRES
When new motorcycle tyres are fitted, they should not be subject to maximum power until a reasonable 'running in' distance has been covered. 100 dry miles (160km) is the recommended minimum (discount any wet miles covered). Tyres should then be visually examined and their inflation pressures checked before riding.

Tyre Markings





Tyre Repair Precautions

Table 1: Motorcycle & scooter tyre damage limits (after preparation)

SPEED SYMBOL	Up to J	Above J and up to and including V	Above V
Max size of damage (diameter)	1/4" (6mm)	1/8" (3mm)	No repairs shall be permitted
Max. number of repairs	2	1	

Repairable & non-repairable areas for motorcycle & scooter tyres





RED AREAS: Non-repairable parts of the tyre – do not attempt to repair tyres damaged in these areas.

BLUE AREAS: It is permissible to do certain repairs in this part of the tyre. T= 50% of the nominal width.

No repairs permitted to Wind On Belt construction tyres (WOB/AVBD).



Cooper Tire & Rubber Company Europe Ltd
www.avontyres.com
Tel: +44 (0) 1225 703 101

Cooper Tire & Rubber Company Deutschland GmbH
www.avonreifen.com
Tel: + 49 (0) 6103 96 07 6-0

Cooper Tire & Rubber Company España SL
www.avontyres.es
Tel: +34 (0) 917 462 300

Cooper Tire & Rubber Company Suisse SA
www.avontyres.ch
Tel: +41 (0) 44 852 80 00

Avon Motorcycle Tyres North America
www.avontyres.com

www.facebook.com/AvonTyresOfficial

Avon Tyres