
Thought 1 of 5


0.92	0.00	0.00	0.07
3 nodes at depth 1	target	target's mirror	everything else



ATC, test graph 0: the target is 6 hops from the root. Each node shows the probability the output head reads off this step (logit lens); blank is under 0.005.

Thought 2 of 5


0.81	0.11	0.02	0.06
4 nodes at depth 2	target	target's mirror	everything else



ATC, test graph 0: the target is 6 hops from the root. Each node shows the probability the output head reads off this step (logit lens); blank is under 0.005.

Thought 3 of 5


0.78	0.11	0.07	0.04
5 nodes at depth 3	target	target's mirror	everything else



ATC, test graph 0: the target is 6 hops from the root. Each node shows the probability the output head reads off this step (logit lens); blank is under 0.005.

Thought 4 of 5


0.85	0.07	0.06	0.02
3 nodes at depth 4	target	target's mirror	everything else



ATC, test graph 0: the target is 6 hops from the root. Each node shows the probability the output head reads off this step (logit lens); blank is under 0.005.

Thought 5 of 5


0.80	0.07	0.11	0.02
3 nodes at depth 5	target	target's mirror	everything else



ATC, test graph 0: the target is 6 hops from the root. Each node shows the probability the output head reads off this step (logit lens); blank is under 0.005.

Answer step

1.00	0.00	0.00
target	target's mirror	everything else



ATC, test graph 0: the target is 6 hops from the root. Each node shows the probability the output head reads off this step (logit lens); blank is under 0.005.