
# **Cucumber PDF Report**




Feature			Scer	nario			St	ер	
Name	Duration	<i>T</i>	P	F	S	T	P	F	S
Sample Test Suite using Cucumber selenium	9.384 s	4	0	4	0	20	0	0	20

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Sample Test Suite using Cucumber selenium	Verifying the Login Scenarios with multiple user.
2		Verifying the Login Scenarios with multiple user.
3		Verifying the Login Scenarios with multiple user.
4		Verifying the Login Scenarios with multiple user.

FEATURES SUMMARY -- 4 -



#	Feature Name	T	P	F	S	Duration
1	Sample Test Suite using Cucumber selenium	4	0	4	0	9.384 s

SCENARIOS SUMMARY -- 5 -




#	Feature Name	Scenario Name	<b>T</b>	P	F	S	Duration
1	Sample Test Suite using Cucumber selenium	Verifying the Login Scenarios with multiple user.	5	0	0	5	3.530 s
2		Verifying the Login Scenarios with multiple user.	5	0	0	5	1.754 s
3		Verifying the Login Scenarios with multiple user.	5	0	0	5	1.769 s
4		Verifying the Login Scenarios with multiple user.	5	0	0	5	2.208 s

DETAILED SECTION -- 6 --

### **Sample Test Suite using Cucumber selenium**

FAILED	DURATION - 9.384 s	Scenarios		Steps	
		Total - 4		Total - 20	
/ 2:19:47.473 pm	// 2:19:56.857 pm /	Pass - 0	4	Pass - 0	20
		Fail - 4		Fail - 0	20
		Skip - 0		Skip - 20	


## **Verifying the Login Scenarios with multiple user.**



#	Step / Hook Details	Status	Duration
	BEFORE - com.example.stepdefinitions.LoginSteps.beforeSteps()	FAILED	3.464 s
	org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:53384/devtools/browser/ftdd06b2c-c3aa-4e2b-ac47-83689810a7ff Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-P2J2UEF', ip: '192.168.0.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: driver.version: ChromeDriver at org.openqa.selenium.remote.http.netty.NettyWebSocket.sinit>(NettyWebSocket.java:102) at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128) at org.openqa.selenium.devtools.Connection.sinit>(Connection.java:77) at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116) at java.base/java.util.Optional.map(Optional.java:260) at org.openqa.selenium.chromium.ChromiumDriver.sinit>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:81) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:49) at com.example.utils.DriverFactory.getDriver(DriverFactory.java:14) at com.example.stepdefinitions.LoginSteps.beforeSteps(LoginSteps.java:23)		
1	Given Navigation should happen "https://www.saucedemo.com/"	SKIPPED	0.004 s
1			
2	When User enter "standard_user" username	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	And User enter "secret_sauce" password	SKIPPED	0.021 s
4	And User click Login button	SKIPPED	0.001 s
5	Then Verify user login successfully with "logged successfully"	SKIPPED	0.001 s


## **Verifying the Login Scenarios with multiple user.**



#	Step / Hook Details	Status	Duration
	BEFORE - com.example.stepdefinitions.LoginSteps.beforeSteps()	FAILED	1.744 s
	org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:53405/devtools/browser/49d2d604-f4ab-4b3c-a402-038636cd075e Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-P2J2UEF', ip: '192.168.0.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: driver.version: ChromeDriver at org.openqa.selenium.remote.http.netty.NettyWebSocket.sinit>(NettyWebSocket.java:102) at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128) at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:106) at org.openqa.selenium.devtools.Connection. <init>(Connection.java:77) at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116) at java.base/java.util.Optional.map(Optional.java:260) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:49) at com.example.utils.DriverFactory.getDriver(DriverFactory.java:14) at com.example.stepdefinitions.LoginSteps.beforeSteps(LoginSteps.java:23)</init></init></init>		
1	Given Navigation should happen "https://www.saucedemo.com/"	SKIPPED	0.000 s
2	When User enter "error_user" username	SKIPPED	0.000 s
3	And User enter "secret_sauce" password	SKIPPED	0.000 s
4	And User click Login button	SKIPPED	0.002 s
5	Then Verify user login successfully with "logged successfully"	SKIPPED	0.000 s

DETAILED SECTION -- 8 --

### **Verifying the Login Scenarios with multiple user.**



#	Step / Hook Details	Status	Duration
	BEFORE - com.example.stepdefinitions.LoginSteps.beforeSteps()	FAILED	1.760 s
	org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:53418/devtools/browser/d1a1ea8e-96bf-4c4d-ae5d-c293ec8ab92e Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-P2J2UEF', ip: '192.168.0.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: driver.version: ChromeDriver at org.openqa.selenium.remote.http.netty.NettyWebSocket. <a href="https://enewspace.com/eng-neg-selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128)">https://enewspace.com/eng-selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128)</a> at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:106) at org.openqa.selenium.devtools.Connection. <a href="https://enewspace.com/eng-selenium.chromium.chromiumDriver.lambda\$new\$2(ChromiumDriver.java:116)">https://eng-selenium.chromium.chromium.chromiumDriver.lambda\$new\$2(ChromiumDriver.java:116)</a> at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:49) at com.example.utils.DriverFactory.getDriver(DriverFactory.java:14) at com.example.stepdefinitions.LoginSteps.beforeSteps(LoginSteps.java:23)</init></init>		
1	Given Navigation should happen "https://www.saucedemo.com/"	SKIPPED	0.002 s
2	When User enter "locked_out_user" username	SKIPPED	0.001 s
3	And User enter "secret_sauce" password	SKIPPED	0.001 s
4	And User click Login button	SKIPPED	0.000 s
5	Then Verify user login successfully with "Epic sadface: Sorry, this user has been locked out."	SKIPPED	0.000 s

**Verifying the Login Scenarios with multiple user.** 

FAILED DURATION - 2.208 s	0.15		Steps
/ 2:19:54.649 pm // 2:19:56.857 pm /	0.1 -		Total - 5 Pass - 0
Sample Test Suite using Cucumber selenium	.05 -		Fail - 0 5
	0	1 2 3 4 5	

#	Step / Hook Details	Status	Duration
	BEFORE - com.example.stepdefinitions.LoginSteps.beforeSteps()	FAILED	2.200 s
	org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:53441/devtools/browser/33cfffa5-d32b-4732-8fc7-3ad50a67f3e2 Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-P2J2UEF', ip: '192.168.0.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: driver.version: ChromeDriver at org.openqa.selenium.remote.http.netty.NettyWebSocket.sinti>(NettyWebSocket.java:102) at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128) at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:106) at org.openqa.selenium.devtools.Connection.   at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116) at java.base/java.util.Optional.map(Optional.java:260) at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromeDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:49) at com.example.utils.DriverFactory.getDriver(DriverFactory.java:14) at com.example.stepdefinitions.LoginSteps.beforeSteps(LoginSteps.java:23)</init></init>		
1	Given Navigation should happen "https://www.saucedemo.com/"	SKIPPED	0.001 s
2	When User enter "standard_user" username	SKIPPED	0.001 s
3	And User enter "sample123" password	SKIPPED	0.001 s
4	And User click Login button	SKIPPED	0.001 s
5	Then Verify user login successfully with "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.001 s