

# Cucumber PDF Report

25-Nov-2024, 2:17:07 pm

**Start : Nov 25, 2:16:55.757 pm**

**End : Nov 25, 2:17:05.324 pm**

**Duration : 9.567 s**

*Features*


*Scenarios*

*Steps*

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 4  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 20




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Sample Test Suite using Cucumber selenium</u>	9.567 s	4	0	4	0	20	0	0	20

#	Feature Name	Scenario Name
1	<u>Sample Test Suite using Cucumber selenium</u>	<u>Verifying the Login Scenarios with multiple user.</u>
2		<u>Verifying the Login Scenarios with multiple user.</u>
3		<u>Verifying the Login Scenarios with multiple user.</u>
4		<u>Verifying the Login Scenarios with multiple user.</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Sample Test Suite using Cucumber selenium</u>	4	0	4	0	9.567 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Sample Test Suite using Cucumber selenium</u>	<u>Verifying the Login Scenarios with multiple user.</u>	5	0	0	5	3.832 s
2		<u>Verifying the Login Scenarios with multiple user.</u>	5	0	0	5	1.562 s
3		<u>Verifying the Login Scenarios with multiple user.</u>	5	0	0	5	2.063 s
4		<u>Verifying the Login Scenarios with multiple user.</u>	5	0	0	5	1.972 s

## Sample Test Suite using Cucumber selenium

<b>FAILED</b>	DURATION - 9.567 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 20 Pass - 0 Fail - 0 Skip - 20	
/ 2:16:55.757 pm // 2:17:05.324 pm /					



## Verifying the Login Scenarios with multiple user.

<b>FAILED</b>	DURATION - 3.832 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 2:16:55.779 pm // 2:16:59.611 pm /				
Sample Test Suite using Cucumber selenium				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.example.stepdefinitions.LoginSteps.beforeSteps()</b> org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:53241/devtools/browser/cf9e8f15-d3cf-400b-ba24-fc0568081e1e Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-P2J2UEF', ip: '192.168.0.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: driver.version: ChromeDriver at org.openqa.selenium.remote.http.netty.NettyWebSocket.<init>(NettyWebSocket.java:102) at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128) at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:106) at org.openqa.selenium.devtools.Connection.<init>(Connection.java:77) at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116) at java.base/java.util.Optional.map(Optional.java:260) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:81) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:49) at com.example.utils.DriverFactory.getDriver(DriverFactory.java:14) at com.example.stepdefinitions.LoginSteps.beforeSteps(LoginSteps.java:23)	<b>FAILED</b>	3.783 s
1	Given Navigation should happen "https://www.saucedemo.com/"	SKIPPED	0.004 s
2	When User enter "standard_user" username	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
3	And User enter "secret_sauce" password	SKIPPED	0.001 s
4	And User click Login button	SKIPPED	0.001 s
5	Then Verify user login successfully with "logged successfully.."	SKIPPED	0.000 s

### Verifying the Login Scenarios with multiple user.

<b>FAILED</b> DURATION - 1.562 s / 2:16:59.710 pm // 2:17:01.272 pm / Sample Test Suite using Cucumber selenium		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
--------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------	--------------------------------------------------------	-------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.example.stepdefinitions.LoginSteps.beforeSteps()</b> org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:53258/devtools/browser/1508162c-5815-4b85-977f-59e4b0779d6f Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-P2J2UEF', ip: '192.168.0.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: driver.version: ChromeDriver at org.openqa.selenium.remote.http.netty.NettyWebSocket.<init>(NettyWebSocket.java:102) at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128) at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:106) at org.openqa.selenium.devtools.Connection.<init>(Connection.java:77) at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116) at java.base/java.util.Optional.map(Optional.java:260) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:81) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:49) at com.example.utils.DriverFactory.getDriver(DriverFactory.java:14) at com.example.stepdefinitions.LoginSteps.beforeSteps(LoginSteps.java:23)	FAILED	1.551 s
1	Given Navigation should happen "https://www.saucedemo.com/"	SKIPPED	0.000 s
2	When User enter "error_user" username	SKIPPED	0.000 s
3	And User enter "secret_sauce" password	SKIPPED	0.000 s
4	And User click Login button	SKIPPED	0.000 s
5	Then Verify user login successfully with "logged successfully.."	SKIPPED	0.001 s



## Verifying the Login Scenarios with multiple user.

<div>FAILED</div> <div>DURATION - 2.063 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	<div></div>
/ 2:17:01.279 pm // 2:17:03.342 pm /				
Sample Test Suite using Cucumber selenium				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.example.stepdefinitions.LoginSteps.beforeSteps()</b> org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:53276/devtools/browser/cd528bf1-4db0-464e-9973-db0a0c430f64 Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-P2J2UEF', ip: '192.168.0.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: driver.version: ChromeDriver at org.openqa.selenium.remote.http.netty.NettyWebSocket.<init>(NettyWebSocket.java:102) at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128) at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:106) at org.openqa.selenium.devtools.Connection.<init>(Connection.java:77) at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116) at java.base/java.util.Optional.map(Optional.java:260) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:81) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:49) at com.example.utils.DriverFactory.getDriver(DriverFactory.java:14) at com.example.stepdefinitions.LoginSteps.beforeSteps(LoginSteps.java:23)	<b>FAILED</b>	2.055 s
1	Given Navigation should happen "https://www.saucedemo.com/"	SKIPPED	0.000 s
2	When User enter "locked_out_user" username	SKIPPED	0.001 s
3	And User enter "secret_sauce" password	SKIPPED	0.001 s
4	And User click Login button	SKIPPED	0.001 s
5	Then Verify user login successfully with "Epic sadface: Sorry, this user has been locked out."	SKIPPED	0.001 s

## Verifying the Login Scenarios with multiple user.



<div>FAILED</div> <div>DURATION - 1.972 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 2:17:03.352 pm // 2:17:05.324 pm /				
Sample Test Suite using Cucumber selenium				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.example.stepdefinitions.LoginSteps.beforeSteps()</b> org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:53295/devtools/browser/fa982380-bdf4-4eff-a831-bed22d319b3a Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-P2J2UEF', ip: '192.168.0.174', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: driver.version: ChromeDriver at org.openqa.selenium.remote.http.netty.NettyWebSocket.<init>(NettyWebSocket.java:102) at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128) at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:106) at org.openqa.selenium.devtools.Connection.<init>(Connection.java:77) at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116) at java.base/java.util.Optional.map(Optional.java:260) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:81) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:49) at com.example.utils.DriverFactory.getDriver(DriverFactory.java:14) at com.example.stepdefinitions.LoginSteps.beforeSteps(LoginSteps.java:23)	<b>FAILED</b>	<b>1.962 s</b>
1	Given Navigation should happen "https://www.saucedemo.com/"	SKIPPED	0.001 s
2	When User enter "standard_user" username	SKIPPED	0.001 s
3	And User enter "sample123" password	SKIPPED	0.001 s
4	And User click Login button	SKIPPED	0.001 s
5	Then Verify user login successfully with "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.001 s