
Cucumber PDF Report




Feature		Scenario				Step			
Name	Duration	<i>T</i>	P	F	S	T	P	F	S
Sample Test Suite using Cucumber selenium	0.192 s	4	0	4	0	20	0	0	20

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Sample Test Suite using Cucumber selenium	Verifying the Login Scenarios with multiple user.
2		Verifying the Login Scenarios with multiple user.
3		Verifying the Login Scenarios with multiple user.
4		Verifying the Login Scenarios with multiple user.

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Sample Test Suite using Cucumber selenium	4	0	4	0	0.192 s

SCENARIOS SUMMARY -- 5 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Sample Test Suite using Cucumber selenium	Verifying the Login Scenarios with multiple user.	5	0	0	5	0.087 s
2		Verifying the Login Scenarios with multiple user.	5	0	0	5	0.020 s
3		Verifying the Login Scenarios with multiple user.	5	0	0	5	0.017 s
4		Verifying the Login Scenarios with multiple user.	5	0	0	5	0.014 s

DETAILED SECTION -- 6 --

Sample Test Suite using Cucumber selenium

FAILED	DURATION - 0.192 s	Scenarios		Steps	
		Total - 4		Total - 20	
/ 2:21:41.393 pm // 2	2:21:41.585 pm /	Pass - 0	A 1	Pass - 0	20
		Fail - 4	7	Fail - 0	20
		Skip - 0		Skip - 20	

Verifying the Login Scenarios with multiple user.




#	Step / Hook Details	Status	Duration
	BEFORE - com.example.stepdefinitions.LoginSteps.beforeSteps()	FAILED	0.059 s
	java.lang.lllegalStateException: The path to the driver executable The path to the driver executable must be set by the webdriver.chrome.driver system property; for more information, see https://chromedriver.chromium.org/. The latest version can be downloaded from https://chromedriver.chromium.org/downloads at org.openga.selenium.internal.Require\$StateChecker.nonNull(Require.java:311)		
	at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:135)		
	at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:39) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:233) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:437)		
	at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:128) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:49) at com.example.utils.DriverFactory.getDriver(DriverFactory.java:14) at com.example.stepdefinitions.LoginSteps.beforeSteps(LoginSteps.java:23)</init>		
1	Given Navigation should happen "https://www.saucedemo.com/"	SKIPPED	0.003 s
2	When User enter "standard_user" username	SKIPPED	0.000 s
3	And User enter "secret_sauce" password	SKIPPED	0.001 s
4	And User click Login button	SKIPPED	0.000 s

DETAILED SECTION -- 7 -

#	Step / Hook Details	Status	Duration
5	Then Verify user login successfully with "logged successfully"	SKIPPED	0.001 s


Verifying the Login Scenarios with multiple user.



#	Step / Hook Details	Status	Duration
	BEFORE - com.example.stepdefinitions.LoginSteps.beforeSteps()	FAILED	0.008 s
	java.lang.lllegalStateException: The path to the driver executable The path to the driver executable must be set by the webdriver.chrome.driver system property; for more information, see https://chromedriver.chromium.org/. The latest version can be downloaded from https://chromedriver.chromium.org/downloads at org.openqa.selenium.internal.Require\$StateChecker.nonNull(Require.java:311) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:135) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:39) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:233) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:437) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:128) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:49) at com.example.utils.DriverFactory.getDriver(DriverFactory.java:14) at com.example.stepdefinitions.LoginSteps.beforeSteps(LoginSteps.java:23)</init>		
1	Given Navigation should happen "https://www.saucedemo.com/"	SKIPPED	0.001 s
2	When User enter "error_user" username	SKIPPED	0.001 s
3	And User enter "secret_sauce" password	SKIPPED	0.002 s
4	And User click Login button	SKIPPED	0.000 s
5	Then Verify user login successfully with "logged successfully"	SKIPPED	0.001 s


Verifying the Login Scenarios with multiple user.

DETAILED SECTION -- 8 --



#	Step / Hook Details	Status	Duration
	BEFORE - com.example.stepdefinitions.LoginSteps.beforeSteps()	FAILED	0.010 s
	java.lang.lllegalStateException: The path to the driver executable The path to the driver executable must be set by the webdriver.chrome.driver system property; for more information, see https://chromedriver.chromium.org/. The latest version can be downloaded from https://chromedriver.chromium.org/downloads at org.openqa.selenium.internal.Require\$StateChecker.nonNull(Require.java:311) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:135) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:39)		
	at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:233) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:437) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:128) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:49) at com.example.utils.DriverFactory.getDriver(DriverFactory.java:14) at com.example.stepdefinitions.LoginSteps.beforeSteps(LoginSteps.java:23)</init>		
1	Given Navigation should happen "https://www.saucedemo.com/"	SKIPPED	0.000 s
2	When User enter "locked_out_user" username	SKIPPED	0.001 s
3	And User enter "secret_sauce" password	SKIPPED	0.001 s
4	And User click Login button	SKIPPED	0.001 s
5	Then Verify user login successfully with "Epic sadface: Sorry, this user has been locked out."	SKIPPED	0.001 s

Verifying the Login Scenarios with multiple user.



#	Step / Hook Details	Status	Duration
	BEFORE - com.example.stepdefinitions.LoginSteps.beforeSteps()	FAILED	0.007 s
	java.lang.lllegalStateException: The path to the driver executable The path to the driver executable must be set by the webdriver.chrome.driver system property; for more information, see https://chromedriver.chromium.org/. The latest version can be downloaded from https://chromedriver.chromium.org/downloads at org.openqa.selenium.internal.Require\$StateChecker.nonNull(Require.java:311) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:135) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:39) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:233) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:437) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:128) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:49) at com.example.utils.DriverFactory.getDriver(DriverFactory.java:14) at com.example.stepdefinitions.LoginSteps.beforeSteps(LoginSteps.java:23)</init>		
1	Given Navigation should happen "https://www.saucedemo.com/"	SKIPPED	0.001 s
2	When User enter "standard_user" username	SKIPPED	0.000 s
3	And User enter "sample123" password	SKIPPED	0.001 s
4	And User click Login button	SKIPPED	0.000 s
5	Then Verify user login successfully with "Epic sadface: Username and password do not match any user in this service"	SKIPPED	0.000 s