
DOMAIN SERVER

Using dns zones....





No dns zones to display


Azure DNS is a hosting service for DNS domains that provides name resolution by using Microsoft Azure infrastructure. By hosting your domains in Azure, you can manage your DNS records by using the same credentials, APIs, tools, and billing as your other Azure services.

Create dns zone

Learn more d

Create a dns zone






















Give feedback





😊 portal.azure.com/#@vaibhavguptaavy1013gmail.onmicrosoft.com/resource/subscriptions/afebb711-1102-44c1-86e3-a4d3d1af9199/resourceGro... 🖒 🔯 🕏

Add record in dns

X

Home > Virtual machines >

Create a virtual machine

Project details		
Select the subscription to manage de your resources.	ployed resources and costs. Use resource groups like folders to organize and m	anage all
Subscription * ①	Azure subscription 1	~
Resource group * ①	(New) test_group	0
	Create new	
Instance details		
Virtual machine name * ①	test	П
Region * ①	(US) East US	0
Availability options ①	Availability zone	~
Zone options ①	 Self-selected zone Choose up to 3 availability zones, one VM per zone 	
	Azure-selected zone (Preview) Let Azure assign the best zone for your needs	
	1 Using an Azure-selected zone is not supported in region 'East US'.	
Availability zone * ①	Zone 1	~
	You can now select multiple zones. Selecting multiple zones will create one VM per zone. Learn more	
Security type ①	Trusted launch virtual machines	~



Create a server/vm



Apache2 Default Page

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at /var/www/html/index.html) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in /usr/share/doc/apache2/README.Debian.gz**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the apache2–doc package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/
|-- apache2.conf
| `-- ports.conf
|-- mods-enabled
| -- *.load
| `-- *.conf
|-- conf-enabled
| `-- *.conf
|-- sites-enabled
| `-- *.conf
```

- apache2.conf is the main configuration file. It puts the pieces together by including all remaining configuration files when starting up the web server.
- ports.conf is always included from the main configuration file. It is used to determine the listening ports for incoming connections, and this file can be customized anytime.