Web Programming

Lab Assignment 07

By: Avyakth Shriram (24BCE651)

LAB 7 – HTML Code:

```html
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Javascript</title>
        <script language="Javascript" type="text/Javascript">
            <!-- // This is a JavaScript comment written inside the HTML tags //-->
            function sayHello() {
                alert("Hello World")
            }
        </script>
        <link type="text/Javascript" src="LAB7 - 24BCE5461.js">
        <link rel="stylesheet" href="LAB7 - 24BCE5461.css" />
    </head>
    <body>
        <noscript>
            Sorry, your browser doesn't support Javascript!
        </noscript>
        <script type="text/javascript">
            // We are writing the JavaScript inside the body tag of HTML here
            document.write("Welcome! I am from the Body script")
        </script>
        <div class="container">
            <p style="text-align:center;">JavaScript</p>
            <p style="text-align:center;font-weight: bolder;" >While A = 10 && B = 20: </p>
            <div class="part1">
                <script type="text/javascript">
                    var linebreak = "<br/>";
                    var a =10;
                    var b= 20;

                    document.write("The value of a: (a=b) is ");
                    document.write(result = (a=b));
                    document.write(linebreak);

                    document.write("The value of a: (a+=b) is ");
                    document.write(result = (a+=b));
                    document.write(linebreak);

                    document.write("The value of a: (a-=b) is ");
                    document.write(result = (a-=b));
```

```
                    document.write(linebreak);

                    document.write("The value of a: (a*=b) is ");
                    document.write(result = (a*=b));
                    document.write(linebreak);

                    document.write("The value of a: (a/=b) is ");
                    document.write(result = (a/=b));
                    document.write(linebreak);

                    document.write("The value of a: (a%=b) is ");
                    document.write(result = (a%=b));
                    document.write(linebreak);

                    document.write("(a==b) is ");
                    document.write(a==b);
                    document.write(linebreak);

                    document.write("(a<b) is ");
                    document.write(a<b);
                    document.write(linebreak);

                    document.write("(a>b) is ");
                    document.write(a>b);
                    document.write(linebreak);

                    document.write("(a<=b) is ");
                    document.write((a<=b));
                    document.write(linebreak);

                    document.write("(a>=b) is ");
                    document.write((a>=b));
                    document.write(linebreak);

                    document.write("(a!=b) is ");
                    document.write((a!=b));
                    document.write(linebreak);
                </script>
                <p style="text-align:center;font-weight: bolder;" >While A = true && B =
false: </p>
                <script type="text/Javascript" >
                    var a=true;
                    var b = false;

                    document.write("The value of (a&&b) is ");
                    document.write(result = (a&&b));
                    document.write(linebreak);

                    document.write("The value of (a||b) is ");
                    document.write(result = (a||b));
```

```
                    document.write(linebreak);

                    document.write("The value of !(a&&b) is ");
                    document.write(result = (!(a&&b)));
                    document.write(linebreak);
                </script>
            </div>
            <div class="btn">
                <input type = "button" onclick = "sayHello()" value="Say Hello!" />
            </div>
        </div>
    </body>
</html>
```

LAB 7 – CSS Code:

```
.container{
    height:80vh;
    width:80vw;
    margin:auto;
    border-radius:20px;
    background-color:pink;
}

body{
    background-color:purple;
}

.btn{
    display:flex;
    justify-content:end;
    padding-top:30vh;
    padding-right:20px;
}

.part1{
    margin-left:20px;
}
```

LAB 7 – JavaScript Code:

```
console.log("Hello HTML, I am a New js file printing this line");
/*Here,
Is the basic declaration in JS */
var A = 10;
const B = 20;  //numbers,const,string and boolean are some other datatypes
var result = A+B;
console.log(result);
```

LAB 7 – Screenshots:




Javascript
File
file:///D:/dev-windows/Web-Programming-4th-Semester/LAB-7/LAB7%20-%2024BCE5461.html
Welcome! I am from the Body script
This page says
Hello World
OK
The value of a: (a=b) is 20
The value of a: (a+=b) is 40
The value of a: (a-=b) is 20
The value of a: (a*=b) is 400
The value of a: (a/=b) is 20
The value of a: (a%=b) is 0
(a==b) is false
(a(a>b) is false
(a<=b) is true
(a>=b) is false
(a!=b) is true
While A = true && B = false:
The value of (a&&b) is false
The value of (a||b) is true
The value of !(a&&b) is true
Say Hello!

THANK YOU!!!