BLOCKCHAIN-BASED CARBON CREDIT TRACKING AND RETIREMENT

BACHELOR OF TECHNOLOGY

IN

COMPUTER SCIENCE AND ENGINEERING

Use Case Report

submitted by

ALLAM VYSHNAVI SUSHMA

23501A0507

Under the guidance of

Mr. A. Prashant, Asst. Prof.

Department of Computer Science and Engineering

Prasad V Potluri Siddhartha Institute of Technology

(Permanently affiliated to JNTU-Kakinada, Approved by AICTE)

(An NBA & NAAC accredited and ISO 9001:2015 certified institute)

Kanuru, Vijayawada-520 007

2026-27

Prasad V Potluri Siddhartha Institute of Technology

(Permanently affiliated to JNTU-Kakinada, Approved by AICTE)

(An NBA & NAAC accredited and ISO 9001:2015 certified institute)

Kanuru, Vijayawada-520 007

CERTIFICATE

This is to certify that the Use Case report entitled **"Blockchain-Based Carbon Credit Tracking and Retirement"** that is being submitted by **Allam Vyshnavi Sushma (23501A0507)**, as part of Assignment-2 for the **Blockchain Technology (23CS4701B)** course in 4-**1** during the academic year **2026-27**.

Course Coordinator
Mr. A. Prashant
Assistant Professor,
Department of CSE,
PVPSIT, Vijayawada

Head of the Department
Dr. A. Jayalakshmi,
Professor and Head,
Department of CSE,
PVPSIT, Vijayawada

MARKS
Assignment 2 : /5

INDEX

S. No.	Chapter	Page No.
1	Introduction	01
2	Background	02
3	Blockchain Basics	04
4	Use Case Overview	06
5	Implementation	09
6	Benefits	15
7	Challenges	17
8	Conclusion	19
9	SDG's Addressed	20
10	References	21
11	Appendix A	22

1. INTRODUCTION

1.1. Overview of Blockchain Technology

Blockchain technology is a decentralized and distributed ledger system that records transactions across a network of independent computers, ensuring transparency, security, and immutability. Unlike a conventional database that is controlled by a single organization, a blockchain operates on a peer-to-peer network in which every participant holds a synchronized copy of the ledger. Each block in the chain stores a cryptographic hash of the block before it, so altering any earlier record would break every block that follows and be detected immediately. Although blockchain was first introduced for cryptocurrency transactions, it is now being applied in finance, supply chain management, healthcare, education, and public administration, including land and property record management. [3]

1.2. Relevance of in Carbon Credit Tracking and Retirement

Traditional carbon credit management systems often rely on centralized databases and separate registries, which can create challenges in tracking ownership, verifying transactions, and preventing double counting. Blockchain technology addresses these issues by maintaining secure, transparent, and traceable records of carbon credit transactions.

A blockchain-based carbon credit system uses smart contracts to record the issuance, transfer, and retirement of carbon credits according to predefined rules. Each transaction is recorded on the blockchain, making unauthorized alterations difficult and allowing participants to verify the transaction history. Once a credit is retired to offset carbon emissions, its status can be permanently recorded to prevent reuse.

The adoption of blockchain improves trust and accountability among carbon credit buyers, sellers, and other stakeholders. Its decentralized structure and tamper-resistant records help reduce fraud, improve transparency, and support reliable carbon credit management.

Blockchain technology plays an important role in carbon credit management by providing a shared and verifiable record of carbon credit transactions. It helps track each credit from issuance to ownership transfer and final retirement, reducing the chances of duplicate transactions and unauthorized modifications. Smart contracts can automate transaction validation and update credit status based on predefined conditions.

Furthermore, blockchain enables stakeholders to verify carbon credit ownership and retirement records without depending entirely on a single central authority. This improves transparency in carbon markets and helps prevent the reuse of retired credits. By ensuring secure recordkeeping and efficient transaction tracking, blockchain supports a more trustworthy and accountable carbon credit ecosystem.

2. BACKGROUND

Traditional carbon credit management systems face several challenges related to transparency, fraud, ownership tracking, and verification of credit retirement. Centralized databases and disconnected registry systems can make it difficult to track carbon credits throughout their lifecycle. These challenges may lead to double counting, unauthorized transactions, and reduced trust among carbon market participants. The following are some key issues in existing carbon credit management systems.

2.1. Lack of Transparency in Carbon Credit Transactions

Traditional carbon credit systems may rely on centralized registries, making it difficult for different stakeholders to access and verify transaction histories. Limited transparency can create uncertainty regarding credit ownership, transfers, and retirement status.

2.2. Double Counting and Fraudulent Claims

A major challenge in carbon credit management is the risk of the same credit being sold, claimed, or used more than once. Weak verification mechanisms and inconsistencies between records can lead to duplicate claims, reducing the credibility of carbon offset programs.

2.3. Inefficiencies in Carbon Credit Verification

Verifying carbon credit ownership, transaction history, and retirement status may require coordination among multiple organizations. Manual verification and separate recordkeeping systems can increase processing time and administrative effort.

2.4. Lack of Traceability and Secure Recordkeeping

Tracking carbon credits from issuance to final retirement can be challenging when transaction records are maintained across separate systems. Unauthorized changes, inconsistent information, and limited access to historical records can affect the reliability of carbon credit management.

2.5. Challenges in Carbon Credit Retirement

Carbon credit retirement refers to permanently removing a credit from circulation after it has been used to offset emissions. If retirement records are not properly updated or verified, the same credit may be reused or claimed by multiple parties. A reliable mechanism is therefore required to record retirement securely and prevent the further use of retired credits.

2.6. Security Risks and Data Tampering

Traditional carbon credit management systems may face security risks due to unauthorized access, data breaches, and manipulation of transaction records. Such issues can affect the reliability of carbon credit ownership and retirement information, reducing trust among market participants.

2.7. Difficulty in Managing Carbon Credit Transactions Across Different Registries

Carbon credits may be managed by different registries and organizations, making it difficult to maintain consistent records of issuance, ownership transfers, and retirement. Differences in verification procedures and recordkeeping practices can create inconsistencies and complicate transaction tracking.

2.8. Disputes Between Carbon Credit Stakeholders

Buyers, sellers, project developers, and verification organizations may face disputes regarding credit ownership, transaction validity, and retirement status. Incomplete or inconsistent records can make it difficult to resolve these disputes and establish reliable proof of transactions.

2.9. Limited Access to Carbon Credit Information

Stakeholders may experience difficulties in accessing reliable information about carbon credit history, current ownership, and retirement status. Limited visibility into transaction records can delay verification and reduce transparency in carbon markets.

2.10. Lack of Automated Carbon Credit Retirement

Without proper automated verification mechanisms, carbon credit retirement may require manual processing and record updates. This can increase administrative effort and create opportunities for errors or duplicate claims. Smart contracts can help automate retirement by validating predefined conditions and updating the credit status.

Due to these challenges, there is a growing need for a secure, transparent, and efficient carbon credit management system. Blockchain technology offers a promising solution by maintaining tamper-resistant transaction records, enabling traceability of credit ownership, and using smart contracts to automate credit transfers and retirement. This approach can help reduce double counting, improve accountability, and strengthen trust in carbon credit management.

3. BLOCKCHAIN BASICS

Blockchain is a distributed ledger technology that enables secure, transparent, and tamper-resistant recording of transactions without relying entirely on a single central authority. Instead of storing information in one centralized database, blockchain maintains a shared ledger across multiple network participants who follow common rules to validate transactions. Each block contains transaction data and is cryptographically linked to the previous block, forming a continuous chain of records. The following are the key concepts that define blockchain technology.

3.1. Decentralization

Traditional carbon credit management systems may rely on centralized registries or individual organizations to maintain transaction records. This creates dependence on specific authorities and may limit independent verification. Blockchain distributes transaction records across multiple network participants, reducing reliance on a single point of control. In a carbon credit system, participants such as carbon credit issuers, buyers, sellers, and verification organizations can interact with the blockchain to verify transactions and track credit ownership.

3.2. Immutability

Immutability is the ability of blockchain to preserve recorded transactions against unauthorized modification. Each block contains a cryptographic hash that links it to the previous block, making changes to existing records detectable. Once a transaction is confirmed on the blockchain, it is extremely difficult to modify without the required network control. In carbon credit management, this feature helps preserve the history of credit issuance, ownership transfers, and retirement. If a correction is required, it can be recorded as a new transaction rather than silently overwriting the original record, ensuring that the transaction history remains traceable.

3.3. Transparency

Blockchain provides transparency by allowing authorized participants to access and verify recorded transactions according to the network's access rules. Each transaction can include information such as the credit identifier, sender, receiver, transaction status, and retirement details. This enables buyers, sellers, and other stakeholders to verify ownership and examine the transaction history of carbon credits. Transparent records help identify duplicate transactions and inconsistencies, improving confidence in the carbon credit management process.

3.4. Smart Contracts

Smart contracts are programs deployed on a blockchain that automatically execute predefined rules when specified conditions are satisfied. They reduce manual intervention by validating transactions and updating records according to programmed logic. In a carbon credit management system, smart contracts can manage credit registration, ownership transfers, and retirement. For example, a contract can verify whether a credit is available before permitting a transfer and reject further transactions involving a retired credit. These automated rules help reduce human errors, improve processing efficiency, and prevent the same registered credit from being retired or transferred repeatedly within the system.

3.5. Consensus Mechanisms

Consensus mechanisms are protocols that enable blockchain network participants to agree on the validity and order of transactions. Proof of Work (PoW), used by Bitcoin, requires computational work to validate blocks, whereas Proof of Stake (PoS), used by Ethereum, relies on validators who stake cryptocurrency to participate in network consensus. Permissioned blockchain networks may use mechanisms such as Proof of Authority (PoA), in which approved validators confirm transactions. The appropriate mechanism depends on the project's requirements, including transaction speed, security, cost, and governance. For a carbon credit tracking prototype, an Ethereum-compatible development environment or test network can be used to deploy and test smart contracts without requiring a production blockchain.

3.6. Cryptographic Security

Blockchain uses cryptographic techniques, including hash functions and digital signatures, to protect transaction integrity and verify the authenticity of actions. A hash function converts data into a fixed-length output, and changes to the original data generally produce a different hash. Digital signatures allow users to authorize transactions using their private keys, while corresponding public keys are used for verification. In carbon credit management, these mechanisms help verify transaction authorization and detect changes to recorded information. They also support the secure tracking of credit ownership and retirement records, although correct identity verification and protection of private keys remain important.

3.7. Public and Permissioned Blockchains

Blockchain networks are broadly classified into public and permissioned networks. Public blockchains, such as Ethereum, allow users to participate without obtaining approval from a central network administrator and provide publicly verifiable transaction records. However, transactions may involve network fees, and information recorded on-chain can be visible to the public. Permissioned blockchains restrict participation or transaction validation to approved entities, providing greater control over access and governance. In carbon credit management, a public Ethereum-compatible network can support transparent tracking, while a permissioned network may be suitable when organizations require controlled access. The choice depends on privacy, scalability, cost, and trust requirements. For the proposed project, Ethereum-based smart contracts can be developed and tested in a suitable development environment before considering real-world deployment.

By combining decentralization, immutability, transparency, smart contracts, consensus mechanisms, and cryptographic security, blockchain provides a reliable foundation for carbon credit tracking and retirement. It enables transaction histories to be verified, ownership transfers to be recorded, and retirement rules to be enforced through smart contracts. These features can help reduce double counting, improve accountability, and increase trust among carbon market participants.

4. USE CASE OVERVIEW

The use case for a Blockchain-Based Carbon Credit Tracking and Retirement System aims to improve the management of carbon credits using blockchain technology. The system provides a secure, transparent, and traceable way to record carbon credits, track ownership transfers, and permanently record their retirement after they are used to offset carbon emissions.

4.1. Objectives

The primary objective of this system is to provide a digital platform for managing carbon credit transactions using blockchain technology. Each carbon credit is assigned a unique identifier and associated with relevant information, such as its quantity, issuing organization, current owner, and status. This information is recorded on the blockchain, allowing participants to verify credit ownership and transaction history without depending entirely on a centralized recordkeeping system.

A key challenge in carbon credit management is double counting, where the same credit is sold, transferred, or claimed more than once. Smart contracts help address this issue by enforcing predefined rules for credit issuance, transfers, and retirement. Each credit can be tracked through its lifecycle, and the system can reject unauthorized transfers or attempts to reuse credits that have already been retired.

Another important objective is to make carbon credit transfers simple and secure. When a transfer is initiated, the smart contract verifies the credit's availability and the transaction details before updating its ownership. When a credit is used to offset emissions, the owner can initiate its retirement through the platform. The smart contract then updates the credit status to retired, preventing further transfers or reuse within the system.

The system also improves transparency and traceability by maintaining a verifiable history of carbon credit transactions. Buyers, sellers, and other authorized stakeholders can check credit ownership, previous transfers, and retirement status. This shared record helps reduce discrepancies between transaction records and makes it easier to verify whether a particular credit remains available or has already been used.

By automating transaction validation and retirement through smart contracts, the system can reduce manual processing, administrative effort, and the possibility of human errors. Security is another key focus, as centralized records may be vulnerable to unauthorized modifications and inconsistent updates. Recording transactions on a blockchain makes tampering more difficult and preserves an auditable history of changes. However, the authenticity of the original carbon reduction claims still requires reliable verification from recognized sources.

4.2. Scope of the System

The blockchain-based carbon credit tracking and retirement system focuses on registering, managing, verifying, transferring, and retiring carbon credits. The system includes:

1. **Carbon Credit Issuers**: Organizations responsible for issuing carbon credits after verifying eligible carbon reduction or removal projects.
2. **Carbon Credit Owners**: Individuals or organizations who view their registered carbon credits, check credit details, and initiate transfers or retirement.

3. **Buyers**: Participants who verify carbon credit details and ownership before purchasing credits and use them to offset carbon emissions.
4. **Blockchain Network**: A decentralized ledger that stores traceable carbon credit transaction records and executes predefined smart contract rules.

4.3. System Architecture

The architecture of the Blockchain-Based Carbon Credit Tracking and Retirement System consists of the following components:

4.3.1. User Layer

This layer consists of the primary users who interact with the system.

- **Carbon Credit Issuers:**
  - Register carbon credits with unique identifiers and relevant project details.
  - Provide the required information about credit quantity and issuance.
- **Carbon Credit Owners:**
  - View the carbon credits registered in their accounts.
  - Initiate credit transfers or retirement requests.
- **Buyers:**
  - Verify carbon credit ownership, quantity, and transaction history before purchase.
  - Transfer credits into their accounts and retire them when used to offset emissions.

4.3.2. Web Application Layer

This layer acts as the interface between users and the blockchain. (Figure 4.1 - Web Application Layer).

- **User Interface:**
  - Allows issuers to register credits and users to manage their transactions.
  - Enables buyers and owners to view credit details, verify ownership, transfer credits, and retire them.
- **Carbon Credit Management System:**
  - Handles user authentication and blockchain wallet connection.
  - Facilitates communication between users, the blockchain, and any supporting off-chain data storage.

4.3.3. Blockchain Layer

This layer ensures transparency, traceability, and tamper resistance in carbon credit transactions. (Figure 4.1 - Blockchain Layer).

- **Smart Contract Layer:**
  - **CarbonCreditRegistry Contract:**

- Stores carbon credit details such as unique credit ID, quantity, issuer, current owner, and status.
- Manages credit registration, ownership transfers, and retirement.

- **Smart Contract Execution:**
  - When an authorized issuer registers a credit, the contract records its details on the blockchain.
  - When a transfer is approved, ownership is updated according to the contract rules.
  - When a credit is retired, its status is changed to retired, preventing further transfers or reuse within the system.




Figure 4.1: Architecture of Blockchain

- **Blockchain Network:**
  - **Distributed Ledger:** Maintains a verifiable record of carbon credit registrations, transfers, and retirements.
  - **Immutable Transactions:** Preserves transaction history and makes unauthorized modifications difficult.
  - **Off-chain Storage (IPFS):** Supporting documents, such as carbon project certificates, may be stored off-chain, while their cryptographic hashes are recorded on the blockchain to support integrity verification and reduce on-chain storage requirements.

5. IMPLEMENTATION

5.1. Setting Up the Blockchain Environment

To implement the Blockchain-Based Carbon Credit Tracking and Retirement System, the development environment can be configured using Ethereum as the blockchain platform. The essential tools include Solidity for writing smart contracts, Remix IDE or Hardhat for contract development and testing, and Ganache or a local Hardhat network for local blockchain testing. MetaMask can be integrated to manage blockchain accounts and sign transactions. The smart contract can be written in Solidity version 0.8.19 or a compatible version supported by the chosen development environment. Once the environment is configured, the smart contract for carbon credit registration, ownership transfer, verification, and retirement can be developed and tested.

5.2. Defining Smart Contracts

5.2.1. Writing the Smart Contract for Carbon Credit Records

The CarbonCreditRegistry contract is responsible for registering carbon credits, verifying ownership, transferring credits, and recording retirement. It defines a CarbonCredit structure containing essential details such as the credit ID, project name, issuer address, current owner, quantity, registration timestamp, and retirement status. Mappings are used to store credit records, track authorized issuers, and maintain ownership and retirement information. Each carbon credit is assigned a unique identifier to support traceability throughout its lifecycle. The contract enforces rules that prevent unauthorized registration, invalid transfers, and the reuse of retired credits.

```
contract CarbonCreditRegistry {

    address public admin;
    uint256 public nextCreditId = 1;

    struct CarbonCredit {
        uint256 id;
        string projectName;
        address issuer;
        address owner;
        uint256 quantity;
        uint256 registeredAt;
        uint256 retiredAt;
        bool retired;
        string documentHash;
        string retirementPurpose;
    }

    mapping(uint256 => CarbonCredit) public credits;
    mapping(address => bool) public authorizedIssuers;
    mapping(uint256 => address[]) private ownershipHistory;
```

5.2.2. Registering Authorized Registrars

To prevent unauthorized users from registering carbon credits, only approved issuer addresses are permitted to create new credit records. The account that deploys the contract becomes the administrator and can authorize additional issuers through the `addIssuer` function. The `onlyAdmin` and `onlyIssuer` modifiers restrict access to sensitive functions, ensuring that only authorized accounts can perform the corresponding operations. In a real-world system, issuer authorization and verification of carbon reduction projects must be performed using trusted certification procedures.

```
event IssuerAuthorized(address indexed issuer);
    event CreditRegistered(
        uint256 indexed creditId,
        address indexed issuer,
        address indexed owner,
        uint256 quantity
    );
    event CreditTransferred(
        uint256 indexed creditId,
        address indexed from,
        address indexed to
    );
    event CreditRetired(
        uint256 indexed creditId,
        address indexed owner,
        string purpose
    );

    modifier onlyAdmin() {
        require(msg.sender == admin, "Admin only");
        _;
    }

    modifier onlyIssuer() {
        require(authorizedIssuers[msg.sender], "Issuer not
authorized");
        _;
    }

    constructor() {
        admin = msg.sender;
        authorizedIssuers[msg.sender] = true;
    }

    function addIssuer(address issuer) external onlyAdmin {
        require(issuer != address(0), "Invalid issuer");
        authorizedIssuers[issuer] = true;
        emit IssuerAuthorized(issuer);
    }
```

5.2.3. Registering Carbon Credits

After the required project information and supporting documents have been verified, an authorized issuer registers the carbon credits by calling the `registerCredit` function. The function accepts the project name, credit quantity, and document hash. It generates a unique credit ID, records the issuer and initial owner, stores the registration timestamp, and initializes the credit as active. An event is emitted so that the frontend can display the newly registered credit. The document hash can be used to check the integrity of supporting documents stored off-chain.

```
function registerCredit(
        string calldata projectName,
        address initialOwner,
        uint256 quantity,
        string calldata documentHash
    ) external onlyIssuer returns (uint256) {
        require(bytes(projectName).length > 0, "Project required");
        require(initialOwner != address(0), "Invalid owner");
        require(quantity > 0, "Quantity must be positive");

        uint256 id = nextCreditId++;

        credits[id] = CarbonCredit({
            id: id,
            projectName: projectName,
            issuer: msg.sender,
            owner: initialOwner,
            quantity: quantity,
            registeredAt: block.timestamp,
            retiredAt: 0,
            retired: false,
            documentHash: documentHash,
            retirementPurpose: ""
        });

        ownershipHistory[id].push(initialOwner);

        emit CreditRegistered(
            id, msg.sender, initialOwner, quantity
        );

        return id;
    }
```

5.2.4. Viewing and Verifying Carbon Credit Records

Credit owners and buyers need to view credit details before transferring or retiring them. The `getCredit` function returns the details of a registered credit, while `verifyOwnership` checks whether a given blockchain address is the current owner. The `getOwnershipHistory` function returns the sequence of recorded owners, and the `isRetired` function checks whether the credit has already been retired. These read-only functions allow users to inspect blockchain records

without submitting a state-changing transaction. Although blockchain records can establish the history recorded by the system, they do not independently prove that the underlying carbon

```
function getCredit(
        uint256 creditId
    ) external view returns (CarbonCredit memory) {
        require(credits[creditId].id != 0, "Credit not found");
        return credits[creditId];
    }

    function verifyOwnership(
        uint256 creditId,
        address account
    ) external view returns (bool) {
        return credits[creditId].id != 0
            && credits[creditId].owner == account;
    }

    function getOwnershipHistory(
        uint256 creditId
    ) external view returns (address[] memory) {
        require(credits[creditId].id != 0, "Credit not found");
        return ownershipHistory[creditId];
    }
```

reduction is genuine.

5.2.5. Initiating a Carbon Credit Transfer

When a carbon credit owner wants to transfer credits to another participant, the owner calls the transferCredit function with the credit ID and the recipient's blockchain address. The function verifies that the caller is the current owner, that the recipient address is valid, and that the credit has not been retired. If the checks pass, ownership is updated and the transaction is recorded on the blockchain. An event is emitted to notify the frontend about the transfer. For simplicity, the following prototype transfers each registered credit record as a whole rather than dividing its quantity among multiple recipients.

```
function transferCredit(
        uint256 creditId,
        address newOwner
    ) external {
        CarbonCredit storage credit = credits[creditId];

        require(credit.id != 0, "Credit not found");
        require(credit.owner == msg.sender, "Not the owner");
        require(!credit.retired, "Credit already retired");
        require(newOwner != address(0), "Invalid recipient");
        require(newOwner != msg.sender, "Already the owner");

        address previousOwner = credit.owner;
        credit.owner = newOwner;
        ownershipHistory[creditId].push(newOwner);

        emit CreditTransferred(
            creditId, previousOwner, newOwner
        );
    }
```

5.2.6. Retiring Carbon Credits

When a credit is used to offset emissions, its owner calls the `retireCredit` function. The contract verifies the caller's ownership and checks that the credit has not already been retired. If the conditions are satisfied, the credit's status is updated to retired, and the retirement timestamp and purpose are recorded. A retirement event is emitted to provide a traceable record of the operation. Once retired, the credit cannot be transferred or retired again through the contract, helping prevent its reuse within the system.

```
function retireCredit(
        uint256 creditId,
        string calldata purpose
    ) external {
        CarbonCredit storage credit = credits[creditId];

        require(credit.id != 0, "Credit not found");
        require(credit.owner == msg.sender, "Not the owner");
        require(!credit.retired, "Already retired");
        require(bytes(purpose).length > 0, "Purpose required");

        credit.retired = true;
        credit.retiredAt = block.timestamp;
        credit.retirementPurpose = purpose;

        emit CreditRetired(creditId, msg.sender, purpose);
    }

    function isRetired(
        uint256 creditId
    ) external view returns (bool) {
        require(credits[creditId].id != 0, "Credit not found");
        return credits[creditId].retired;
    }
}
```

5.3. Deploying and Integrating with a Frontend


After developing the smart contract, it can be compiled and tested using Remix IDE and a local blockchain or an Ethereum-compatible test network. MetaMask can be used to connect user accounts, while Ethers.js can connect the frontend to the deployed contract. The web application can be developed using React.js or a simpler HTML, CSS, and JavaScript interface. Issuers can register carbon credits, owners can view and transfer their credits, and buyers can verify credit details and retirement status. Supporting project documents can be stored off-chain using IPFS or another storage system, with their cryptographic hashes recorded in the contract. Test-network deployment should be completed before considering real-world use.

5.4. Workflow:

The workflow of the Blockchain-Based Carbon Credit Tracking and Retirement System describes how issuers, credit owners, and buyers interact with the application to manage carbon credits securely.

The process begins when an authorized issuer registers a carbon credit with its project details, quantity, and supporting document hash. The smart contract assigns a unique credit ID and records its initial owner on the blockchain. The owner can then view the credit details, verify its ownership, and transfer it to another participant if required.

When a credit is purchased or received, its ownership history is updated through a blockchain transaction. When the owner uses the credit to offset emissions, the owner initiates retirement by providing the purpose. The smart contract checks ownership and confirms that the credit has not already been retired before updating its status. After retirement, further transfers and repeated retirement attempts are rejected. This workflow improves traceability and helps prevent double use of credits within the application, while the validity of the original carbon reduction claims still depends on external verification.



6. BENEFITS

Blockchain technology enhances carbon credit management by introducing transparency, security, traceability, and automation. Traditional carbon credit systems may rely on centralized registries and separate databases, which can create challenges in verifying transactions, preventing double counting, and tracking credit retirement. By leveraging blockchain technology and smart contracts, carbon credit management can become more secure, efficient, and reliable. The following are the key advantages of the proposed system:

6.1. Enhanced Security and Immutability

Blockchain maintains tamper-resistant records of carbon credit transactions. Once a transaction is confirmed, it cannot be easily altered or deleted without detection. This protects credit ownership, transfer, and retirement records against unauthorized modifications and improves the reliability of stored information.

6.2. Prevention of Duplicate and Fraudulent Credits

Each registered carbon credit is assigned a unique identifier, allowing it to be tracked throughout its lifecycle. Smart contracts can reject duplicate credit IDs and unauthorized registration attempts. This helps reduce duplicate entries and fraudulent transactions within the system.

6.3. Prevention of Double Counting and Reuse

Double counting occurs when the same carbon credit is claimed or used more than once. The proposed system records ownership transfers and retirement status on the blockchain. Once a credit is retired, the smart contract prevents further transfers or repeated retirement within the application, helping reduce duplicate offset claims.

6.4. Transparency and Auditability

Blockchain provides a verifiable history of carbon credit registration, ownership transfers, and retirement. Buyers, sellers, and other authorized stakeholders can check credit details and transaction status. This transparency improves accountability and helps stakeholders identify inconsistencies in recorded transactions.

6.5. Faster Credit Transfers and Retirement

Traditional carbon credit management may involve manual verification and record updates. Smart contracts automate transaction validation and update ownership or retirement status when predefined conditions are satisfied. This reduces manual processing and can improve the speed and efficiency of credit management.

6.6. Reduced Dependence on Intermediaries

Blockchain provides a shared transaction record that participants can independently verify. Smart contracts enforce predefined rules for credit transfers and retirement, reducing the need for repeated manual checks by intermediaries. However, external verification is still required to establish the authenticity of carbon reduction projects and the authority of credit issuers.

6.7. Complete Transaction History and Traceability

The system maintains the ownership history of each registered carbon credit, including previous owners and transfers. It also records retirement details, such as the retirement timestamp and stated purpose. This allows stakeholders to trace a credit from registration to retirement and improves the ability to audit its recorded history.

6.8. Cost Reduction and Operational Efficiency

Automating credit registration, transfers, and retirement can reduce paperwork, administrative effort, and manual verification costs. Digital recordkeeping also simplifies access to transaction information. However, blockchain transaction fees, development costs, and document storage expenses must be considered when implementing the system.

6.9. Reduced Disputes and Greater Stakeholder Trust

Transparent ownership records and verifiable retirement information can help reduce disagreements between buyers, sellers, and other participants. Since transaction histories are recorded on the blockchain, stakeholders can review the same records when verifying ownership or retirement status. This can improve confidence in the system, although it does not eliminate disputes about the validity of the underlying carbon credits.

6.10. Integration with Digital Carbon Market Systems

The proposed system can be integrated with web applications, digital wallets, carbon project databases, and document storage platforms such as IPFS. Supporting certificates can be stored off-chain, while their cryptographic hashes are recorded on the blockchain for integrity verification. Such integration can support digital carbon credit management while reducing the amount of data stored directly on-chain.

Implementing blockchain in carbon credit tracking and retirement offers benefits in security, transparency, traceability, and operational efficiency. By combining smart contracts with a verifiable transaction history, the proposed system helps prevent the reuse of retired credits, reduces unauthorized transactions, and improves accountability. It provides a foundation for more trustworthy carbon credit management while relying on appropriate external verification to ensure that the underlying carbon reduction claims are genuine.

7. CHALLENGES

While blockchain-based carbon credit tracking and retirement systems offer several advantages, they also face challenges and limitations that must be considered for effective implementation. Although blockchain improves transparency and transaction security, it cannot independently verify the authenticity of carbon reduction projects or guarantee the accuracy of the information entered. The following are some of the key challenges.

7.1. Accuracy and Reliability of Source Data

Blockchain ensures that recorded transactions are difficult to alter, but it cannot guarantee that the original information is accurate. If incorrect carbon credit quantities, project details, or certification information are entered during registration, these errors may remain in the records. Therefore, reliable verification of carbon reduction projects, supporting documents, and credit issuance is essential before recording the information on the blockchain.

7.2. Scalability and Transaction Costs

Public blockchain networks may experience transaction delays and fluctuating gas fees during periods of high demand. A large-scale carbon credit management system may involve numerous registrations, ownership transfers, and retirement transactions. Processing these operations on a public blockchain can increase costs and affect performance. Suitable blockchain platforms, efficient smart contracts, and Layer 2 solutions may help address these limitations.

7.3. Legal and Regulatory Compliance

Carbon credit markets operate under different standards, certification procedures, and regulatory requirements. A blockchain-based system must comply with the applicable rules governing carbon credit issuance, ownership, trading, and retirement. The system must also ensure that its recorded transactions are consistent with recognized carbon credit registries and applicable environmental regulations. Blockchain records alone do not automatically provide legal recognition or establish the validity of a carbon offset claim.

7.4. Privacy of User and Project Information

Recording transactions on a public blockchain can expose wallet addresses, transaction histories, and other information to network participants. Although wallet addresses do not directly reveal a person's identity, transaction patterns may disclose information about users or organizations. To protect privacy, sensitive personal details and confidential project documents should be stored off-chain or encrypted, while only necessary transaction details and document hashes are recorded on the blockchain.

7.5. Key Management and User Awareness

Blockchain transactions are authorized using private keys associated with digital wallets. If users lose their private keys, they may lose access to their accounts, while stolen keys can allow unauthorized transactions. In addition, users who are unfamiliar with blockchain technology may find wallet management and transaction confirmation difficult. User-friendly interfaces, clear instructions, secure key storage, and appropriate account recovery procedures are important for improving usability and security.

7.6. Dependence on Internet Connectivity

The proposed system requires internet connectivity to interact with the blockchain, access credit records, and submit transactions. Users in areas with unreliable connectivity may experience difficulties registering, transferring, or retiring carbon credits. A lightweight web interface, transaction-status notifications, and retry mechanisms can help improve accessibility and reduce interruptions.

7.7. Handling Errors, Disputes, and Corrections

Blockchain records are designed to be tamper-resistant, which makes correcting mistakes more complex than editing a conventional database. Errors in credit quantities, ownership information, or retirement details may require authorized corrective transactions or additional contract functions. The system must define procedures for resolving disputes, correcting inaccurate information, and handling fraudulent registrations without silently deleting the original transaction history. Retired credits should not be reactivated or reused merely to correct an unrelated record error.

Despite these challenges, blockchain-based carbon credit management offers significant potential for improving transparency, traceability, and accountability. Addressing these limitations requires accurate source-data verification, appropriate legal and regulatory compliance, privacy protection, secure key management, and scalable blockchain infrastructure. By combining blockchain technology with reliable external verification procedures, the proposed system can provide a more trustworthy approach to carbon credit tracking and retirement.

8. CONCLUSION

The report explores the integration of blockchain technology into carbon credit tracking and retirement, addressing key challenges in traditional carbon credit management. Existing systems may face issues such as limited transparency, double counting, fraudulent claims, difficulties in tracking ownership, and unreliable retirement records. By leveraging blockchain's immutability and transparency, the proposed system improves the traceability and reliability of carbon credit transactions. The use of smart contracts automates credit registration, ownership verification, transfers, and retirement, reducing manual intervention and improving accountability among carbon market participants.

The implementation of the blockchain-based carbon credit management system provides a structured approach to recording and tracking carbon credits securely. Authorized issuers can register credits, owners can view and transfer them, and buyers can verify their ownership and retirement status. The system assigns unique identifiers to registered credits and records transaction histories on the blockchain. Once a credit is retired, its status is updated to prevent further transfers or reuse within the application. This blockchain-based approach supports the reduction of duplicate claims, improves transaction traceability, and promotes greater trust in carbon credit management. However, the authenticity of carbon reduction claims still depends on reliable external verification.

8.1. Future Outlook for Enhancements

To further improve the system, artificial intelligence (AI) and data analytics can be integrated to identify suspicious transactions, unusual credit transfers, and potential duplicate claims. Integration with recognized carbon credit registries and certification platforms can help verify credit authenticity and synchronize retirement records across systems. This can improve the reliability of the proposed solution beyond transactions recorded within a single blockchain application.

Integrating decentralized identity (DID) and secure digital authentication can help ensure that only authorized participants issue, transfer, or retire carbon credits. Additional features, such as automated carbon credit valuation, digital certificate generation, and user notifications, can improve usability and transaction management. Integration with trusted environmental monitoring systems and project verification data can also support the validation of carbon reduction information before credits are registered.

Lastly, scalability solutions such as Layer 2 networks or permissioned blockchain platforms can help reduce transaction costs and improve processing speed when the number of users and credits increases. Privacy-preserving techniques and secure off-chain storage can protect confidential project information while retaining verifiable blockchain records. With these enhancements, blockchain-based carbon credit tracking and retirement can evolve into a more scalable, transparent, and reliable solution that supports accountability and trust in carbon markets.

9. SDG's ADDRESSED

The Blockchain-Based Carbon Credit Tracking and Retirement System primarily aligns with Sustainable Development Goal 13 (SDG 13): Climate Action. This goal focuses on taking action to combat climate change and its impacts. The proposed system uses blockchain technology and smart contracts to improve the transparency, traceability, and accountability of carbon credit management. By maintaining secure records of credit ownership, transfers, and retirement, the system helps prevent the repeated use of retired credits within the application and supports more reliable carbon offset management.

SDG 13: Climate Action

Carbon credit systems support climate action by enabling organizations and individuals to purchase and retire credits to compensate for their greenhouse gas emissions. The proposed system records carbon credit transfers and retirement on the blockchain, helping prevent repeated use of the same credit within the application. This improves transparency and accountability in carbon offset activities and supports efforts to address climate change.

Carbon credits play an important role in carbon offsetting by allowing organizations to purchase and retire eligible credits to compensate for their greenhouse gas emissions. However, inadequate tracking and unreliable retirement records can lead to duplicate offset claims and reduce trust in carbon markets.

The proposed system addresses these challenges by recording carbon credit transactions on a blockchain. Smart contracts manage credit registration, ownership transfers, and retirement according to predefined rules. Once a credit is retired, the system prevents it from being transferred or retired again, helping ensure that the same credit is not reused within the application.

By improving traceability and maintaining a verifiable transaction history, the system supports transparency and accountability in carbon credit management. Therefore, the project contributes to SDG 13: Climate Action by providing a technology-based approach to managing carbon credits more securely and responsibly. However, the actual environmental impact still depends on the genuine reduction or removal of emissions being independently verified.

10. REFERENCES

[1] World Bank. State and Trends of Carbon Pricing 2026. Published 2026. Available at: https://www.worldbank.org/en/publication/state-and-trends-of-carbon-pricing.

[2] United Nations Framework Convention on Climate Change (UNFCCC). Article 6 of the Paris Agreement. Available at: https://unfccc.int/process-and-meetings/the-paris-agreement/article6.

[3] Verra. Verra Registry Overview. Available at: https://verra.org/registry/overview/.

[4] Verra. New "Retirement Reason" Option in Verra Registry. Published October 12, 2023. Available at: https://verra.org/new-retirement-reason-option-in-verra-registry/.

[5] Verra. Verified Carbon Standard. Available at: https://verra.org/programs/verified-carbon-standard/.

[6] From Promise to Practice: Decentralization in ReFi Transaction Networks and On-Chain Carbon Credit Retirement. Blockchain: Research and Applications, 2026. DOI: https://doi.org/10.1016/j.bcra.2026.100551.

[7] Ethereum.org. Introduction to Smart Contracts. Available at: https://ethereum.org/developers/docs/smart-contracts/.

[8] Solidity Documentation. Solidity Programming Language Documentation. Available at: https://docs.solidity.org/en/latest/.

[9] Individual CF Tracking and Management System Using Blockchain and Zero-Knowledge Proof. ICT Express, 2026, Volume 12, Issue 3, pp. 646–652. DOI: https://doi.org/10.1016/j.icte.2026.03.008.

[10] U.S. Environmental Protection Agency (EPA). Double Counting. Available at: https://www.epa.gov/green-power-markets/double-counting

11. Appendix A

Drive Link:

https://drive.google.com/file/d/1VTKXEJVr7URr1RPGkJGUM8C7jL4d8aQC/view?usp=drive_link